

2-*N*-Acetamido-3-*D*-amino-2,3-dideoxy- β -D-glucofuranurono-6,3-lactam, structure of, 195

Acetylation of chelated hydrazone derivatives, 315

Alkaline oxidative degradation of saccharides, semiquinones formed during, 127

1-Alkoxyalkyl α -D-glycosides in the presence of acid or α -D-glucosidase from yeast, comparative stability of, 47

D-Allitol, 2,5:3,4-dianhydro-1,6-dideoxy-6-(trimethylamino)-, 71

Amino sugars, formation of, by catalytic reduction of the *O*-methyloximes of methyl 4,6-*O*-ethylidene- α - and - β -D-*arabino*-hexopyranosidulose, 141

Amylases on amylose, a model for the action of cereal alpha, 223

Anti-inflammatory effect of the polysaccharide from the fruit bodies of *Auricularia* species, 344

Apple, investigation of the heterogeneity of xyloglucans from the cell walls of, 107

Bacteriophage-associated lyase acting on *Klebsiella* serotype K5 capsular polysaccharide, 338

Benzyl- α -1-*d*-ethers, of monosaccharides, preparation and n.m.r.-spectral characteristics of, 165

Capsular polysaccharide, a bacteriophage-associated lyase acting on *Klebsiella* serotype K5, 338

Capsular polysaccharide K95 from *E. coli* containing furanosidic KDO-residues, structure of, 269

Catalytic reduction of the *O*-methyloximes of methyl 4,6-*O*-ethylidene- α - and - β -D-*arabino*-hexopyranosidulose, formation of amino sugars by, 141

Cellulose, its chemistry and applications (*book review*), c1

Cereal alpha amylases on amylose, a model for the action of, 223

Chelated hydrazone derivatives, acetylation of, 315

Chemistry, and applications, of cellulose (*book review*), c1

Cladonia alpestris (reindeer moss), polysaccharide from, 237

Cladonia amaurocrea, polysaccharide from, 237

Cladonia confusa, polysaccharide from, 237

Comparative stability of 1-alkoxyalkyl α -D-glycosides in the presence of acid or α -D-glucosidase from yeast, 47

Condensation of methyl 4,6-*O*-benzylidene- β -D-galactopyranoside with tetra-*O*-acetyl- α -D-glucopyranosyl bromide, Koenigs-Knorr, 146

Convenient method for the preparation of methyl 2-deoxy- β -D-*erythro*-pentopyranoside, 321

Crystal structure of β -D-galactopyranosylamine, 39

Cyclomaltoheptaose, adduct with 1-adamantane-methanol, structure of, 21

Cyclomaltohexaose (cyclodextrin) inclusion-complexes with aromatic amino acids, a ¹H-n.m.r. study of the formation and structure of, 329

4-*O*-(1-Deoxy-D-alditol-1-yl)-D-alditols, synthesis of, from disaccharide derivatives, 135

2-Deoxy- β -D-*erythro*-pentopyranoside, a convenient method for the preparation of methyl, 321

Dextranase, from *Streptococcus sanguis*, purification and comparison of two forms of, 285

Dextranase, interaction of, with deoxyhalosucrose derivatives, 277

(\pm)-1,2:4,5-Di-*O*-isopropylidene-*myo*-inositol, preparation of, 132

2,5:3,4-Dianhydro-1,6-dideoxy-6-(trimethylamino)-D-allitol and -D-galactitol, 71

1,4:5,8-Dianhydro-octitol derivatives, synthesis of, 61

Dichomitus squalens, purification and partial characterisation of three endo-glucanases from, 299

Dimethyladenosyl-L-methionine, preparation of *S*-(*N*⁶,*N*⁶-), 123

Disaccharide derivatives, synthesis of 4-*O*-(1-deoxy-D-alditol-1-yl)-D-alditols from, 135

Endo-glucanases from *Dichomitus squalens*, purification and partial characterisation of three, 299

Enzyme nomenclature, 1984 (*book review*), c2

Escherichia coli, structure of capsular polysaccharide K95 containing furanosidic KDO-residues from, 269

Food processing, polysaccharides and, 93

Formation of amino sugars by catalytic reduction of the *O*-methyloximes of methyl 4,6-*O*-

- ethylidene- α - and - β -D-arabino-hexopyranosidulose, 141
- Formation of 2,3-unsaturated pyranoid derivatives from a D-mannopyranose *p*-toluenesulfonate, 152
- D-Fructopyranosylamine, *N*-(2-aminoethyl)-, complex with ethylenediamine and nickel(II) \cdot Cl₂ \cdot CH₃OH, an X-ray crystallographic study of, 179
- D-Galactitol, 2,5:3,4-dianhydro-1,6-dideoxy-6-(trimethylamino)-, 71
- D-Galacto-D-mannans from lichens having ascomycetous mycosymbionts, structures of, 253
- β -D-Galactopyranosides, 2,3,4,6-tetra-*O*-acetyl-, phase-transfer-catalyzed synthesis of, 333
- 3-*O*- β -D-Galactopyranosyl- β -D-galactopyranoside, methyl, synthesis and test with IgA J539, 158
- Galactopyranosyl-oligosaccharides, synthesis of *p*-nitrophenyl β -glycosides of (1 \rightarrow 6)- β -D-, 203
- β -D-Galactopyranosylamine, crystal structure of, 39
- Glucofuranurono-6,3-lactam, structure of 2-acetamido-3-amino-2,3-dideoxy-D-, 195
- α -D-Glucosidase from yeast, comparative stability of 1-alkoxyalkyl α -D-glycosides in the presence of acid or, 47
- Glycopeptides β -D-Gal-(1 \rightarrow 3)- α -D-GalNAc \rightarrow Ser, Thr by ¹³C-n.m.r. spectroscopy, structural, dynamic, and metal-ion binding studies of the core, 11
- Glycosides of (1 \rightarrow 6)- β -D-galactopyranosyl-oligosaccharides, synthesis of *p*-nitrophenyl β -, 203
- Hydrazone derivatives, acetylation of chelated, 315
- 4-Hydroxy-2,3-dioxo-4-phenylbutanoic acid, 1,4-lactone with *o*-phenylenediamine, structure of the reaction product of, 1
- Inclusion complexes with aromatic amino acids, a ¹H-n.m.r. study of the formation and structure of cyclomaltopolyose, 329
- myo*-Inositol, preparation of (\pm)-1,2:4,5-di-*O*-isopropylidene-, 132
- Interaction of deoxyhalosucrose derivatives with dextranucrase, 277
- Investigation of the heterogeneity of xyloglucans from the cell walls of apple, 107
- Klebsiella* serotype K5 capsular polysaccharide, a bacteriophage-associated lyase acting on, 338
- Klebsiella* serotype K 49, structural investigation of the capsular polysaccharide of, 85
- Koenigs-Knorr condensation of methyl 4,6-*O*-benzylidene- β -D-galactopyranoside with tetra-*O*-acetyl- α -D-glucopyranosyl bromide, 146
- Lichens having ascomycetous mycosymbionts, structure of galactomannan from, 253
- Magnesium content in red blood cell, relation between sialic acid content and in real blood-cell, 115
- D-Mannans, D-galacto-, from lichens having ascomycetous mycosymbionts, structure of, 253
- Mannopyranoside, *p*-trifluoroacetamidophenyl *O*- α -D-mannopyranosyl-(1 \rightarrow 3)]-*O*-[α -D-mannopyranosyl-(1 \rightarrow 6)]- β -D-, 213
- Mannopyranosyl-(1 \rightarrow 3)-*O*-[α -D-mannopyranosyl-(1 \rightarrow 6)]- β -D-mannopyranoside, *p*-trifluoroacetamidophenyl *O*-(α -D-, 213
- Methionine, preparation of *S*-(*N*⁶,*N*⁶-dimethyladenosyl)-L-, 123
- Methyl 4,6-*O*-benzylidene- β -D-galactopyranoside, Koenigs-Knorr condensation of tetra-*O*-acetyl- α -D-glucopyranosyl bromide with, 146
- Model for the action of cereal alpha amylases on amylose, 223
- ¹H-N.m.r. study of the formation and structure of cyclomaltopolyose inclusion-complexes with aromatic amino acids, 329
- Nomenclature, 1984, of enzymes (*book review*), c2
- Nucleosides, synthesis of fused lactone, *via* stereoselective Wittig olefination of hexopyranosyl keto-nucleosides, 324
- Octitol derivatives, synthesis of 1,4:5,8-dianhydro-, 61
- Octitol derivatives, synthesis of 1,5:5,8-dianhydro-, 61
- Phase-transfer-catalyzed synthesis of 2,3,4,6-tetra-*O*-acetyl- β -D-galactopyranosides, 333
- o*-Phenylenediamine, structure of the reaction product of 4-hydroxy-2,3-dioxo-4-phenylbutanoic acid, 1,4-lactone with, 1
- Polysaccharide, from the fruit bodies of *Auricularia* species, anti-inflammatory effect of the, 344
- Polysaccharide of *Klebsiella* serotype K 49, structural investigation of the capsular, 85
- Polysaccharides and food processing, 93
- Preliminary investigation of the association of inorganic cations with carboxylic acid groups in wood, 172
- Preparation and n.m.r.-spectral characteristics of benzyl- α , α -d₂ ethers of monosaccharides, 165
- Preparation of (\pm)-1,2:4,5-di-*O*-isopropylidene-*myo*-inositol, 132

- Preparation of methyl 2-deoxy- β -D-erythro-pentopyranoside, a convenient method for the, 321
- Preparation of S-(N⁶,N⁶-dimethyladenosyl)-L-methionine, 123
- Purification, and comparison of two forms of dextranucrase from *Streptococcus sanguis*, 285
- Purification and partial characterisation of three endo-glucanases from *Dichomitus squalens*, 299
- Pyruvate kinase activity, relation between sialic acid content and, 115
- Reactions of metal complexes with carbohydrates: synthesis and characterization of novel nickel(II) complexes containing glycosylamines derived from a monosaccharide and a diamine. An X-ray crystallographic study of (ethylenediamine){N-(2-aminoethyl)-D-fructopyranosylamine}nickel(II) · Cl₂ · CH₃OH, 179
- Red blood-cell, relation between magnesium content, pyruvate kinase activity, and sialic acid content in, 115
- Saccharides, semiquinones formed during alkaline oxidative degradation of, 127
- Semiquinones formed during alkaline, oxidative degradation of saccharides, 127
- Sialic acid content in red blood cell, relation between magnesium content, pyruvate kinase activity and, 115
- Spectroscopy, structural, dynamic, and metal-ion binding studies of the core glycopeptides β -D-Gal-(1 \rightarrow 3)- α -D-GalNAc \rightarrow Ser, Thr by ¹³C-n.m.r., 11
- Stereoselective Wittig olefination of hexopyranosyl keto-nucleosides, synthesis of fused lactone nucleosides *via*, 324
- Structural, dynamic, and metal-ion binding studies of the core glycopeptides β -D-Gal-(1 \rightarrow 3)- α -D-GalNAc \rightarrow Ser, Thr by ¹³C-n.m.r. spectroscopy, 11
- Structural investigation of the capsular polysaccharide of *Klebsiella* serotype K 49, 85
- Structure of 2-acetamido-3-amino-2,3-dideoxy-D-glucofuranurono-6,3-lactam, 195
- Structure of inclusion complexes of cyclomaltoheptaose (cycloheptaamylose): crystal structure of the 1-adamantanemethanol adduct, 21
- Structure of the K95 antigen from *E. coli*, a capsular polysaccharide containing furanosidic KDO-residues, 269
- Structure of the reaction product of 4-hydroxy-2,3-dioxo-4-phenylbutanoic acid 1,4-lactone with *o*-phenylenediamine, 1
- Sucrose, deoxyhalo derivatives of, interaction of, with dextranucrase, 277
- Synthesis of 4-O-(1-deoxy-D-alditol-1-yl)-D-alditols from disaccharide derivatives, 135
- Synthesis of 1,4:5,8-dianhydro-octitol derivatives, 61
- Synthesis of fused lactone nucleosides *via* stereoselective Wittig olefination of hexopyranosyl keto-nucleosides, 324
- Synthesis of *p*-nitrophenyl β -glycosides of (1 \rightarrow 6)- β -D-galactopyranosyl-oligosaccharides, 203
- p*-Trifluoroacetamidophenyl O- α -D-mannopyranosyl-(1 \rightarrow 3)-O-[α -D-mannopyranosyl-(1 \rightarrow 6)]- β -D-mannopyranoside, 213
- 2,3-Unsaturated pyranoid derivatives, formation of, from a D-mannopyranose *p*-toluenesulfonate, 152
- Wood, the association of inorganic cations with carboxylic acid groups in, preliminary investigations of, 172
- Xyloglucans from the cell walls of apple, investigation of the heterogeneity of, 107