

CARBOHYDRATE RESEARCH, VOL. 148 (1986)

SUBJECT INDEX

- Acidic polysaccharide, fractionation of okra mucilage and structural investigation of an, 143
- Adenine and hypoxanthine, unsaturated keto-nucleosides of, 148
- Agarose, oligomers of, ^{13}C -n.m.r.-spectroscopic investigation of, 199
- Alcaligenes* (ATCC 31555) microbial polysaccharide S-130, X-ray fibre diffraction results from, and a comparison with gellan gum, c1
- Aminocyclitols, synthesis of DL-penta-*N,O*-acetyl-valiolamine and related branched-chain, 257
- Amylose from rice starch, purification and structure of, 299
- 3,4-Anhydro-1-deoxyhexulose derivatives, synthesis of, 209
- 5,6-*O*-Benzylidene derivatives of dehydro-L-ascorbic acid and dehydro-D-isoascorbic acid osazones, 127
- Cellobiohydrolase from *Penicillium pinophilum*, purification and properties of a, 331
- Cellulolytic fungus *Trichoderma koningii*, studies of two low-molecular-weight endo-(1 \rightarrow 4)- β -D-xylanases constitutively synthesised by the, 321
- Chemical synthesis of disaccharides of the specific phenolic glycolipid antigens from *Mycobacterium leprae* and of related sugars, 287
- Cotton fiber, extractability of the (1 \rightarrow 3)- β -D-glucan from developing, 162
- p*-Coumaroyl and feruloyl groups, linkage of cell-wall polysaccharides of barley straw to, 71
- Coupling of polysaccharides activated by means of chloroacetaldehyde dimethyl acetal to amines or proteins by reductive amination, 101
- Crystal and molecular structure of 1,2:3,4-di-*O*-isopropylidene-6-*O*-toluene-*p*-sulfonyl- α -D-galactopyranose, 1
- Cyclitol epoxides. Synthesis of methylsulfonyl derivatives of inositol oxiranes, 153
- Cyclohexane-1-carboxylates, synthesis of methyl DL-(1,3/2,4,5)- and DL-(1,3,4/2,5)-2,3,4,5-tetrahydroxy-, 249
- Cyclomaltohexaose and cyclomaltoheptaose, one- and two-dimensional high-resolution ^1H -n.m.r. spectra of permethylated, 109
- Dehydro-L-ascorbic acid and dehydro-D-isoascorbic acid osazones, 5,6-*O*-benzylidene derivatives of, 127
- 1-Deoxyhexulose derivatives, synthesis of 3,4-anhydro-, 209
- Digestion of the protein associated with muscle and liver glycogens, 173
- 1,2:3,4-Di-*O*-isopropylidene-6-*O*-toluene-*p*-sulfonyl- α -D-galactopyranose, crystal and molecular structure of, 1
- Direct measurement of the rate of ring opening of D-glucose by enzyme-catalyzed reduction, 345
- Disaccharides, of the specific phenolic glycolipid antigens from *Mycobacterium leprae*, chemical synthesis of, 287
- Enantiospecific synthesis of (*R*)-(+)- α -lipoic acid from D-glucose, 51
- Endoglucanase isolated from the cell walls of *Zea mays* seedlings, purification and properties of an, 265
- Endo-(1 \rightarrow 4)- β -D-xylanases constitutively synthesised by the cellulolytic fungus *Trichoderma koningii*, studies of the two low-molecular weight, 321
- Enterobacter* (NCIB 11870) species, structure of the extracellular gelling polysaccharide produced by, 63
- Enzymic degradation of the mycobacterial *O*-methyl-D-glucose polysaccharide by a *Rhizopus*-mold alpha amylase, an enzyme active on 6-*O*-methyl-amylo-oligosaccharides, 309
- Epoxides, of cyclitols, 153
- Exopolysaccharide from *Rhizobium* sp. strain ANU280 (NGR234), structure of the, 87
- Extractability of the (1 \rightarrow 3)- β -D-glucan from developing cotton fiber, 162
- Fermentation of D-glucose to ethanol, hydrogen isotope fractionation during the hydrolysis of starch and the, 132
- Fractionation of okra mucilage and structural investigation of an acidic polysaccharide, 143
- Galactomannans, of legume seeds, high resolution ^{13}C -n.m.r. spectroscopy of, 189
- Glucan from developing cotton fiber, extractability of the (1 \rightarrow 3)- β -D-, 162
- D-Glucosamine, 4-*O*-phosphono, diastereoisomeric pair of (GLA-27), related to bacterial lipid A, 221
- D-Glucose, 2-deoxy-4-*O*-phosphono-3-*O*-tetradecanoyl-2-[(3*R*)- and (3*S*)-3-tetradecanoyloxy-tetradecanamido]-, synthesis of, 221
- D-Glucose, rate of ring opening of, direct measurement of, by enzyme-catalyzed reduction, 345

- Glycogens, digestion of the protein associated with muscle and liver, 173
- 2,5-Hexodiulose 1-phosphate and 6-bisphosphate, D-threo, ^{13}C -n.m.r. spectra of, 179
- D-threo-2,5-Hexodiulose 1-phosphate and 1,6-bisphosphate, ^{13}C -n.m.r. spectra of, 179
- High-resolution ^{13}C -n.m.r. spectroscopy of legume-seed galactomannans, 189
- Hydrogen isotope fractionation during the hydrolysis of starch and the fermentation of D-glucose to ethanol, 132
- Hydrolysis of starch and the fermentation of D-glucose to ethanol, hydrogen isotope fractionation during the, 132
- Inositols, oxiranes from, synthesis of methylsulfonyl derivatives of, 153
- Interaction of Cu(II) and Mn(II) with D-ribose and D-arabinose as studied by ^{13}C -n.m.r. spectrometry, mode of, 121
- 5-Keto-D-fructose 1-phosphate and 1,6-bisphosphate, ^{13}C -n.m.r. spectra of, 179
- Ketonucleosides of adenine and hypoxanthine, unsaturated, 148
- Laminarin from *Laminaria cichorioides*, mode of action of endo-(1 \rightarrow 3)- β -D-glucanases from marine molluscs on the, 57
- Linkage of p-coumaroyl and feruloyl groups to cell-wall polysaccharides of barley straw, 71
- (R)-(+)- α -Lipoic acid, an enantiospecific synthesis from D-glucose of, 51
- Mannan dihydrate, X-ray diffraction study on (1 \rightarrow 3)- β -D-, 115
- Metal-sugar complexes in the solid state, studies by the ^{13}C -n.m.r. c.p.-m.a.s. method of, 13
- Methyl DL-(1,3/2,4,5)- and DL-(1,3,4/2,5)-2,3,4,5-tetrahydroxycyclohexane-1-carboxylates, synthesis of, 249
- C-Methylation of sucrose: synthesis of 6- and 6'-C-methylsucrose, 279
- Methyl 5-thio- α - and - β -D-allopyranosides, synthesis of 5-thio-D-allose and the, 25
- Mode of action of endo-(1 \rightarrow 3)- β -D-glucanases from marine molluscs on the laminarin from *Laminaria cichorioides*, 57
- Mode of interaction of Cu(II) and Mn(II) with D-ribose and D-arabinose as studied by ^{13}C -n.m.r. spectrometry, 121
- ^{13}C -N.m.r. c.p.-m.a.s. method, studies of metal-sugar complexes in the solid state by the, 13
- ^1H -N.m.r. spectra of permethylated cyclomaltohexaose and cyclomaltoheptaose, one- and two-dimensional high-resolution, 109
- ^{13}C -N.m.r.-spectroscopic investigation of agarose oligomers, 199
- ^{13}C -N.m.r. spectroscopic investigation, of oligomers of agarose, 199
- ^{13}C -N.m.r. spectroscopy, high resolution, of legume-seed galactomannans, 189
- Okra mucilage, structural investigation of an acidic polysaccharide from, 143
- Oligosaccharides, 6-O-methyl-amylo-, a *Rhizopus*-mold that is active on, 309
- Oligosaccharides released from the laminarin from *Laminaria cichorioides* by mollusc endo-(1 \rightarrow 3)- β -D-glucanases, the structure and the inhibitory effect of the (1 \rightarrow 3;1 \rightarrow 6)- β -D-glucosyl-, 57
- One- and two-dimensional high-resolution ^1H -n.m.r. spectra of permethylated cyclomaltohexaose and cyclomaltoheptaose, 109
- Penicillium pinophilum*, purification and properties of a cellobiohydrolase from, 331
- DL-Penta-N,O-acetylvaliolamine and related branched-chain aminocyclitols, synthesis of, 257
- Photo-oxygenation of polyhydroxyalkylfurans: rearrangement of O-acetyl derivatives, 235
- Polyhydroxyalkylfurans, photo-oxygenation of, and rearrangement of O-acetyl derivatives, 235
- Polyoxygenated derivatives of sucrose, synthesis of, 137
- Polysaccharide, mycobacterial, containing O-methyl-D-glucose, enzymic degradation of, by a *Rhizopus*-mold enzyme that is active on 6-O-methyl-amylo-oligosaccharides, 309
- Polysaccharide produced by *Enterobacter* (NCIB 11870) species, structure of the extracellular gelling, 63
- Polysaccharide S-130, X-ray fibre diffraction results from *Alcaligenes* (ATCC 31555) microbial, and a comparison with gellan gum, C1
- Polysaccharides, coupling to amines or proteins of modified, 101
- Polysaccharides of barley straw, linkage of p-coumaroyl and feruloyl groups to cell-wall, 71
- Protein associated with muscle and liver glycogens, digestion of the, 173
- Purification and properties of a cellobiohydrolase from *Penicillium pinophilum*, 331
- Purification and properties of an endoglucanase isolated from the cell walls of *Zea mays* seedlings, 265
- Purification and structure of amylose from rice starch, 299
- X-Ray diffraction study on (1 \rightarrow 3)- α -D-mannan dihydrate, 115
- Rearrangement of O-acetyl derivatives obtained by the photo-oxygenation of polyhydroxyalkyl-

- Reduction, enzyme-catalyzed, for direct measurement of the rate of ring opening of D-glucose, 345
- Reductive amination, coupling of modified polysaccharides to amines or proteins by, 101
- Rhizobium* sp. strain ANU280 (NGR234), structure of the exopolysaccharide from, 87
- Ribopyranose, α - and β -D-, 1,2,3,4-tetra-O-acetyl-5-deoxy-5-C-[(*R*)- and (*S*)-phenylphosphinyl]-, synthesis of, 168
- D-Ribose and D-arabinose as studied by ^{13}C -n.m.r. spectrometry, mode of interaction of Cu(II) and Mn(II) with, 121
- Rice starch, purification and structure of amylose from, 299
- Ring conformations in di-O-isopropylidene-galactopyranose systems, 1
- Stereoselective synthesis of 1-O-trimethylsilyl- α - and - β -D-glucopyranuronate, 349
- Studies of metal-sugar complexes in the solid state by the ^{13}C -n.m.r. c.p.-m.a.s. method, 13
- Structure of the exopolysaccharide from *Rhizobium* sp. strain ANU280 (NGR234), 87
- Structure of the extracellular gelling polysaccharide produced by *Enterobacter* (NCIB 11870) species, 63
- Studies of two low-molecular-weight endo-(1 \rightarrow 4)- β -D-xylanases constitutively synthesised by the cellulolytic fungus *Trichoderma koningii*, 321
- Sucrose, synthesis of 6- and 6'-C-methyl-, 279
- Sucrose, synthesis of polyoxygenated derivatives of, 137
- Sugars, related to the disaccharides of the specific phenolic glycolipid antigens from *Mycobacterium leprae*, chemical synthesis of, 287
- Synthesis of 6- and 6'-C-methylsucrose, 279
- Synthesis of 3,4-anhydro-1-deoxyhexulose derivatives, 209
- Synthesis of 2-deoxy-4-O-phosphono-3-O-tetradecanoyl-2-[(3*R*)- and (3*S*)-3-tetradecanoyloxy-tetradecanamido]-D-glucose: a diastereoisomeric pair of 4-O-phosphono-D-glucosamine derivatives (GLA-27) related to bacterial lipid A, 221
- Synthesis of (*R*)-(+)- α -lipoic acid from D-glucose, an enantiospecific, 51
- Synthesis of methyl DL-(1,3/2,4,5)- and DL-(1,3,4/2,5)-2,3,4,5-tetrahydroxycyclohexane-1-carboxylates, 249
- Synthesis of DL-penta-*N*,*O*-acetylvaliolamine and related branched-chain aminocyclitols, 257
- Synthesis of 1,2,3,4-tetra-O-acetyl-5-deoxy-5-C-[(*R*)- and (*S*)-phenylphosphinyl]- α - and - β -D-ribopyranose, 168
- Synthesis of 5-thio-D-allose and the methyl 5-thio- α - and - β -D-allopyranosides, 25
- Synthesis of 5-thio-D-altrose and some of its derivatives, 39
- Synthesis of 1-O-trimethylsilyl- α - and - β -D-glucopyranuronate, stereoselective, 349
- 5-Thio-D-allose and the methyl 5-thio- α - and - β -D-allopyranosides, synthesis of, 25
- 5-Thio-D-altrose and some of its derivatives, synthesis of, 39
- 1-O-Trimethylsilyl- α - and - β -D-glucopyranuronate, stereoselective synthesis of, 349
- Unsaturated ketonucleosides of adenine and hypoxanthine, 148
- X-Ray fibre diffraction results from *Alcaligenes* (ATCC 31555) microbial polysaccharide S-130 and a comparison with gellan gum, c1.
- Zea mays* seedlings, purification and properties of an endoglucanase isolated from the cell walls of, 265