

CARBOHYDRATE RESEARCH, VOL. 155 (1986)

SUBJECT INDEX

- Acetals under ultrasonic irradiation, ready preparation of sugar, 258
- N*-(2-Acetamido-2,3-dideoxy-D-glucopyranos-3-yl)glycyl-L-alanyl-D-isoglutamine analogues of muramyl dipeptide, synthesis of, 266
- N*-Acetylmannosamine, radioactively labeled, to monitor monooxygenase activity, use of, 283
- 5-Amino-5-deoxy-D-galactopyranose and 1,5-dideoxy-1,5-imino-D-galactitol, synthesis of, and their inhibition of α - and β -D-galactosidases, 119
- 1,2-Anhydro-3,4:5,6-di-*O*-isopropylidene-1-C-nitro-D-mannitol with potassium hydrogen-fluoride in ethylene glycol: a synthesis of 2-deoxy-2-fluoro-D-glucose, reaction of, 107
- 4,6-Anhydro- α -D-galactopyranosyl 6-*O*-corynomycolyl- and 6-*O*-mycolyl- α -D-galactopyranoside, synthesis of, 223
- O*-Antigenic polysaccharide of *E. coli* 09a, structure, 272
- Application of vicinal carbon-proton coupling constants to the conformational analysis for benzylidene-type acetals of 1,6-anhydro- β -D-hexopyranoses, 1
- Arum maculatum* L., a glucan isolated from the leaves of, 290
- Bacterial oxidation of L-mannitol and L-glucitol, respectively, preparation of L-fructose and D-sorbose by the, 262
- Bezylidene acetals of 1,6-anhydro- β -D-hexopyranoses, application of vicinal carbon-proton coupling constants to the conformational analysis of, 1
- Biotechnology, of marine polysaccharides (*book review*), c12
- Carbohydrates, the preparation and attempted alkylation of some 6-cyano, 217
- κ -Carrageenan, conformational transition in, 200
- κ -Carrageenan, intramolecular, cation-selective bridge in, 200
- κ -Carrageenan, viscosity-shear rate dependence of, 200
- Chemical synthesis of the desialylated human Cad-antigenic determinant, 131
- Chondroitinase digestion of chondroitin sulfate, release under mild alkaline conditions of inorganic sulfate ion from sulfated, unsaturated disaccharides obtained by, 277
- Chondroitin sulfate, release of inorganic sulfate ion from sulfated, unsaturated disaccharides obtained by chondroitinase digestion of, 277
- Clam, cherrystone, purification of an α -L-fucosidase from, 73
- Complexes formed by D-fructose and borate ions in aqueous solution, n.m.r. studies of, 206
- Conformational analysis of benzylidene-type acetals of 1,6-anhydro- β -D-hexopyranoses, application of vicinal carbon-proton coupling constants to the, 1
- 6-*O*-Corynomycolyl- α -D-galactopyranoside, 4,6-anhydro- α -D-galactopyranosyl, synthesis of, 223
- 6-*O*-Corynomycolyl- α , α -trehalose, synthesis of, 229
- Crystal and molecular structure of hexa-*O*-acetyl-carrabiose dimethyl acetal, 11
- 6-Cyano-carbohydrates, the preparation and attempted alkylation of some, 217
- 2-Deoxy-2-fluoro-D-glucose, reaction of 1,2-anhydro-3,4:5,6-di-*O*-isopropylidene-1-C-nitro-D-mannitol with potassium hydrogenfluoride in ethylene glycol: a synthesis of, 107
- E. coli* 09a, *O*-antigenic polysaccharide, structure, 272
- Efficient approach to *O*-glycosides through $\text{CuBr}_2\text{-Bu}_4\text{NBr}$ mediated activation of glycosides, C6
- L-Erythrose, synthesis from D-ribonolactone of, 212
- Fischer reaction, mechanism of formation, 33
- β -D-Fructopyranosyl *O*-(α -D-galactopyranosyluronic acid)-(1 \rightarrow 6)-*O*- α -D-glucopyranoside synthesis, 89
- D-Fructose and borate ions in aqueous solution, n.m.r. studies of complexes formed by, 206
- L-Fructose and D-sorbose by the bacterial oxidation of L-mannitol and L-glucitol, respectively, preparation of, 262
- D-Fructose, synthesis of 3-substituted furans from, 99
- α -L-Fucosidase of *Venus mercenaria*, purification of, 73
- Furans 3-substituted, synthesis from 3-C-substituted hexuloses of, 99

- β -D-Galactofuranoside. A convenient substrate for β -D-galactofuranosidase, synthesis of *p*-nitrophenyl, 247
- α - and β -D-Galactopyranoside, reactivity of *N*-imidazolsulfonyl derivatives at C-2 of, 19
- α -D-Galactopyranosyl 6-*O*-corynomycoloyl- and 6-*O*-mycoloyl- α -D-galactopyranoside, 4,6-anhydro-, synthesis of, 223
- O*-(α -D-Galactopyranosyluronic acid)-(1 \rightarrow 6)-D-glucose, synthesis of, 89
- D-Galactosides, methyl, mechanism of formation of, 33
- Glucan isolated from the leaves of *Arum maculatum* L., 290
- Glycolipid, octasaccharides, from the spermatozoa of bivalves, ¹H-2D-n.m.r. determination of the structure of, 45
- O*-Glycosides, an efficient approach to, through CuBr₂-Bu₄NBr mediated activation of glycosides, c6
- Glycosphingolipids, oxidative degradation of, 175
- Group A streptococcal polysaccharide, two-dimensional ¹H-n.m.r. spectroscopy of, 193
- Gums and stabilisers for the food industry 3 (*book review*), c11
- Hexa-*O*-acetylcarribose dimethyl acetal, the crystal and molecular structure of, 11
- Hexuloses, 3-*C*-substituted, synthesis of 3-substituted furans from, 99
- Human Cad-antigenic determinant, chemical synthesis of the desialylated, 131
- N*-Imidazolsulfonyl derivatives at C-2 of α -D-manno-, and α -D- and β -D-galactopyranosides, reactivity of, 19
- Inhibition of α - and β -D-galactosidases by 5-amino-5-deoxy-D-galactopyranose and 1,5-di-deoxy-1,5-imino-D-galactitol, 119
- Le^b antigen, stereo- and regio-controlled total synthesis of, c1
- Leaves of *Arum maculatum* L., a glucan isolated from the, 290
- α -D-Mannopyranosides, reactivity of *N*-imidazolsulfonyl derivatives at C-2 of, 19
- 2-*O*- α -D-Mannopyranosyl- α -D-mannopyranoside, 8-methoxycarbonyloctyl, 6- and 6'-phosphates, synthesis of, 57
- D-Mannose, 2-acetamido-2-deoxy-, radioactively labeled to monitor monooxygenase activity, use of, 283
- Melibiuronic acid, synthesis of, 89
- 8-Methoxycarbonyl 2-*O*- α -D-mannopyranosyl- α -D-mannopyranosides 6- and 6'-phosphates, synthesis of, 57
- Methyl D-galactosides, mechanism of formation of, 33
- 2-Methyl-2-propanethiol in the synthesis of C-thioglycosyl derivatives, use of, 151
- Monooxygenase activity, use of radioactively labeled *N*-acetylmannosamine to monitor, 283
- Muramyl dipeptide, synthesis of *N*-(2-acetamido-2,3-dideoxy-D-glucopyranos-3-yl)glycyl-L-alanyl-D-isoglutamine analogues of, 266
- 6-*O*-Mycoloyl- α -D-galactopyranoside, 4,6-anhydro- α -D-galactopyranosyl, synthesis of, 223
- 6-*O*-Mycoloyl- α , α -trehalose, synthesis of, 229
- p*-Nitrophenyl β -D-galactofuranoside. A convenient substrate for β -D-galactofuranosidase, synthesis of, 247
- N.m.r. studies of complexes formed by D-fructose and borate ions in aqueous solution, 206
- L-Nogalose, synthesis of, 252
- ¹H-Nuclear magnetic resonance spectroscopy, two-dimensional, of group A streptococcal polysaccharide, 193
- Octasaccharide glycolipid from the spermatozoa of bivalves, ¹H-2D-n.m.r. determination of the structures of, 45
- Oligosaccharides, preparation of oxidative degradation of glycosphingolipids of, 175
- Oxidation of carbohydrate triols and facile syntheses of two hexoduloses, regioselective, 141
- Oxidative cross-linking, physicochemical properties of sugar-beet pectins modified by, 183
- Oxidative degradation of glycosphingolipids, 175
- (Phenylcarbamoyl)ation, regioselective, of polyhydroxy compounds, by phenyl isocyanate-zinc naphthenate, 161
- 6- and 6'-Phosphoric esters of 8-methoxycarbonyloctyl 2-*O*- α -D-mannopyranosyl- α -D-mannopyranoside, synthesis of, 57
- Physicochemical properties of sugar-beet pectins modified by oxidative cross-linking, 183
- Polyhydroxy compounds, regioselective (phenylcarbamoyl)ation of, by phenyl isocyanate-zinc naphthenate, 161
- Polysaccharide (O-antigen) of *E. coli* 09a, structure, 272
- Polysaccharides, marine, biotechnology of (*book review*), c12
- Preparation and attempted alkylation of some 6-cyano-carbohydrates, 217
- Preparation of L-fructose and D-sorbose by the bacterial oxidation of L-mannitol and L-glucitol, respectively, 262
- Raffinuronic acid, synthesis of, 89

- Reaction of 1,2-anhydro-3,4:5,6-di-*O*-isopropylidene-1-*C*-nitro-*D*-mannitol with potassium hydrogenfluoride in ethylene glycol: a synthesis of 2-deoxy-2-fluoro-*D*-glucose, 107
- Ready preparation of sugar acetals under ultrasonic irradiation, 258
- Regioselective oxidation of carbohydrate triols and facile syntheses of two hexodiuloses, 141
- Regioselective (phenylcarbamoyl)ation of polyhydroxy compounds by phenyl isocyanate-zinc naphthenate, 161
- D*-Ribonolactone, synthesis of *L*-erythrose from, 212
- D*-Rubranitrose and methyl α -*D*-tetronitroside by cyanomesylation of hexopyranosid-3-uloses, syntheses of, 236
- Spermatozoa of bivalves, ^1H -2D-n.m.r. determination of the structure of octasaccharide glycolipid from, 45
- Stereo- and regio-controlled, total synthesis of the Le^b antigen, $\text{III}^4\text{FucIV}^2\text{FucLcOse}_4\text{Cer}$, c1
- Streptococcal polysaccharide, group A, two-dimensional ^1H -n.m.r. spectroscopy of, 193
- Structure of hexa-*O*-acetylcarrabiose dimethyl acetal, the crystal and molecular, 11
- Sugar-beet pectins modified by oxidative cross-linking, some physicochemical properties of, 183
- Sulfate ion, inorganic, release under mild alkaline conditions from sulfated, unsaturated disaccharides of, 277
- Syntheses of two hexodiuloses by regioselective oxidation of carbohydrate triols, facile, 141
- Synthesis of *N*-(2-acetamido-2,3-dideoxy-*D*-glucopyranos-3-yl)glycyl-*L*-alanyl-*D*-isoglutamine analogues of muramyl dipeptide, 266
- Synthesis of 5-amino-5-deoxy-*D*-galactopyranose and 1,5-dideoxy-1,5-imino-*D*-galactitol, and their inhibition of α - and β -*D*-galactosidases, 119
- Synthesis of *p*-nitrophenyl β -*D*-galactofuranoside. A convenient substrate for β -*D*-galactofuranosidase, 247
- Synthesis of *L*-nogalose, 252
- Syntheses of *D*-rubranitrose and methyl α -*D*-tetronitroside by cyanomesylation of hexopyranosid-3-uloses, 236
- Synthesis of the desialylated human Cad-antigenic determinant, chemical, 131
- Synthesis of *C*-thioglycosyl derivatives, use of 2-methyl-2-propanethiol in the, 151
- α -*D*-Tetronitroside by cyanomesylation of hexopyranosid-3-uloses, syntheses of *D*-rubranitrose and methyl, 236
- C*-Thioglycosyl derivatives, use of 2-methyl-2-propanethiol in the synthesis of, 151
- α , α -Trehalose, 6-*O*-corynomycoloyl- and 6-*O*-mycoloyl-, synthesis of, 229
- Ultrasonic irradiation, ready preparation of sugar acetals under, 258
- Venus mercenaria*, purification of an α -*L*-fucosidase from, 73