

CARBOHYDRATE RESEARCH, VOL. 161 (1987)

SUBJECT INDEX

- Acylation of glycofurano[2,1-*d*]imidazolidine-2-thiones: a structural revision, 49
- Alcaligenes* ATCC 31853, structural studies of an extracellular polysaccharide (S-198) elaborated by, 127
- Amylodextrin fractions, binding of iodine to, 257
- Analysis of the carbon-13 n.m.r. spectrum of methanolized *O*-ethylcellulose: monomer composition and models for its description, 23
- Antigen activities on the *O*- and the *N*-linked chains of human milk galactosyltransferase, detection of, 133
- Application of a simple methylation procedure for the analysis of glycosphingolipids, 281
- L-Arabino-D-galactan and L-arabino-D-galactan-containing proteoglycan from radish seeds, 113
- Arabinoxylan and a rhamnogalacturonan derived from linseed mucilage, structural features of an, 265
- Blood-group related antigens on both *O*- and *N*-linked chains of human milk galactosyltransferase, detection of, 133
- 3-Bromo-2-bromomethylpropyl glycosides in the preparation of double-chain bis-sulfide neo-glycolipids, 225
- ι -Carrageenan, conformational transition in, 247
- Cellulose, *O*-ethyl-, analysis of the ^{13}C -n.m.r. spectrum of methanolized, 23
- Chain-length requirement for the formation of double helices in the crystallisation of malto-oligosaccharides, the minimum, 291
- Chemical characterization of floridosides from *Porphyra perforata*, 171
- Conformational dependence of CH(CD)-stretchings in D-glucose and some deuterated derivatives as revealed by infrared and Raman spectroscopy, 1
- Conformational transition in ι -carrageenan, 247
- Crystalline type (A-C) of native starches and model compounds, factors affecting the, 301
- Crystallisation of malto-oligosaccharides as models of the crystalline forms of starch: minimum chain-length requirement for the formation of double helices, 291
- 2-Deoxy-2-fluoro-D-galactopyranose, synthesis of ^{18}F -labelled, using the acetyl hypofluorite procedure, 314
- 3-Deoxy-2-octulosonic acid, detection in thiobarbiturate-negative endotoxins of, C4
- Depolymerization of pectin with diazomethane, 75
- Diazomethane, depolymerization of pectin with, 75
- 4,6-Dideoxy-D- and -L-hexoses, synthesis from racemic and *meso*-dipropenylglycol of, 211
- 2,6-Dioxabicyclo[3.1.1.]heptanes, substituted, synthesis and conformational analysis of, 235
- Dipropenylglycol, racemic and *meso*-, synthesis of 4,6-dideoxy-D- and -L-hexoses from, 211
- Disaccharides, and related compounds, mechanisms for hydroperoxide degradation of, 181
- Double-chain bis-sulfide neo-glycolipids, 3-bromo-2-bromomethylpropyl glycosides in the preparation of, 225
- Endotoxin, thiobarbiturate-negative, detection of 3-deoxy-2-octulosonic acid in, C4
- Escherichia coli* O-2 lipopolysaccharide, structural studies of the O-specific side-chains of the, 273
- Esterase-catalysed de-esterification of radio-labelled methyl 2,6-di-*O*-pivaloyl- α -D-glucopyranoside, synthesis and, 150
- Factors affecting the crystalline type (A-C) of native starches and model compounds: a rationalisation of observed effects in terms of polymorphic structures, 301
- Floridosides, from *Porphyra perforata*, chemical characterization of, 171
- Flow-calorimetric study of the binding of iodine to amylopectin, 257
- O*- α - and *O*- β -D-Galactopyranosyl-(1 \rightarrow 3)- and -(1 \rightarrow 4)- α -D-galactopyranose, ^{13}C -n.m.r. studies of peracetylated derivatives of, 144
- β -D-GlcpNAc-(1 \rightarrow 3)- β -D-Galp-(1 \rightarrow 3)- β -D-GlcpNAc-(1 \rightarrow 3)- β -D-GalpOMe, synthesis of, 39
- β -D-GlcpNAc-(1 \rightarrow 6)- β -D-GalpOMe, synthesis of, 39

- β -D-GlcpNAc-(1 \rightarrow 3)-[β -D-GlcpNAc-(1 \rightarrow 4)]- β -D-GalpOMe, synthesis of, 39
- Glucan, (1 \rightarrow 3)- β -D-, inversion of 2-hydroxyl groups of D-glucosyl units in, C1
- α -D-Glucofuranose and β -D-fructofuranose, photochemical oxidation of partially protected derivatives of, 65
- α -D-Glucoisosaccharinic acid, oxidation by nitric acid of, 156
- D-Glucose and some deuterated derivatives, conformational dependence of CH(CD)-stretchings in, as revealed by infrared and Raman spectroscopy, 1
- Glycufurano[2,1-*d*]imidazolidine-2-thiones, a structural revision of the products of acylation of, 49
- Glycosaminoglycans, sulfated, structural characterization of, by fast-atom-bombardment mass-spectrometry, 305
- Glycosphingolipids, application of a simple methylation procedure for the analysis of, 281
- Hemicellulose A from the cork of *Quercus suber*, structural studies of the, 167
- Heparin, fragments of, prepared by chemical synthesis, structure of, 305
- D- and L-Hexoses, 4,6-dideoxy, synthesis of, 211
- Hydroxyperoxide, degradation of disaccharides and related compounds by, mechanisms of, 181
- Inversion of 2-hydroxyl groups of D-glucosyl units in (1 \rightarrow 3)- β -D-glucan, C1
- Iodine, binding to amylopectin fractions of, 257
- Klebsiella* serotype K15, studies of the primary structure of the capsular polysaccharide from, 91
- ¹⁸F-Labelled 2-deoxy-2-fluoro-D-galactopyranose, synthesis of, using the acetyl hypofluorite procedure, 314
- Linseed mucilage, structural features of an arabinoxylan and a rhamnogalacturonan derived from, 265
- Lysosomal enzymes, synthesis of end group of high-mannose chains of, 195
- O- α -D-Mannopyranosyl-(1 \rightarrow 3)- and -(1 \rightarrow 6)- α -D-mannopyranoside 6'-phosphates, synthesis of, 324
- 2-O- α -D-Mannopyranosyl- α -D-mannopyranoside, methyl, 6' and 6'-mono-, and 6,6'-diphosphate of, 318
- 2-O- α -D-Mannopyranosyl- α -D-talopyranoside, methyl, synthesis of, 31
- Mannosides, tri-, phosphorylated, synthesis of, 195
- Mechanisms for hydroperoxide degradation of disaccharides and related compounds, 181
- 8-Methoxycarbonyl O- α -D-mannopyranosyl-(1 \rightarrow 3)- and -(1 \rightarrow 6)- α -D-mannopyranoside 6'-phosphate, synthesis of, 324
- Methyl 2-O- α -D-mannopyranosyl- α -D-mannopyranoside 6- and 6'-mono-, and 6,6'-diphosphate of, 318
- Methyl 2,6-di-O-pivaloyl- α -D-glucopyranoside, synthesis and esterase-catalysed de-esterification of radiolabelled, 150
- Methylation procedure for the analysis of glycosphingolipids, application of a simple, 281
- Mucilaginous acidic polysaccharide from black gram (*Phaseolus mungo*): structure-function characteristics, 161
- Neoglycolipid micro-immunoassays applied to the oligosaccharides of human milk galactosyl-transferase, 133
- Neoglycolipids, 3-bromo-2-bromomethylpropyl glycosides in the preparation of double-chain bis-sulfide, 225
- Nitric acid, oxidation of α -D-glucoisosaccharinic acid by, 156
- ¹³C-N.m.r. studies of peracetylated derivatives of O- α - and O- β -D-galactopyranosyl-(1 \rightarrow 3)- and -(1 \rightarrow 4)- α -D-galactopyranose, 144
- Nucleic acid chemistry (*book review*), C1
- Oligosaccharide fragments of the repeating unit of *Salmonella kentucky* O-specific polysaccharide, synthesis of, and conversion into the glycosyl phosphates, 97
- Oxidation of α -D-glucoisosaccharinic acid by nitric acid, 156
- Oxidation of partially protected derivatives of α -D-glucofuranose and β -D-fructofuranose, photochemical, 65
- Pectin, depolymerization with diazomethane of, 75
- Peracetylated derivatives of O- α - and O- β -D-galactopyranosyl-(1 \rightarrow 3)- and -(1 \rightarrow 4)- α -D-galactopyranose, ¹³C-N.m.r. studies of, 144
- 6'-O-Phosphorylated derivation of di-D-mannosyl glycosides, synthesis of, 324
- Phosphorylated trimannosides, synthesis of, 195
- Phosphorylation of the primary hydroxyl groups of methyl 2-O- α -D-mannopyranosyl- α -D-mannopyranoside, 318
- Photochemical oxidation of partially protected derivatives of α -D-glucofuranose and β -D-fructofuranose, 65
- Polysaccharide (S-198) elaborated by *Alcaligenes* ATCC 31853, structural studies of an extracellular, 127

- Polysaccharide from black gram (*Phaseolus mungo*), structure–function characteristics of a mucilaginous acidic, 161
- Polysaccharide from *Klebsiella* serotype K15, studies of the primary structure of the capsular, 91
- Proteoglycan containing L-arabino-D-galactan in radish seed, 113
- Quercus suber*, structural studies of the hemicellulose A from the cork of, 167
- Radish (*Raphanus sativus*) seeds, L-arabino-D-galactan from, 113
- Rhamnopyranose, β -L-, 1,3-anhydro-2,4-di-O-benzyl- and -2,4-di-O-(*p*-bromobenzyl)-, 235
- Rheological properties of ι -carrageenan, 247
- Salmonella kentucky* O-specific polysaccharide, synthesis of oligosaccharide fragments of the repeating unit of, and conversion of the oligosaccharides into the glycosyl phosphates, 97
- O-Specific side-chains of the *Escherichia coli* O-2 lipopolysaccharide, structural studies of the, 273
- Starch, crystallisation of malto-oligosaccharides as models of the crystalline forms of, and the minimum chain-length requirement for the formation of double helices, 291
- Starches and model compounds, factors affecting the crystalline type (A–C) of native, 301
- CH(CD)-Stretchings in D-glucose and some deuterated derivatives, conformational dependence of, as revealed by infrared and Raman spectroscopy, 1
- Structural characterization of sulfated glycosaminoglycans by fast-atom-bombardment mass-spectrometry: application to heparin fragments prepared by chemical synthesis, 305
- Structural features of an arabinoxylan and a rhamnogalacturonan derived from linseed mucilage, 265
- Structural revision of the products of acylation of glycofurano[2,1-*d*]imidazolidine-2-thiones, 49
- Structural studies of an extracellular polysaccharide (S-198) elaborated by *Alcaligenes* ATCC 31853, 127
- Structural studies of the hemicellulose A from the cork of *Quercus suber*, 167
- Structural studies of the O-specific side-chains of the *Escherichia coli* O-2 lipopolysaccharide, 273
- Structure–function characteristics of a mucilaginous acidic polysaccharide from black gram (*Phaseolus mungo*), 161
- Studies of the primary structure of the capsular polysaccharide from *Klebsiella* serotype K15, 91
- Synthesis and conformational analysis of substituted 2,6-dioxabicyclo[3.1.1]heptanes: 1,3-anhydro-2,4-di-O-benzyl- and -2,6-di-O-(*p*-bromobenzyl)- β -L-rhamnopyranose, 235
- Synthesis and esterase-catalysed de-esterification of radiolabelled methyl 2,6-di-O-pivaloyl- α -D-glucopyranoside, 150
- Synthesis of ^{18}F -labelled 2-deoxy-2-fluoro-D-galactopyranose using the acetyl hypofluorite procedure, 314
- Synthesis of oligosaccharide fragments of the repeating unit of *Salmonella kentucky* O-specific polysaccharide and conversion of the oligosaccharides into the glycosyl phosphates, 97
- α -D-Talopyranoside, 2-O- α -D-mannopyranosyl- and 2-O- α -D-talopyranosyl-, methyl, synthesis of, 31
- 2-O- α -D-Talopyranosyl- α -D-talopyranoside, methyl, synthesis of, 31
- Thiobarbiturate-negative endotoxin, detection of 3-deoxy-2-octulosonic acid in, c4