

CARBOHYDRATE RESEARCH, VOL. 162 (1987)

SUBJECT INDEX

- 2-Acetamido-2-deoxy-D-galactopyranosyl-threonine-containing peptides, the role of the *N*-acetyl group in determining the conformation of, c4
- 2-Acetamido-2,6-dideoxy-6-fluoro-D-galactose, synthesis of, 41
- N*-Acetyl group, the role of, in determining the conformation of 2-acetamido-2-deoxy-D-galactopyranosyl-threonine-containing peptides, c4
- Acetyl hypofluorite, reaction of pyranoid and furanoid glycals with, 13
- N*-Acetylneuraminic acid and epimers at C-7, C-8, and C-7,8, side-chain conformation of, 1
- Alkyl glycopyranosides and glycofuranosides of 2-amino-2-deoxy-D-glucose, synthesis of, 181
- 2-Amino-2-deoxy-D-glucose, phenacylthiourea and *N*-thiazolyl derivatives of, 307
- 2-Amino-2-deoxy-D-glucose, synthesis of alkyl glycopyranosides and glycofuranosides of, 181
- Amylopectin, a comparison of the size and shape of, with that of β -limit dextrin, using pulsed field-gradient nuclear magnetic resonance and analytical ultracentrifugation, 33
- Amylopectin, the gelation and crystallisation of, 277
- Amylose and amylopectin in aqueous solution, incompatibility of, 323
- Arabinogalactan-protein from *Lolium multiflorum*, fine structure of the, 85
- L-Arabinopyranoside, methyl α - and β -, partial tosylation of, 159
- Asymmetric reduction of ketones by using hydridoaluminate complexes of symmetrical, chiral, branched-chain alditol derivatives, 153
- Borate-polyhydroxycarboxylate systems, synergic coordination of calcium in, 65
- Branched-chain sucroses; synthesis and Wittig reaction of the 1'-aldehyde derivative of sucrose, 209
- Calcium, synergic coordination of, in borate-polyhydroxycarboxylate systems, 65
- Carbohydrate portion of the sialoglycopeptide isolated from the skin of the fish *Mastacembalus armatus*, structure of the, 257
- Cassia alata* seed, structure of a galactomannan from, 271
- Cerebrosides, total synthesis of, 237
- Chemistry and Function of Pectins (*book review*), c1
- Chlorodeoxysucrose, synthesis of an intensely sweet, and mechanism of 4'-chlorination of sucrose by sulphuryl chloride, 53
- Chromogenic substrate for sialidases, synthesis of *p*-nitrophenyl 5-acetamido-3,5-dideoxy- α -D-glycero-D-galacto-2-nonulopyranosidonic acid as a, 294
- Comparative ^1H -n.m.r. study of MurNAc-L-Ala-D-iGln (MDP) and its analogue murabutide: evidence for a structure involving two successive β -turns in MDP, 23
- Comparison of the size and shape of β -limit dextrin and amylopectin using pulsed field-gradient nuclear magnetic resonance and analytical ultracentrifugation, 33
- Convenient synthesis of 2-deoxy-2-[(*R*)-3-hydroxytetradecanamido]-3-*O*-[(*R*)-3-hydroxytetradecanoyl]- α -D-glucopyranose 1-phosphate (lipid X), 79
- Convenient synthetic route to the disaccharide repeating-unit of peptidoglycan, 227
- Crystal and molecular structures of substituted α -D-glucopyranosides, 171
- Crystallisation of amylopectin, the gelation and, 277
- Deacetylation of anomeric sugar acetates with tin alkoxides, selective, 145
- Degradation of xylan with alkali, the formation of 3-hydroxytetrahydrofuran-3-carboxylic acid by the, 303
- 2-Deoxy-2-[(*R*)-3-hydroxytetradecanamido]-3-*O*-[(*R*)-3-hydroxytetradecanoyl]- α -D-glucopyranose 1-phosphate (lipid X), a convenient synthesis of, 79
- Determination of the activity of sucrose phosphate synthase by measurement of the release of UDP by h.p.l.c., 329
- 2,7-Dioxabicyclo[4.1.0]heptanes, synthesis of substituted, 217
- Disaccharide repeating-unit of peptidoglycan, a convenient synthetic route to the, 227
- Epoxides of sucrose, synthesis of 4'-derivatives of sucrose by ring-opening reactions of, 199
- Fine structure of the arabinogalactan-protein from *Lolium multiflorum*, 85
- 6-Fluoro-D-galactose, 2-acetamido-2,6-dideoxy-, synthesis of, 41

- Formation of 3-hydroxytetrahydrofuran-3-carboxylic acid by the degradation of xylan with alkali, 303
- Formose reaction, formation of DL-glycero-tetralose in, c1
- Galactomannan from *Cassia alata* seed, structure of a, 271
- α -D-Galactopyranose, 1,2-anhydro-, 3,4,6-tri-*O*-benzyl- and 3,4,6-tri-*O*-(*p*-bromobenzyl)-, synthesis of, 217
- D-Galactose, 2-acetamido-2,6-dideoxy-6-fluoro, synthesis of, 41
- Gelation and crystallisation of amylopectin, 277
- β -D-Glucopyranosides, aryl, benzoylated, synthesis of, 117
- α -D-Glucopyranosides, crystal and molecular structures of substituted, 171
- β -D-Glucopyranosyl substituted-cinnamates, synthesis of, 117
- D-Glucosamine, 4-*O*-phosphono-, optically active derivatives of, related to the nonreducing-sugar subunit of bacterial lipid A, synthesis of the, 127
- D-Glucosylation, phase-transfer-catalyzed, 117
- Glycals, reaction of acetyl hypofluorite with pyranoid and furanoid, 13
- DL-glycero-tetralose, formation in the formose reaction of, c1
- Hydridoaluminate complexes of symmetrical chiral branched-chain alditol derivatives, asymmetric reduction of ketones by using, 153
- 3-Hydroxytetrahydrofuran-3-carboxylic acid, the formation of, by the degradation of xylan with alkali, 303
- Improved synthesis of 2,3,4-tri-*O*-acetyl-1,6-anhydro- β -D-glucopyranose (levoglucosan triacetate), 141
- Incompatibility of amylose and amylopectin in aqueous solution, 323
- Kojitetraose and kojipentaose, synthesis of, 95
- Levoglucosan triacetate (2,3,4-tri-*O*-acetyl-1,6-anhydro- β -D-glucopyranose), an improved synthesis of, 141
- β -Limit dextrin, a comparison of the size and shape of, with that of amylopectin, using pulsed field-gradient nuclear magnetic resonance and analytical ultracentrifugation, 33
- Lipid A, bacterial, synthesis of the optically active 4-*O*-phosphono-D-glucosamine derivatives related to the nonreducing-sugar subunit of, 127
- Lipid A, bacterial, the nonreducing-sugar subunit analogs of, carrying the amide-bound (3*R*)-3-(acyloxy)tetradecanoyl group, synthesis of, 247
- Lipid X {2-deoxy-2-[(*R*)-3-hydroxytetradecan-amido]-3-*O*-[(*R*)-3-hydroxytetradecanoyl]- α -D-glucopyranose 1-phosphate}, a convenient synthesis of, 79
- Lolium multiflorum*, fine structure of the arabinogalactan-protein from, 85
- α -D-Mannopyranoside, methyl 4,6-di-*O*-benzyl-, selective benzoylation and tosylation of, 167
- Measurement of the release of UDP by h.p.l.c., determination of the activity of sucrose, phosphate synthase by, 329
- 4-*C*-Methyl and 4-*C*-allyl derivatives of sucrose, synthesis of, 316
- 4'-*C*-Methyl-galacto-sucrose, synthesis of 4,1',6'-trichloro-4,1',4',6'-tetra-deoxy-, 298
- MurNAc-L-Ala-D-iGln (MDP) and its analogue murabutide, a comparative ¹H-n.m.r. study of, 23
- Neuraminic acid, *N*-acetyl-, and epimers at C-7, C-8, and C-7,8, side-chain conformation of, 1
- p*-Nitrophenyl 5-acetamido-3,5-dideoxy- α -D-glycero-D-galacto-2-nonulopyranosidonic acid, synthesis of, 294
- ¹H-N.m.r. study of MurNAc-L-Ala-D-iGln (MDP) and its analogue murabutide, a comparative, 23
- Oligosaccharides having (1 \rightarrow 2)- α -D-glucosidic linkages, synthesis of, 95
- Partial tosylation of methyl α - and β -L-arabinopyranoside, 159
- Peptidoglycan, a convenient synthetic route to the disaccharide repeating-unit of, 227
- Phase-transfer-catalyzed D-glucosylation: synthesis of benzoylated aryl β -D-glucopyranosides and β -D-glucopyranosyl substituted-cinnamates, 117
- Phenacylthiourea and *N*-thiazolyl derivatives of 2-amino-2-deoxy-D-glucose, 307
- Polysaccharide from *Streptococcus pneumoniae* types 15B and 15C, structural studies of the capsular, 111
- Reaction of acetyl hypofluorite with pyranoid and furanoid glycals, 13
- Reduction of ketones by using hydridoaluminate complexes of symmetrical chiral branched-chain alditol derivatives, asymmetric, 153
- Ring-opening reactions of sucrose epoxides and synthesis of 4'-derivatives of sucrose, 199

- Role of the *N*-acetyl group in determining the conformation of 2-acetamido-2-deoxy-D-galactopyranosyl-threonine-containing peptides C4
- Selective benzylation and tosylation of methyl 4,6-di-*O*-benzyl- α -D-mannopyranoside, 167
- Selective deacetylation of anomeric sugar acetates with tin alkoxides, 145
- Sialic acid, side-chain conformation of, 1
- Sialoglycopeptide isolated from the skin of the fish *Mastacembalus armatus*, structure of the carbohydrate portion of the, 257
- Sphingene, (2*S*, 3*R*, 4*E*)-1-*O*- β -D-galactopyranosyl-*N*-(2'*R* and 2'*S*)-2'-hydroxytetra-cosanoyl-, 237
- Streptococcus pneumoniae* types 15B and 15C, structural studies of the capsular polysaccharide from, 111
- Structural studies of the capsular polysaccharide from *Streptococcus pneumoniae* types 15B and 15C, 111
- Structure of a galactomannan from *Cassia alata* seed, 271
- Structures of substituted α -D-glucopyranosides, crystal and molecular, 171
- Structure of the carbohydrate portion of the sialoglycopeptide isolated from the skin of the fish *Mastacembalus armatus*, 257
- Sucrose epoxides, synthesis of 4'-derivatives of sucrose by ring-opening reactions of, 199
- Sucrose, mechanism of 4'-chlorination by sulphuryl chloride of, and synthesis of an intensely sweet chlorodeoxysucrose, 53
- Sucrose phosphate synthesis, determination of the activity of, by measurement of the release of UDP by h.p.l.c., 329
- Sucrose, synthesis and Wittig reaction of the 1'-aldehyde derivative of, 209
- Sucrose, synthesis of 4-*C*-methyl and 4-*C*-allyl derivatives of, 316
- Synergic coordination of calcium in borate-polyhydroxycarboxylate systems, 65
- Synthesis and Wittig reaction of the 1'-aldehyde derivative of sucrose, 209
- Synthesis of alkyl glyco-pyranosides and -furanosides of 2-amino-2-deoxy-D-glucose and crystal structure of 2-deoxy-2-[(4,4-dimethyl-2,6-dioxycyclohexyldienemethyl)amino]- α -D-glucopyranose, 181
- Synthesis of an intensely sweet chlorodeoxysucrose: mechanism of 4'-chlorination of sucrose by sulphuryl chloride, 53
- Synthesis of kojitetraose and kojipentaose, 95
- Synthesis of 4-*C*-methyl and 4-*C*-allyl derivatives of sucrose, 316
- Synthesis of *p*-nitrophenyl 5-acetamido-3,5-dideoxy- α -D-glycero-D-galacto-2-nonulopyranosidonic acid, a chromogenic substrate for sialidases, 294
- Synthesis of the nonreducing-sugar subunit analogs of bacterial lipid A carrying the amide-bound (3*R*)-3-(acyloxy)tetradecanoyl group, 247
- Synthesis of the optically active 4-*O*-phosphono-D-glucosamine derivatives related to the nonreducing-sugar subunit of bacterial lipid A, 127
- Synthesis of 2,3,4-tri-*O*-acetyl-1,6-anhydro- β -D-glucopyranose (levoglucosan triacetate), an improved, 141
- Synthesis of 4,1',6'-trichloro-4,1',4',6'-tetra-deoxy-4'-*C*-methyl-galacto-sucrose, 298
- N*-Thiazolyl and phenacylthiourea derivatives of 2-amino-2-deoxy-D-glucose, 307
- Tin alkoxides, selective deacetylation of anomeric sugar acetates with, 145
- Total synthesis of cerebrosides (2*S*, 3*R*, 4*E*)-1-*O*- β -D-galactopyranosyl-*N*-(2'*R* and 2'*S*)-2'-hydroxytetra-cosanoylsphingene, 237
- 4,1',6'-Trichloro-4,1',4',6'-tetra-deoxy-4'-*C*-methyl-galactose-sucrose, synthesis of, 298
- Vitamin B₁, formose reaction in the presence of, c1