SUBJECT INDEX

- Acetal- α -glucosides, stereoselective synthesis, 177 2-Acetamido-1,3,5-trideoxy-1,5-imino-D-glucitol
- 2-Acetamido-1,3,5-trideoxy-1,3-mino-b-giucito (2-acetamido-1,2-dideoxynojirimycin), synthesis, 141
- N-Acetyl-4-deoxy-4-iodoneuraminic acid, derivative, crystal structure of, 49
- N-Acetylneuraminic acid and [6-2H]-N-acetylneuraminic acid, synthesis from N-acetyl-D-glucosamine, 415
- Althaea officinalis L. (marsh mallow), acidic polysaccharide from the roots of, 443
- L-Amino acids, N-(1-deoxy-D-fructos-1-yl)-N-nitroso-, synthesis and properties of, 207
- Amphotericin B, a chiron for the C-33-C-37 segment of, 229
- 2,6-Anhydro heptono- and -hexononitriles, per-O-acetyl derivatives, crystal structures of, 161
- 2,6-Anhydro-1-deoxy-1-nitroalditols, synthesis via nitromethane addition of, 391
- Anthracyclinone synthesis, chiral building blocks for, 59
- Application of the trichloroacetimidate method to the synthesis of glycopeptides of the mucin type containing a β -D-Galp-(1 \rightarrow 3)-D-GalpNAc unit, 265
- Aureolic acids, synthesis of trisaccharide E-D-C of, 327
- Bis(ethylsulphonyl) α D lyxopyranosylmethane derivatives, rearrangement, 403
- Building blocks for anthracyclinone synthesis, chiral, 59
- Cellulose, homogeneous sulphation in N₂O₄-DMF, 107
- Cellulose triesters, synthesis and structural investigations of the crystalline state, 97
- Chemistry of the 1-deoxynojirimycin system: synthesis of 2-acetamido-1,2-dideoxynojirimycin starting from 1-deoxynojirimycin, 141
- Chiral building blocks from methyl \(\alpha\)-D-mannopyranoside and methyl \(\alpha\)-D-glucopyranoside for anthracyclinone synthesis, 59
- Chiroptical properties of pyranoid glycols in the presence of [Mo₂(O₂CCH₃)₄], 149
- Chitosans, the molecular weight of, studies by laser light-scattering, 433
- Conduritol, configuration (original proof), 343 Configuration of conduritol and the synthesis of *muco*-inositol and *allo*-inositol, 343

- Convenient synthesis of a building-block derivative of nigerose, 470
- Conversion of D-fructose into 4-amino, 4-amino-4-C-methyl, and 3,4,5-triamino derivatives of Lsorbose, 357
- Cyanides, derived from β -D-mannose, α -D-ribose, and α -D-idose, crystal structures of, 161
- Cyclomaltohexaose, total synthesis of, 277
- 1-Deoxynojirimycin, synthesis of 2-acetamido-1,2-dideoxynojirimycin from, 141
- N-(1-Deoxy-D-fructos-1-yl)-N-nitroso-L-amino acids, synthesis and properties of, 207
- Diazomethane, cycloaddition to nitroalkenic sugars, 486
- Diglycosylamines, structure and rearrangement reactions, 195
- 1,2-Dihydroxyalkyl radicals, reduction by dithiothreitol, 71
- Effect of high pressure on the stereospecificity of the glycosylation reaction, 241
- Enantiospecific synthesis of (R)-1,4,7-trioxaspiro-[5.5]undecane from D-fructose, 373
- Expression of endogenous lectins in human smallcell carcinoma and undifferentiated carcinoma of the lung, 33
- Fischer, Hermann O.L., biographical sketch, 1 Freudenberg, Karl, biographical sketch, 1
- D-Fructose, conversion into amino and amino-C-methyl derivatives of L-sorbose, 357
- D-Fructose, 1-O-α-D-glucopyranosyl-, preparation from sucrose of, 477
- D-Fructose, synthesis of (R)-1,4,7-trioxaspiro-[5.5]undecane from, 373
- Gallic acid, 4-O-β-D-glucopyranosyl-, synthesis of, 23
- General approach to the synthesis of 2,3-di-Oprotected derivatives of p-glyceraldehyde, 493
- α-D-Glucopyranosyl bromide, 3,4,6-tri-O-acetyl-2
 -deoxy-2-[(4,4-dimethyl-2,6-dioxocyclohexyl-idenemethyl)amino]-, Koenigs-Knorr glycosidations with, 255
- 4-O-(β-D-Glucopyranosyl 6-sulfate)gallic acid, synthesis of, 23
- 1-O-α-D-Glucopyranosyl-D-fructose, preparation from sucrose of, 477
- Glucosides, acetal- α -, stereoselective synthesis, 177

C6 SUBJECT INDEX

- D-Glyceraldehyde, 2,3-di-O-protected derivatives, synthesis, 493
- Glycolaldehyde-anion equivalent, new, and the synthesis of monosaccharides, 123
- Glycols, pyranoid, chiroptical properties in the presence of [Mo₂(O₂CCH₃)₄], 149
- Glycopeptides, mucin-type, synthesis by the trichloroacetimidate method, 265
- Glycosylated trehalose: synthesis of the oligosaccharides of the glycolipid-type antigens from Mycobacterium smegmatis, 313
- Glycosylation reaction, the stereospecificity of the, the effect of high pressure on, 241
- Glycosylic carbohydrate chains derived from murine submandibular mucin (MSM), primary structure of O- and N-glycosylic, 43
- Helferich, Burckhardt, biographical sketch, 1 Heptasaccharide having phytoalexin-elicitor activity, synthesis, 297
- Hex-3-enopyranosides, synthesis from 5-hydroxymethyl-2-furaldehyde of 3,4-dideoxy-DL-, 465
- 3,4-Hexodiulose, *p-threo*-, the synthesis and stereochemistry of derivatives of, 459
- β-D-arabino-Hexopyranose, 2,6-dideoxy units, synthesis of a trisaccharide composed of (1→3)-linked, 327
- "Homogeneous" and "heterogeneous" cellulose triesters and a cellulose triurethane: synthesis and structural investigations of the crystalline state, 97
- Hydroxyl radicals, reactions with polyhydric alcohols and subsequent processes, kinetics, 71
- 5-Hydroxymethyl-2-furaldehyde, synthesis of 3,4-dideoxy-DL-hex-3-enopyranosides from, 465
- allo-Inositol and muco-inositol, syntheses (original) from conduritol, 343
- Investigations of lignocellulosic materials by the carbon-13 n.m.r. c.p.-m.a.s. method, 85
- Karl Freudenberg, Burckhardt Helferich, Hermann O. L. Fischer. A tribute on their 100th birthdays, 1
- Koenigs-Knorr glycosidations with 3,4,6-tri-O-acetyl-2-deoxy-2-[(4,4-dimethyl-2,6-dioxo-cyclohexylidenemethyl)amino]-α-D-glucopyranosyl bromide, 255
- Lectins, endogenous, in human lung carcinoma,
- Lignocellulosic materials, c.p.-m.a.s. ¹³C-n.m.r. investigations, 85
- Lung carcinoma, human, endogenous lectins in, 33
- α-D-Lyxopyranosylmethane, bis(ethylsulphonyl)-, rearrangement of derivatives, 403

Marsh mallow, acidic polysaccharide from the roots of the, 443

- Methyl glycosides, Mitsunobu reaction on, 453
- Mitsunobu reaction on methyl glycosides as alcohol component, 453
- Molecular weight of chitosans studied by laser light-scattering, 433
- Monosaccharides, new glycolaldehyde-anion equivalent and the synthesis of, 123
- Murine submandibular mucin (MSM), primary structure of *O* and *N*-glycosylic carbohydrate chains derived from, 43
- Neuraminic acid, N-acetyl and [6-2H]-N-acetylneuraminic acid, synthesis from N-acetyl-Dglucosamine, 415
- Neuraminic acid, N-acetyl-4-deoxy-4-iodo-, derivative, crystal structure of, 49
- Nigerose, building-block derivative of, synthesis, 470
- Nitriles, heptono- and hexono-, 2,6-anhydro-, per-O-acetyl derivatives, crystal structures of, 161
- 1-Nitroalditols, 2,6-anhydro-1-deoxy-, synthesis *via* nitromethane addition of, 391
- Nitroalkenic sugars, cycloaddition of diazomethane to, 486
- Nitromethane addition, synthesis of 2,6-anhydro-1-deoxy-1-nitroalditols, 391
- N-Nitrose-L-amino acids, N-(1-deoxy-D-fructos-l-yl)-, synthesis and properties of, 207
- ¹³C-N.m.r. c.p.-m.a.s. investigations of lignocellulosic materials, 85
- ¹³C-N.m.r. spectroscopic study of the homogeneous sulphation of cellulose and xylan in the N₂O₄-DMF system, 107
- α-D-manno-2-Nonulopyranosidonic acid methyl ester methylglycoside, 5-acetamido-3,4,5-trideoxy-4-iodo-8,9-O-isopropylidene-, crystal structure of, 49
- Oligosaccharides of the glycolipid-type antigens from *Mycobacterium smegmatis*, synthesis of the 313
- On the attack of hydroxyl radicals on polyhydric alcohols and sugars and the reduction of the soformed radicals by 1,4-dithiothreitol, 71
- Periodic leaf movement factor, synthesis of, 23 Phytoalexin-elicitor heptasaccharide, synthesis,
- Polyhydric alcohols, reactions with hydroxyl radicals and subsequent processes, kinetics, 71
- Polysaccharide S-657, from *Xanthomonas* ATCC 53159, structure, 117

SUBJECT INDEX C7

- Polysaccharides from the roots of the marsh mallow (Althaea officinalis L., var. Rhobusta): structural features of an acidic polysaccharide.

 443
- Preparation of some carbohydrate pyrazolines by cycloaddition of diazomethane to nitroalkenic sugars, 486
- Primary structure of O- and N-glycosylic carbohydrate chains derived from murine submandibular mucin (MSM), 43
- Pyranoid glycols, chiroptical properties in the presence of [Mo₂(O₂CCH₃)₄], 149
- Pyrazolines by cycloaddition of diazomethane to nitroalkenic sugars, 486
- Rearrangement of derivatives of bis(ethyl-sulphonyl)- α -D-lyxopyranosylmethane, 403
- Shikimate, methyl, synthesis from methyl (1,3,4/2,5)-2,3,4,5-tetrahydroxycyclohexane-1-carboxylate, 499
- L-Sorbose, amino and amino-C-methyl derivatives from D-fructose, 357
- Structural studies of an extracellular polysaccharide, S-657, elaborated by *Xanthomonas* ATCC 53159, 117
- Structure and rearrangement reactions of some diglycosylamines, 195
- Sucrose, preparation of 1-O-α-D-glucopyranosyl-D-fructose from, 477
- Sulphation of cellulose and xylan in N₂O₄-DMF,
- Synthesis of acetal-α-glucosides. A stereoselective entry into a new class of compounds. 177
- Synthesis of N-acetylneuraminic acid and [6-2H]-N-acetylneuraminic acid from N-acetyl-Dglucosamine, 415

Synthesis of a branched heptasaccharide having phytoalexin-elicitor activity, 297

- Synthesis of 3,4-dideoxy-DL-hex-3-enopyranosides from 5-hydroxymethyl-2-furaldehyde, 465
- Synthesis of methyl shikimate from methyl (1,3,4/2,5)-2,3,4,5-tetrahydroxycyclohexane-1-carboxylate, 499
- Synthesis of monosaccharides with the aid of a new synthetic equivalent for the glycolaldehyde anion, 123
- Synthesis of the oligosaccharides of the glycolipidtype antigens from *Mycobacterium smegmatis*, 313
- Synthesis and stereochemistry of D-threo-3,4-hexodiulose derivatives, 459
- L-Talitol, 1,3,5-trideoxy-3,5-di-C-methyl-, a chiron for the C-33-C-37 segment of amphotericin B, 229
- Total synthesis of cyclomaltohexaose, 277
- Trichloroacetimidate methods, application to the synthesis of mucin-type glycopeptides, 265
- 1,3,5-Trideoxy-3,5-di-C-methyl-L-talitol; a chiron for the C-33-C-37 segment of amphotericin B, 229
- (R)-1,4,7-Trioxaspiro[5.5]undecane, synthesis from D-fructose, 373
- Trisaccharide E-D-C of aureolic acids, synthesis of, 327
- Xanthomonas ATCC 53159, extracellular polysaccharide (S-657) from, structure, 117
- Xylan, homogeneous sulphation in N₂O₄-DMF, 107