SUBJECT INDEX

- (3R,4R,5S)-5-Acetamido-3,4-piperidinediol: a selective hexosaminidase inhibitor, 312
- Acetyl derivatives of deoxypyranoses, relationship between circular dichroism and structure of, 9
- N-Acetyl-2'-O-methyllactosamine, synthesis of, 131
- N-Acetylneuraminic acid, synthesis of 9-O-acyland 4-O-acetyl-, 77
- Acrylamide, poly-, synthesis of copolymers of KDO residues and, 39
- Acrylonitrile, 2-cyano-3,3-bis(methylthio)-, reaction with 6-amino-6-deoxy-1,2:3,4-di-*O*-iso-propylidene-α-D-galactopyranose with, 87
- Alditols, perbenzoylated, ¹³C-n.m.r. spectra of, 19
- (Alditol-1-yl)-4-nitropyrroles, synthesis of (2-nitrovinyl)amino sugars and 2- and 3-, 55
- Aldononitriles, conformation of benzoyl derivatives of, 301
- Aldononitriles, perbenzoylated, ¹³C-n.m.r. spectra of, 19
- Alternative syntheses and related n.m.r. studies of precursors for internal β-D-galactopyranosyl residues in oligosaccharides, allowing chain extension at O-4, 153
- Amino acids, N-(1-deoxy-D-fructos-1-yl)-, synthetic routes to, by way of reductive amination of hexos-2-uloses, 123
- 6-Amino-6-deoxy-D-galactose, synthesis of derivatives of, 87
- Anti-complementary arabinogalactan from Angelica acutiloba Kitagawa, unit structure of the, 221
- Antigen of Klebsiella K39, capsular, structure, 279
- Arabinogalactan from Angelica acutiloba Kitagawa, unit structure of the anti-complementary, 221
- Bacteriophage-associated lyase activity against Klebsiella serotype K64 capsular polysaccharide, 257
- Cell walls of *Penicillium erythromellis*, isolation and partial characterisation of mannoglucogalactans from the, 269
- Circular dichroism and structure of acetyl derivatives of deoxypyranoses, relationship between, 9

- [2 + 2] Cycloaddition of trichloroacetyl isocyanate to glycals, 143
- Cyclomaltohexaose inclusion-complexes, determination of the qualitative host-guest geometrical relationships in, on the basis of measurements of intermolecular proton nuclear Overhauser effects, c11
- N-(1-Deoxy-D-fructos-1-yl)amino acids, synthetic routes to, by way of reductive amination of hexos-2-uloses, 123
- 3-Deoxy-2-ketoaldonic acid phosphates, g.l.c.-m.s. of methylated derivatives of, 291
- 3-Deoxy-2-ketoaldonic acids and 3-deoxyalditols, g.l.c.-m.s. of partially methylated and acetylated derivatives of, 1
- Determination of the qualitative host-guest geometrical relationships in cyclomaltohexaose inclusion-complexes on the basis of measurements of intermolecular proton nuclear Overhauser effects, C1'1
- Diethyl dithioacetals, of aldoses, the rearrangement of mono-O-isopropylidene derivatives of, 105
- Disaccharides, a simple strategy for changing the regioselectivity of glycosidase-catalysed formation of, 95
- Effect of high pressure on glycosylation under Helferich conditions, C8
- D-Galactitol, (+)-1,5-dideoxy-1,5-imino-, synthesis of, 305
- D-Galactose, 6-amino-6-deoxy-, synthesis of derivatives of, 87
- α-D-Galactosidase inhibitor, synthesis of a potent, 305
- G.l.c.-m.s. of methylated derivatives of 3-deoxy-2-ketoaldonic acid phosphates, 291
- G.l.c.-m.s. of partially methylated and acetylated derivatives of 3-deoxy-2-ketoaldonic acids and 3-deoxyalditols, 1
- D-Glucose, pyrrole compounds during the Maillard reaction under physiological conditions derived from, 211
- Glycals, [2 + 2] cycloaddition of trichloroacetyl isocyanate to, 143
- N-Glycoloylneuraminic acid, synthesis of 9-O-acyl- and 4-O-acetyl-, 77

C20 SUBJECT INDEX

- Glycosidase-catalysed formation of disaccharides, a simple strategy for changing the regioselectivity of, 95
- Glycosylation under Helferich conditions, the effect of high pressure on, c8
- Grevillea robusta gum, studies of the molecular core of, 239
- Gum from *Grevillea robusta*, studies of the molecular core of the. 239
- Heparin pentasaccharide fragment, synthesis of the methyl α -glycoside of a, having high affinity for antithrombin III, 67
- Heptofuranose, 3-deoxy-D-gluco-, synthesis of crystalline derivatives of, 175
- Hex-2-enopyranosides, alkyl 3-deoxy-, stereoselective synthesis of α anomers of, 187
- Hex-3-enopyranosid-2-uloses. alkyl 3-deoxy-, stereoselective synthesis of α anomers of, 187
- High pressure, the effect of, on glycosylation under Helferich conditions, c8
- 2-Hydroxyglycals, the reaction of esters of, with alcohols in the presence of N-iodosuccinimide, 187
- Immunomodulators, new synthetic, combining a 4-O-phosphono-D-glucosamine derivative related to bacterial lipid A with 1-deoxy-N-acetylmuramoyl dipeptide analogs, 317
- Isolation and identification of a rhamnosyl-rhamnosyl-3-deoxy-D-manno-octulosonic acid trisaccharide from the lipopolysaccharide of Acinetobacter calcoaceticus (10303 NTCC London), 295
- KDO residues, synthesis of copolymers of polyacrylamide and, 39
- Kinetics of oxidation of monosaccharides with cerium(IV), 29
- Klebsiella serotype K64 capsular polysaccharide, bacteriophage-associated lyase activity against. 257
- Klebsiella serotype K39: structure of an unusual capsular antigen deduced by use of a viral endo-glucosidase, 279
- Lactosamine, N-acetyl-2'-O-methyl-, synthesis of,
- Lipopolysaccharide of Acinetobacter calcoaceticus (10303 NTCC London), isolation and identification of a rhamnosyl-rhamnosyl-3-deoxy-D-manno-octulosonic acid trisaccharide from the, 295
- Lyase activity against *Klebsiella* serotype K64 capsular polysaccharide, bacteriophage-associated, 257

Maillard reaction under physiological conditions, pyrrole compounds derived from p-glucose during, 211

- Mannoglucogalactans from the cell walls of penicillium erythromellis, isolation and partial characterisation of, 269
- Methyl α -glycoside of a heparin pentasaccharide fragment having high affinity for antithrombin III, synthesis of the, 67
- Methylated and acetylated derivatives of 3-deoxy-2-ketoaldonic acids and 3-deoxyalditols, g.l.c.m.s. of partially, 1
- Methylated derivatives of 3-deoxy-2-ketoaldonic acid phosphates, g.l.c.-m.s. of, 291
- 2'-O-Methyllactosamine, N-acetyl-, synthesis of, 131
- Monosaccharides, kinetics of oxidation of, with cerium(IV), 29
- New synthetic immunomodulators combining a 4-O-phosphono-p-glucosamine derivative related to bacterial lipid A with 1-deoxy-N-acetylmuramoyl dipeptide analogs, 317
- Nitriles, aldono-, conformation of benzoyl derivatives of, 301
- (2-Nitrovinyl)amino sugars and 2- and 3-(alditol-1-yl)-4-nitropyrroles, synthesis of, 55
- D-manno-2-Octulopyranosylonic acid residues, 3deoxy-, synthesis of copolymers of polyacrylamide and, 39
- Oligogalacturonic acids, phytoalexin elicitoractive, stereocontrolled total synthesis of a synthetic model for, C1
- Oligosaccharides, precursors for β -to-galactopyranosyl residues in, alternative syntheses and related n.m.r. studies of, 153
- Penicillium erythromellis, isolation and partial characterisation of mannoglucogalactans from the cell walls of, 269
- 3.4-Piperidinediol, (3R,4R,5S)-5-acetamido-, a selective enzyme inhibitor, 312
- Polysaccharide of *Klebsiella* K39, capsular, structure, 279
- Pyrrole compounds derived from p-glucose during the Maillaird reaction under physiological conditions, 211
- Reaction of 2-hydroxyglycal esters with alcohols in the presence of N-iodosuccinimide. Stereoselective synthesis of α anomers of alkyl 3-deoxyhex-2-enopyranosides and 3,4-dideoxyhex-3-enopyranosid-2-uloses, 187
- Rearrangement of mono-O-isopropylidene derivatives of aldose diethyl dithioacetals, 105

SUBJECT INDEX C21

- Relationship between circular dichroism and structure of acetyl derivatives of deoxypyranoses, 9
- Rhamnosyl-rhamnosyl-3-deoxy-D-manno-octulosonic acid trisaccharide from the lipopolysaccharide of Acinetobacter calcoaceticus (10303 NTCC London), isolation and identification of a, 295
- Sialic acids, synthesis of 9-O-acyl- and 4-O-acetyl-, 77
- Simple strategy for changing the regioselectivity of glycosidase-catalysed formation of disaccharides, 95
- Stereocontrolled, total synthesis of α-D-GalA-[(1-4)-α-D-GalA]₈-(1-4)-β-D-GalA-1-OPr, a synthetic model for phytoalexin elicitor-active oligogalacturonic acids, C1
- Studies of the molecular core of Grevillea robusta gum, 239
- Syntheses of (2-nitrovinyl)aminosugars and 2- and 3-(alditol-1-yl)-4-nitropyrroles, 55

- Synthesis of crystalline derivatives of 3-deoxy-Dgluco-heptofuranose, 175
- Synthesis of (+)-1,5-dideoxy-1,5-imino-D-galactitol, a potent α -D-galactosidase inhibitor, 305
- Synthesis of heparin fragments: a methyl α -pentaoside with high affinity for antithrombin III, 67 Synthetic routes to N-(1-deoxy-D-fructos-1
 - yl)amino acids by way of reductive amination of hexos-2-uloses, 123
- Tetrazoles, 5-(polybenzoyloxyalkyl)-, conformation of, 301
- Tetrazoles, 5-(polybenzoylalkyl)- and 5-(polyhydroxyalkyl)-, ¹³C-n.m.r. spectra of, 19
- Total synthesis of X Hapten, III³ Fucα-nLc₄Cer, 197
- Unit structure of the anti-complementary arabinogalactan from Angelica acutiloba Kitagawa, 221
- X Hapten, total synthesis of, 197