

CARBOHYDRATE RESEARCH, VOL. 172 (1988)

SUBJECT INDEX

- O*-(2-Acetamido-2-deoxy- β -D-glucopyranosyl)-(1 \rightarrow 3)- β -D-galactopyranoside, methyl, α -L-fucopyranosyl-(1 \rightarrow 3,4, and 6)-, synthesis of, 27
- Adducts, of carbohydrate, with zinc-group-metal ions, 1
- Amylodextrin fractions, iodine binding to, 164
- Amylose-cetyltrimethylammonium bromide complex, on the thermal transitions of the, 83
- Amylose-fatty acid complexes, thermal dissociation of, 65
- Analysis of linkage positions in a polysaccharide containing nonreducing, terminal α -D-glucopyranosyluronic groups by the reductive-cleavage method, 255
- Antigen component of lipopolysaccharides from two strains of *Serratia marcescens* O13, structural studies of the putative, 275
- α -D-Arabinofuranosylamine, 5-*O*- α -D-galactopyranosyl-, synthesis from melibionitrile of, 156
- β -D-Arabinopyranosyl chloride, configuration and conformation of the products of reaction of pyrazole with 3,4-di-*O*-acetyl-2-deoxy-2-nitroso-, 171
- The assignment of the signals of benzyl methylene carbon atoms in ^{13}C -n.m.r. spectra of perbenzylated methyl glycopyranosides, 297
- Carbohydrate adducts with alkaline-earth metal ions. Interactions of β -D-glucurono-1,4-lactone with Mg(II) and Ca(II) cations in aqueous and non-aqueous solutions, 327
- Carbohydrate adducts with zinc-group-metal ions. Interaction of β -D-fructose with Zn(II), Cd(II), and Hg(II) cations, and the effects of metal-ion coordination on the sugar isomer binding, 1
- Carbohydrates, adducts of, with alkaline-earth metal ions, 327
- Carrageenan, from *Iridaea undulosa*, the λ -components of the "intermediate" fractions of the, 139
- Carrot, characterisation of the extractable pectins and hemicelluloses of the cell wall of, 229
- Carrot, isolation and characterisation of the cell-wall fibres of, 217
- Cellobionitrile, octa-*O*-benzoyl, synthesis and spectra, 147
- Cell-wall fibres of carrot, isolation and characterisation of the, 217
- Cell wall of carrot, characterisation of the extractable pectins and hemicelluloses of the, 229
- Cetyltrimethylammonium bromide-amylose complex, on the thermal transition of the, 83
- ^{13}C -N.m.r. spectra, of perbenzylated methyl glycopyranosides, the assignment of the signals of the benzylmethylene carbon atoms in, 297
- Complete structure of the trifoliin A-binding capsular polysaccharide of *Rhizobium trifolii*, the, 97
- λ -Components of the "intermediate" fractions of the carrageenan from *Iridaea undulosa*, the, 139
- Configuration and conformation of the products of reaction of 3,4-di-*O*-acetyl-2-deoxy-2-nitroso- β -D-arabinopyranosyl chloride with pyrazole, 171
- Dehydroascorbic acid, regioselective hydrazone-ation at C-2 of, 308
- 3,4-Di-*O*-acetyl-2-deoxy-2-nitroso- β -D-arabinopyranosyl chloride, configuration and conformation of the products of reaction of pyrazole with, 171
- Electron-impact and chemical-ionization mass spectral identification of methylated derivatives obtained from 2-acetamido-2,4-dideoxy- and 3-acetamido-3,4-dideoxy-DL-pentopyranoses, 160
- Fatty acid-amylose complexes, thermal dissociation of, 65
- D-Fructose, interaction of, with Zn(II), Cd(II), and Hg(II) cations, 1
- O*- α -L-Fucopyranosyl-(1 \rightarrow 3,4, and 6)-*O*-(2-acetamido-2-deoxy- β -D-glucopyranosyl)-(1 \rightarrow 3)- β -D-galactopyranoside, methyl, synthesis of, 27
- β -D-Galactopyranoside, methyl, α -L-fucopyranosyl-(1 \rightarrow 3,4, and 6)-*O*-(2-acetamido-2-deoxy- β -D-glucopyranosyl)-(1 \rightarrow 3)-, synthesis of, 27
- 5-*O*- α -D-Galactopyranosyl- α -D-arabinofuranosylamine, synthesis from melibionitrile of, 156
- β -D-Glucopyranose, 1,6-anhydro-, selective mono-esterification and alkylation of, *via* its dibutylstannylene derivative, 311
- D-Glucurono-1,4-lactone, interaction of, with Mg(II) and Ca(II) cations in aqueous and non-

- aqueous solutions, 327
- Glucuronoxylomannan, of *Cryptococcus neoformans* serotype A-variant, structure determination of, by ^{13}C -n.m.r. spectroscopy, 113
- Heparin, tri- and penta-saccharides related to the antithrombin III-binding sequence of, synthesis of methyl glycoside derivations of, employing cellobiose as a key starting-material, 37
- High-performance thin-layer chromatographic resolution of oligogalacturonic acids, 292
- Hydrazonation at C-2 of dehydroascorbic acid, regioselective, 308
- Iodine binding to amylodextrin fractions studied by difference spectrophotometry, 164
- Isolation and characterisation of the cell-wall fibres of carrot, 217
- KDO, synthesis of tetrasaccharide from *Salmonella minnesota* R595 containing, 11
- Klebsiella* K69, structural investigation of the capsular polysaccharide of, 209
- Lactobionitrile, octa-*O*-benzoyl, synthesis and spectra, 147
- Lipopolysaccharide of *Serratia marcescens* O5, structure of a neutral polymer isolated from the, 287
- Lipopolysaccharides from two strains (C.D.C. 3607-60 and IP 421) of *Serratia marcescens* O13, structural studies of the putative antigen component of, 275
- Maltobionitrile, octa-*O*-benzoyl, synthesis and spectra, 147
- Mannans, from the cell walls of the pathogenic yeasts *Candida albicans* serotypes A and B and *Candida parapsilosis*, structural studies of, 243
- Melibionitrile, octa-*O*-benzoyl, synthesis and spectra, 147
- Melibionitrile, octa-*O*-acetyl and -benzoyl-, reaction with ammonia of, 156
- O*-Methyl-D-glucose-containing polysaccharide of *Mycobacterium smegmatis*, incorporation of methyl groups into, 267
- Methyl glycopyranosides, perbenzylated, the assignment of the signals of benzyl methylene carbon atoms in ^{13}C -n.m.r. spectra of, 297
- Methyl groups incorporation in *Mycobacterium smegmatis*, polysaccharide of, 267
- Microbacterium smegmatis* polysaccharide, *O*-methyl-D-glucose containing, incorporation of methyl groups into, 267
- L-Nogalose, short stereoselective synthesis of, 319
- Oligogalacturonic acids, high-performance thin-layer chromatographic resolution of, 292
- Pectins and hemicelluloses of the cell wall of carrot, characterisation of the extractable, 229
- DL-Pentopyranoses, 2-acetamido-2,4-dideoxy- and 3-acetamido-3,4-dideoxy-, electron-impact and chemical-ionization mass-spectral identification of methylated derivatives obtained from, 160
- Polysaccharide, containing nonreducing terminal α -D-glucopyranosyluronic groups, analysis of linkage positions in a, by the reductive-cleavage method, 255
- Polysaccharide of *Klebsiella* K69, structural investigation of the capsular, 209
- Polysaccharide, trifoliin-binding capsular, of *Rhizobium trifolii* 843, the complete structure of the, 97
- Reductive-cleavage method, for analysis of linkage positions, in a polysaccharide containing nonreducing terminal α -D-glucopyranosyluronic groups, 255
- Regioselective hydrazonation at C-2 of dehydroascorbic acid, 308
- Salmonella minnesota* R595, synthesis of tetrasaccharide from, 11
- Selective mono-esterification and alkylation of 1,6-anhydro- β -D-glucopyranose via its dibutylstannylene derivative, 311
- L-Serine, 3-*O*-[2-acetamido-6-*O*-(*N*-acetyl- α -D-neuraminy)]-2-deoxy- α -D-galactosyl], and a stereoisomer, total synthesis of, 183
- Serratia marcescens* O5, structure of a neutral polymer isolated from the lipopolysaccharide of, 287
- Serratia marcescens* O13, studies of the structure of the putative O13 antigen component of lipopolysaccharides from two strains of, 275
- Short stereoselective synthesis of L-nogalose, 319
- Structural investigation of the capsular polysaccharide of *Klebsiella* K69, a, 209
- Structural studies of mannans from the cell walls of the pathogenic yeasts *Candida albicans* serotype A and B and *Candida parapsilosis*, 243
- Structure determination of *Cryptococcus neoformans* serotype A-variant glucuronoxylomannan by ^{13}C -n.m.r. spectroscopy, 113
- Structure of a neutral polymer isolated from the lipopolysaccharide of *Serratia marcescens* O5 (C.D.C. 867-57), 287
- Synthesis of a trisaccharide component of the capsular polysaccharide of *Streptococcus pneumoniae* type 19F, 195

Synthesis of methyl glycoside derivatives of tri- and penta-saccharides related to the anti-thrombin III-binding sequence of heparin, employing cellobiose as a key starting-material, 37

Tetrasaccharide from *Salmonella minnesota* R595, synthesis of, 11

Thermal dissociation of amylose-fatty acid complexes, 65

Thermal transitions of the amylose-cetyltrimethylammonium bromide complex, 83

Total synthesis of 3-*O*-[2-acetamido-6-*O*-(*N*-acetyl- α -D-neuraminy)-2-deoxy- α -D-galactosyl]-L-serine and a stereoisomer, 183

Trisaccharide, component of the capsular polysaccharide of *Streptococcus pneumoniae* type 19F, synthesis of a, 195