

CARBOHYDRATE RESEARCH, VOL. 174 (1988)

SUBJECT INDEX

- Acetal and ester protecting-groups in the hydrogen fluoride-catalysed synthesis of D-fructose and L-sorbose difuranose dianhydrides, 323
- 2-Acetamido-2-deoxy- α -D-galactopyranosyl analogue of tunicamycin, synthesis of a, 360
- β -D-Allofuranose, 1,6-anhydro-, crystal structure of, 9
- β -L-Altrofuranose, 1,6-anhydro-, crystal structure of, 9
- 2-Amino-2-deoxy-4-*O*-(α - and β -D-galactopyranosyl)-D-glucose, synthesis of derivatives of, 61
- 1,6-Anhydro- β -D-glucopyranose, preparation of, 349
- 1,6-Anhydrohexofuranoses, crystal structures of, 9
- Antifreeze glycoproteins of polar fish, synthesis of a close analog of the repeating unit of the, 265
- Antigenic determinants of the *Brucella* A antigen, synthesis of, utilizing methyl 4-azido-4,6-dideoxy- α -D-mannopyranoside efficiently derived from D-mannose, 239
- 3-Azi-1-methoxybutyl β -D-galactopyranoside, a photoaffinity label for monoclonal antigalactan antibodies of the V_H GAL 39.1/55.1 gene-family, 87
- Benzylidene acetals of aldopyranosides and 1,5-anhydroalditols, reaction of butyllithium with, 305
- Blood-group determinants, synthetic, conformational, and immunochemical studies of modified Lewis b and Y human, 211
- Butyllithium, reaction of benzylidene acetals of aldopyranosides and 1,5-anhydroalditols with, 305
- Characterisation of four lactose monophosphates by application of ^{31}P -, ^{13}C -, and ^1H -n.m.r. spectroscopy, 23
- Chiral isoalkyl structures, nucleophilic ring opening in a carbohydrate nitrocyclopropane: a stereospecific approach to, 291
- Chromophoric dimeric furan, the crystal structure of an unusual, 1
- Combining site of the lectin IV of *Griffonia simplicifolia*, studies of modified Lewis b and Y human blood-group determinants to serve as probes for the, 211
- Complex formed from D-galacturonate ions and cations in solution, the structure of the, 121
- Crystal structure of an unusual chromophoric dimeric furan, 1
- Deoxyheptonolactones and anhydroheptonolactones, D-glycero-D-gulo-heptono-1,4-lactone as a precursor for the synthesis of, 331
- 3-Deoxy-6-thio-D-manno-2-octulosonic acid ("6-thio-KDO"), synthesis of, 369
- Destomycin C, a typical pseudo-trisaccharide of destomycin-group antibiotics, synthesis of, 181
- 7,8-Dideoxy-1,2:3,4-di-*O*-isopropylidene- β -L-glycero-D-galacto-oct-7-enopyranose, synthesis and osmylation of, and related studies, 37
- 2,6-Dideoxyoligosaccharides, α -L-(1 \rightarrow 4)-linked, synthesis, 201
- Disaccharide component of the orthosomycin-type oligosaccharide antibiotics, synthesis of everninose, a non-reducing, 113
- 6,6'-Dithiosucrose, 6,6'-epidithiosucrose, and 6,6'-epithiosucrose, synthesis of, 145
- (3*S*,5*S*,6*S*)-6-Ethyl-3,5-dimethyltetrahydro-2H-pyran-2-one, synthesis of, 341
- Everninose, a non-reducing disaccharide component of the orthosomycin-type oligosaccharide antibiotics, synthesis of, 113
- D-Fructose and L-sorbose difuranose dianhydrides, acetal and ester protecting-groups in the hydrogen fluoride-catalysed synthesis of, 323
- β -D-Fructose 2,6-bisphosphate, synthesis of a non-isoteric isopolar monophosphonate analogue of, 47
- Furan, the crystal structure of an unusual chromophoric dimeric, 1
- Fused bipyranoses, studies related to the use of, for synthesis of polypropionate arrays, 99
- α -D-Galactofuranose, 1,6-anhydro-, crystal structure of, 9
- D-Galactopyranosyl)-D-glucose, synthesis of derivatives of 2-amino-2-deoxy-4-*O*-(α - and β -, 61
- D-Galacturonate ions, structure of the complex formed in solution by cations and, 121
- β -D-Glucofuranose, 1,6-anhydro-, crystal structure of, 9
- β -D-Glucopyranose, 1,6-anhydro-, preparation of, 349

- Glycopeptide synthesis, protected heptasaccharide intermediate for, 279
- Glycoproteins of polar fish, synthesis of a close analog of the repeating unit of the antifreeze, 265
- Hematoside [α -NeuGc-(2 \rightarrow 3)- β -Gal-(1 \rightarrow 4)- β -Glc-(1 \rightarrow 1)-Cer], a total synthesis of, 73
- Heparin, chemical synthesis of L-iduronic acid-containing disaccharidic fragments of, 253
- Heptasaccharide-asparagine intermediate for glycopeptide synthesis, 279
- D-glycero-D-gulo-Heptono-1,4-lactone as a precursor for the synthesis of deoxyheptonolactones and anhydroheptonolactones, 331
- α -L-arabino-Hexose, 2,6-dideoxy-, (1 \rightarrow 4)-linked, synthesis of di- and tri-saccharide containing, 201
- Hexoses, a ^1H - and ^{13}C -n.m.r. spectroscopic analysis of six pseudo-, 354
- Hydrogen fluoride-catalysed synthesis of D-fructose and L-sorbose difuranose dianhydrides, acetal and ester protecting-groups in the, 323
- α -L-Idofuranose, 1,6-anhydro-, crystal structure of, 9
- L-Iduronic acid-containing disaccharidic fragments of heparin, chemical synthesis of, 253
- Lactose monophosphates, characterisation of four, by application of ^{31}P , ^{13}C -, and ^1H -n.m.r. spectroscopy, 23
- Lactosyl-ceramides, synthesis of D-ribo- and L-lyxo-phytosphingosines and transformation into the corresponding, 169
- α -L-(1 \rightarrow 4)-Linked 7,6-dideoxyoligosaccharides, synthesis of, 201
- Methyl 4-azido-4,6-dideoxy- α -D-mannopyranoside efficiently derived from D-mannose, synthesis of antigenic determinants of the *Brucella* A antigen utilizing, 239
- Monoclonal antigalactan antibodies of the V_H GAL 39.1/55.1 gene-family, use of 3-azi-1-methoxybutyl β -D-galactopyranoside as a photoaffinity label for, 87
- Monophosphonate analogue of β -D-fructose 2,6-bisphosphate, synthesis of a non-isoteric isopolar, 47
- Neomycin B, total synthesis of, 133
- Nitrocyclopropane: a stereospecific approach to chiral isoalkyl structures, nucleophilic ring opening in a carbohydrate, 291
- N.m.r. spectroscopic analysis of six pseudohexoses, a ^1H - and ^{13}C -, 354
- N.m.r. spectroscopy, characterisation of four lactose monophosphates by application of ^{31}P , ^{13}C -, and ^1H -, 23
- 3-Nonanone, (4*S*,6*S*,7*S*)-4,6-dimethyl-7-hydroxy-, synthesis of, 341
- Nucleophilic ring opening in a carbohydrate nitrocyclopropane: a stereospecific approach to chiral isoalkyl structures, 291
- Oct-7-enopyranose, synthesis and osmylation of 7,8-dideoxy-1,2:3,4-di-*O*-isopropylidene- β -L-glycero-D-galacto-, and related studies, 37
- 2-Octulosonic acid ("6-thio-KDO"), synthesis of 3-deoxy-6-thio-D-manno-, 369
- Photoaffinity label for monoclonal antigalactan antibodies of the V_H GAL 39.1/55.1 gene-family, use of 3-azi-1-methoxybutyl β -D-galactopyranoside as a, 87
- Phytosphingosines, synthesis of D-ribo- and L-lyxo-, and transformation into the corresponding lactosyl-ceramides, 169
- Polysaccharide of *Salmonella thompson* serogroup $C_1(6,7)$, structural studies of the O-antigen, 313
- Protected heptasaccharide-asparagine intermediate for glycopeptide synthesis, 279
- Pseudohexoses, a ^1H - and ^{13}C -n.m.r. spectroscopic analysis of six, 354
- Pseudo-trisaccharide (destomycin C) of destomycin-group antibiotics, synthesis of a typical, 181
- Pyranonaphthoquinones, an approach to the synthesis of, 161
- Reaction of butyllithium with benzylidene acetals of aldopyranosides and 1,5-anhydroalditols, 305
- Salmonella thompson* serogroup $C_1(6,7)$, structural studies of the O-antigen polysaccharide of, 313
- Serricornin, synthesis of, 341
- Steel reactor for the preparation of 1,6-anhydro- β -D-glucopyranose, 349
- Structural studies of the O-antigen polysaccharide of *Salmonella thompson*, serogroup $C_1(6,7)$, 313
- Structure of the complex formed from D-galacturonate ions and cations in solution, 121
- Studies related to the use of fused bipyranoses for synthesis of polypropionate arrays, 99
- Sucrose, synthesis of 6,6'-dithio-, 6,6'-epidithio-, and 6,6'-epithio-, 145
- Synthesis and osmylation of 7,8-dideoxy-1,2:3,4-di-*O*-isopropylidene- β -L-glycero-D-galacto-oct-7-enopyranose and related studies, 37

- Synthesis of a 2-acetamido-2-deoxy- α -D-galactopyranosyl analogue of tunicamycin, 360
- Synthesis of a close analog of the repeating unit of the antifreeze glycoproteins of polar fish, 265
- Synthesis of a non-isoteric isopolar monophosphate analogue of β -D-fructose 2,6-bisphosphate, 47
- Synthesis of antigenic determinants of the *Brucella* A antigen, utilizing methyl 4-azido-4,6-dideoxy- α -D-mannopyranoside efficiently derived from D-mannose, 239
- Synthesis of deoxyheptonolactones and anhydroheptonolactones, D-*glycero*-D-*gulo*-heptono-1,4-lactone as a precursor for the, 331
- Synthesis of 3-deoxy-6-thio-D-*manno*-2-oculosonic acid ("6-thio-KDO"), 369
- Synthesis of derivatives of 2-amino-2-deoxy-4-O-(α - and β -D-galactopyranosyl)-D-glucose, 61
- Synthesis of destomycin C, a typical pseudo-trisaccharide of destomycin-group antibiotics, 181
- Synthesis of 6,6'-dithiosucrose, 6,6'-epidithiosucrose, and 6,6'-epithiosucrose, 145
- Synthesis of everninose, a non-reducing disaccharide component of the orthosomycin-type oligosaccharide antibiotics, 113
- Synthesis of hematoside [α -NeuGc-(2 \rightarrow 3)- β -Gal-(1 \rightarrow 4)- β -Glc-(1 \rightarrow 1)-Cer], a total, 73
- Synthesis of L-iduronic acid-containing disaccharidic fragments of heparin, 253
- Synthesis of neomycin B, total, 133
- Synthesis of D-*ribo*- and L-*lyxo*-phytosphingosine and transformation into the corresponding lactosyl-ceramides, 169
- Synthesis of polypropionate arrays, studies related to the use of fused bipyranoses for, 99
- Synthesis of pyranonaphthoquinones, an approach to the, 161
- Synthetic, conformational, and immunochemical studies of modified Lewis b and Y human blood-group determinants to serve as probes for the combining site of the lectin IV of *Griffonia simplicifolia*, 211
- α -D-Talofuranose, 1,6-anhydro-, crystal structure of, 9
- Total synthesis of neomycin B, 133
- Tunicamycin, synthesis of a 2-acetamido-2-deoxy- α -D-galactopyranosyl analogue of, 360