CARBOHYDRATE RESEARCH, VOL. 182 (1988)

SUBJECT INDEX

- 2-Acetamido-2-deoxy sugars, selective piraloylation of, 197
- Acetonation of methyl β-maltoside with 2methoxypropene, 153
- 3-Acetyl-2-(polyacetoxyalkyl)-5-phenyl-2,3-dihydro-1,3,4-oxadiazoles, stereochemical aspects of the formation of diastereoisomeric, 19
- α₁-Acid glycoprotein, purification and partial characterization of glycoprotein closely related to 135
- Angelica acutiloba Kitagawa, structure and anticomplementary activity of pectic polysaccharides isolated from the root of, 259
- Application of high-resolution n.m.r. spectroscopy to the elucidation of the structure of the specific capsular polysaccharide of Streptococcus pneumoniae type 7F, 79
- Bryopsis maxima cell wall, chemical structure of the p-xylan of, 313
- Carrageenan, kappa, molecular structure of, 1 Cassia sericea, heterogeneity and structural investigation of galactomannans isolated from the seeds of, 119
- Cell wall of *Bryopsis maxima*, chemical structure of the p-xylan of, 313
- Cell-wall polysaccharides of kiwifruit (Actinidia deliciosa): chemical features in different tissue zones of the fruit at harvest, 241
- Chemical features in different tissue zones of kiwifruit (Actinidia deliciosa) at harvest, 241
- Chiroptical properties of tetrahydropyran-3,4 diols and 2-hydroxymethyltetrahydropyran-3-ols derived from some aldoses, and enantio-selectivity in reduction with their complexes, 179
- Crystal structure for 2-deoxy-\(\beta\)-arabino-hexose (2-deoxy-\(\beta\)-glucose), 148
- Cyclomalto-oligosaccharides, determination of the host-guest geometry in the inclusion complexes with p-nitrophenol in solutions of, 41
- 2-Deoxy-β-D-arabino-hexose (2-deoxy-β-D-glucose), crystal structure of, 148
- Determination of the host-guest geometry in the inclusion complexes of cyclomalto-oligo-saccharides with p-nitrophenol in solution, 41

- Dianhydrides of oligosaccharides of the aldose type, formation of, during acid hydrolysis of the polysaccharides from the roots of the marsh mallow, 160
- Dilactone derivative of GD1a ganglioside, synthesis and structural characterization of the, 31
- Diastereoisomeric 3-acetyl-2-(polyacetoxyalkyl)-5-phenyl-2,3-dihydro-1,3,4-oxadiazoles, stereochemical aspects of the formation of, 19
- Endo-(1→3)-α-D-glucanase, reduction of adherence of insoluble α-D-glucans of Streptococcus sobrinus by, 277
- Enantioselectivity in reduction with complexes of tetrahydropyran-3,4-diols and 2-hydroxymethyltetrahydropyran-3-ols derived from some aldoses, 179
- L-Erythrose, 2,3-O-isopropylidene, condensation into disaccharide of, 287
- Exopolysaccharide, from *Tremella mesenterica*, n.m.r. spectral study of a glucuronomannan chemically derived from, 227
- Formation of 2-(2-furoyl)-4(5)-(2-furyl)-1H imidazole in the Maillard reaction, 301
- 2-(2-Furoyl)-4(5)-2-(2-furyl)-1*H*-imidazole, formation of, in the Maillard reaction, 301
- Galactomannans isolated from the seeds of Cassia sericea, heterogeneity and structural investigation of, 119
- Galactopyranosides, an improved preparation of 3,4-O-isopropylidene derivatives of α and β -D-, 297
- Galactorhamnan from the O2 reference strain (C.D.C. 868-57) of Serratia marcescens, structural studies of an acidic, 101
- Ganglioside, synthesis and structural characterization of the dilactone derivative of GD1a, 31
- α-D-Glucan of Streptococcus sobrinus, insoluble, reduction by endo-(1→3)-α-D-glucanase of adherence of, 277
- D-Glucitol, 4-O-acetyl-1,5-anhydrodi-O-ethyl-Omethyl-, the positional isomers of, synthesis and mass spectra of, 53
- D-Glucitol, 4-O-acetyl-1,5-anhydro-O-ethyldi-O-methyl-, the positional isomers of, synthesis and mass spectra of, 53

c6 SUBJECT INDEX

- p-Glucitol, 4-O-acetyl-1,5-anhydro-2,3,6-tri-O-ethyl-, synthesis and mass spectrum of, 53
- Glucuronomannan, chemically derived from a *Tremella mesenterica* exopolysaccharide, n.m.r.-spectral study of, 227
- Glycoprotein associated with malignancy, purification and characterization of, 135
- Grape berries, structural studies of pectic substances from the pulp of, 63
- Heterogeneity and structural investigation of galactomannans isolated from the seeds of Cassia sericea, 119
- Host-guest geometry in the inclusion complexes of cyclomalto-oligosaccharides with *p*-nitrophenol in solution, determination of the, 41
- Improved preparation of 3,4-O-isopropylidene derivatives of α and β -D-galactopyranosides, 207
- Iota-carrageenan, comparison with kappacarrageenan, 1
- Isopropylidene derivatives of α and β -D-galactopyranosides, an improved preparation of 3,4-O-, 297
- 2,3-O-Isopropylidene-β-L-erythrofuranosyl
 2,3-O-isopropylidene-β-L-erythrofuranosides, synthesis of, 287
- 2,3-*O*-Isopropylidene-L-erythrose, condensation into disaccharide of, 287
- Kappa-carrageenan, molecular structure and comparison with iota-carrageenan of, 1
- Kiwifruit (Actinidia deliciosa), chemical features in different tissue zones of, at harvest, 241
- Klebsiella K14 polysaccharide, preparation of branched hexasaccharides by the action of a viral lyase on, 127
- Klebsiella species, structural studies of an extracellular polysaccharide (S-53) elaborated by a, 166
- Lacto-N-triose 1 unit, synthesis of a tetra- and two pentasaccharides containing, 290
- Maillard reaction, formation of 2-(2-furoyl)-4(5)-(2-furyl)-1*H*-imidazole in the, 301
- Malignancy-associated glycoprotein, purification and partial characterization of, 135
- β -D-Mannopyranosides, aryl, synthesis of, 307
- Marsh mallow (*Althaea officinalis* L., var. Rhobusta), polysaccharides from the roots of the, 160
- 2-Methoxypropene, acetonation of methyl β maltoside with, 153
- N-Methyl-1-deoxynojirimycin, n.m.r. studies of, 169

Methyl β -maltoside, acetonation of, with 2-methoxypropene, 153

- N.m.r. studies, ¹H- and ¹³C-, of *N*-methyl-1-deoxynojirimycin, 169
- Nojirímycin, *N*-methyl-1-deoxy-, n.m.r. studies of, 169
- Pectic polysaccharides isolated from the root of Angelica acutiloba Kitagawa, structure and anti-complementary activity of, 259
- Pectic substances from the pulp of grape berries, structural studies of, 63
- Pentasaccharides containing lacto-N-triose 1 unit, synthesis of, 290
- Pivaloylation of 2-acetamido-2-deoxy sugars, selective, 197
- Polysaccharide from *Streptococcus pneumoniae* type 2, a reinvestigation of the structure of the capsular, 111
- Polysaccharide of *Streptococcus pneumoniae* type 7F, application of high-resolution n.m.r. spectroscopy to the elucidation of the structure of the specific capsular, 79
- Polysaccharide (S-53) elaborated by a *Klebsiella* species, structural studies of an extracellular, 166
- Polysaccharides from the roots of the marsh mallow (*Althaea officinalis* L., var. Rhobusta): dianhydrides of oligosaccharides of the aldose type, 160
- Polysaccharides, type-specific, of *Cryptococcus neoformans*, 227
- Preparation of branched hexasaccharides by the action of a viral lyase on *Klebsiella* K14 polysaccharide, 127
- Rhamnogalacturonan-II, the plant cell-wall polysaccharide, structural features of, 207
- Selective pivaloylation of 2-acetamido-2-deoxy sugars, 197
- Serratia marcescens, structural studies of an acidic galactorhamnan from the O2 reference strain (C.D.C. 868-57) of, 101
- Stereochemical aspects of the formation of diastereoisomeric 3-acetyl-2-(polyacetoxyalkyl)-5phenyl-2,3-dihydro-1,3,4-oxadiazoles, 19
- Streptococcus pneumoniae type 2, a reinvestigation of the structure of the capsular polysaccharide from, 111
- Streptococcus pneumoniae type 7F, application of high-resolution n.m.r. spectroscopy to the elucidation of the structure of the specific capsular polysaccharide of, 79
- Streptococcus sobrinus, reduction of adherence of insoluble α-D-glucan of, 277

- Structural features of the plant cell-wall polysaccharide rhamnogalacturonan-II, 207
- Structural studies of an acidic galactorhamnan from the O2 reference strain (C.D.C. 868-57) of Serratia marcescens, 101
- Structural studies of an extracellular polysaccharide, (S-53) elaborated by a *Klebsiella* species, 166
- Structural studies of pectic substances from the pulp of grape berries, 63
- Structural studies of the capsular polysaccharide from *Streptococcus pneumoniae* type 2, a reinvestigation, 111
- Structure and anti-complementary activity of pectic polysaccharides isolated from the root of Angelica acutiloba Kitagawa, 259
- Synthesis and mass spectra of 4-O-acetyl-1,5anhydro-2,3,6-tri-O-ethyl-D-glucitol and the positional isomers of 4-O-acetyl-1,5-anhydrodi-O-ethyl-O-methyl-D-glucitol and 4-O-acetyl-1,5-anhydro-O-ethyldi-O-methyl-D-glucitol, 53

- Synthesis and structural characterization of the dilactone derivative of GD1a ganglioside, 31 Synthesis of aryl \$\beta\$-p-mannopyranosides, 307
- Tetrahydropyran-3,4-diols and 2-hydroxymethyltetrahydropyran-3-ols derived from some aldoses, chiroptical properties of, and enantioselectivity in reduction with their complexes, 179
- Tetrasaccharide containing lacto-N-triose 1 unit, synthesis of, 290
- Type-specific polysaccharides of Cryptococcus neoformans. N.m.r.-spectral study of a glucuronomannan chemically derived from a Tremella mesenterica exopolysaccharide, 227
- Viral lyase, preparation of branched hexasaccharides by the action on *Klebsiella* K14 polysaccharide of a, 127
- p-Xylan of the cell wall of *Bryopsis maxima*, chemical structure of, 313