

SUBJECT INDEX

- N*-Acetyl-3'-*O*- $\alpha$ -L-fucopyranosyllactosamine, synthesis of, 155
- N*-Acetyl- $\beta$ -D-galactosaminidase activity of *E. coli* phage 44, 123
- Actinobacillus pleuropneumoniae* serotype 6, structure of the capsular polymer of, 321
- Allylic alcohols, epoxidation of higher sugar, 217
- Allylic alcohols, osmylation of higher sugar, 209
- Anhydro-1,2-dideoxy-2-deuterio-D-gluc-oct-2-enitol, a prochiral substrate for probing the catalytic functioning of glucosylases, synthesis of (Z)-3,7-, 287
- Antigen containing the trisaccharide hapten of *Mycobacterium leprae*, synthesis of, 175
- Assignment of benzyl methylene carbon resonances of per-*O*-benzylated methyl furanosides: correlation of assigned chemical shifts with furanosyl-ring structure, 47
- Bacterial degradation of wheat bran, changes in composition and structure resulting from, 311
- Branched-chain sugars: a stereoselective route to sibirosamine, kansosamine, and vinelose from a common precursor, synthesis of, 277
- Calcium form of cation-exchange resin, chromatography of inositols on, 1
- Capsular polymer of *Actinobacillus pleuropneumoniae* serotype 6, structure of the, 321
- Capsular polysaccharide of *E. coli* K44, sequencing by phage hydrolysis and mass spectrometry, 123
- Capsular polysaccharide of *E. coli* K44, structure, 111
- Carbohydrate derivatives, improved gas chromatographic separation of enantiomeric, using a new chiral stationary phase, 11
- Carbohydrate oxiranes, a convenient synthesis of, via sulfonates, 135
- Changes in composition and structure of wheat bran resulting from the action of human faecal bacteria *in vitro*, 311
- Chromatography for photometric, fluorimetric and electrochemical detections, mechanism of the reaction of reducing carbohydrates with 2-cyanoacetamide, used for postcolumn labeling in high performance liquid, 59
- Coffee  $\alpha$ -D-galactosidase by 2-bromo- and 2-iodo-1-methoxyethyl  $\alpha$ -D-galactopyranoside, irreversible product-inhibition of green, 301
- Conformations of cyclomaltose and amylopectin in aqueous solution,  $^{13}\text{C}$ -c.p.-m.a.s. n.m.r. studies of the, 126
- 2-Cyanoacetamide, used for postcolumn labeling in high-performance liquid chromatography for photometric, fluorimetric and electrochemical detections, mechanism of the reaction of reducing carbohydrates with, 59
- Cyclic sulfoxides, Pummerer rearrangements and similar reactions of some six-membered, 227
- Cyclomaltose and amylopectin in aqueous solution,  $^{13}\text{C}$ -c.p.-m.a.s. n.m.r. studies of the conformations of, 126
- 2-Deoxy-D-manno-2-octulopyranosylonic acid, synthesis of trisaccharide containing three residues of, 183
- 3-Deoxy-5-thiopentopyranose derivatives branched at C-3, synthesis of, by Pummerer rearrangement and a similar reaction of some six-membered cyclic sulfoxides, 227
- Dextranase: chemical modification by diethyl pyrocarbonate and dye photo-oxidation, essential histidine residues in, 97
- Electron diffraction from the galactomannan of guar gum, selective area, 131
- Enantiomeric carbohydrate derivatives, improved gas chromatographic separation of, using a new chiral stationary phase, 11
- Epoxidation of higher sugar allylic alcohols, 217
- Escherichia coli* K44, capsular polysaccharide, structure, 111
- Escherichia coli* phage 44, *N*-acetyl- $\beta$ -D-galactosaminidase activity of, use in sequencing K44 capsular polysaccharide, 123
- Essential histidine residues in dextranase: chemical modification by diethyl pyrocarbonate and dye photo-oxidation, 97
- 3'-*O*- $\alpha$ -L-Fucopyranosyllactosamine, *N*-acetyl-, synthesis of, 155

- Furanosides: correlation of assigned chemical shifts with furanosyl-ring structure, the assignment of benzyl methylene carbon resonances of per-*O*-benzylated methyl, 47
- D-Galacto-D-mannan from the seeds of *Parkinsonia aculeata* Linn., structural studies of the, 144
- Galactomannan of guar gum, selective area electron diffraction from the, 131
- $\alpha$ -D-Galactopyranose, 1,3,4,6-tetra-acetate, a simplified synthesis of, 140
- $\alpha$ -D-Galactosidase by 2-bromo- and 2-iodo-1-methoxyethyl  $\alpha$ -D-galactopyranoside, irreversible product-inhibition of green-coffee, 301
- Gas chromatographic separation of enantiomeric carbohydrate derivatives using a new chiral stationary phase, improved, 11
- $\beta$ -D-GlcpNAc-(1 $\rightarrow$ 3)- $\beta$ -D-Galp-(1 $\rightarrow$ 3)-[( $\beta$ -D-Galp-(1 $\rightarrow$ 3))- $\alpha$ -D-GalpNAcOBzl, synthesis of, 163
- $\beta$ -D-GlcpNAc-(1 $\rightarrow$ 3)- $\beta$ -D-Galp-(1 $\rightarrow$ 3)-[( $\beta$ -D-GlcpNAc(1 $\rightarrow$ 6))- $\alpha$ -D-GalpNAcOBzl, synthesis of, 163
- Glucanase (zymofase), susceptibility of scleroglucan to a (1 $\rightarrow$ 3)- $\beta$ -D-, 83
- D-Glucose with alkaline-earth metal ions. Synthesis, spectroscopic, and structural characterization of Mg(II)- and Ca(II)-D-glucose adducts and the effect of metal-ion binding on anomeric configuration of the sugar, 19
- Glucosylases, synthesis of (Z)-3,7-anhydro-1,2-deoxy-2-deuterio-D-gluc-oct-2-enitol, a prochiral substrate for probing the catalytic functioning of, 287
- Glycolipid, synthesis of a dimeric Lewis X hexasaccharide derivative corresponding to a tumor-associated, 71
- Guar gum, selective area electron diffraction from the galactomannan of, 131
- Hexasaccharide derivative corresponding to a tumor-associated glycolipid, synthesis of a dimeric Lewis X, 71
- Higher sugar allylic alcohols, epoxidation of, 217
- Higher sugar allylic alcohols, osmylation of, 209
- Higher sugar enones, stereoselective reduction of, with zinc borohydride, 201
- Human lymphocytes, determination of sialic acids in, 89
- Inhibition of green-coffee  $\alpha$ -D-galactosidase by 2-bromo- and 2-iodo-1-methoxyethyl  $\alpha$ -D-galactopyranoside, irreversible product, 301
- Inositol isomers, eight, separation by i.c. of, 1
- Interaction of D-glucose with alkaline-earth metal ions. Synthesis, spectroscopic and structural characterization of Mg(II)- and Ca(II)-D-glucose adducts and the effect of metal-ion binding on anomeric configuration of the sugar, 35
- Ions. Synthesis, spectroscopic, and structural characterization of Mg(II)- and Ca(II)-D-glucose adducts and the effect of metal-ion binding on the anomeric configuration of the sugar. Interaction of D-glucose with alkaline-earth metal, 35
- Irreversible product-inhibition of green-coffee  $\alpha$ -D-galactosidase by 2-bromo- and 2-iodo-1-methoxyethyl  $\alpha$ -D-galactopyranoside, 301
- Isolation and properties of a lectin from the fruiting bodies of *Agaricus blazei*, 150
- Kansosamine, and vinelose from a common precursor, synthesis of branched-chain sugars: a stereoselective route to sibirosamine, 277
- KDO, synthesis of trisaccharide containing three residues of, 183
- Lactosamine, *N*-acetyl-3'-*O*- $\alpha$ -L-fucopyranosyl-, synthesis of, 155
- Lectin, from the fruiting bodies of *Agaricus blazei*, isolation and properties of a, 150
- Liquid chromatography under pressure, separation of eight inositol isomers by, 1
- Lymphocytes, human, determination of sialic acids in, 89
- Mechanism of the reaction of reducing carbohydrates with 2-cyanoacetamide, used for post-column labeling in high-performance liquid chromatography for photometric, fluorimetric and electrochemical detections, 59
- Mucin fragments, synthesis of, 163
- Mycobacterium leprae*, synthesis of antigen containing the trisaccharide hapten of, 175
- Neoglycoproteins, containing the trisaccharide unit of phenolic glycolipid I of *Mycobacterium leprae*, synthesis and immunoreactivity of, 241
- N.m.r. studies of the conformations of cyclomaltohexaose and amylopectin in aqueous solution,  $^{13}\text{C}$ -c.p.-m.a.s., 126
- D-manno-Octulopyranosylonic acid, 2-deoxy-, synthesis of trisaccharide containing three residues of, 183
- Oligosaccharides, scope and limitations of rotating-frame n.O.e. spectroscopy applied to, 19
- Osmylation of higher sugar allylic alcohols, 209
- Polysaccharide (capsular) of *E. coli* K44, structure, 111

- Polysaccharide (capsular) of *E. coli*, sequencing by phage hydrolysis and mass spectrometry, 123
- Pummerer rearrangements and similar reactions of some six-membered cyclic sulphoxides: synthesis of 3-deoxy-5-thiopentopyranose derivatives branched at C-3, 227
- Reduction of higher sugar enones with zinc borohydride, stereoselective, 201
- Resonances of per-*O*-benzylated methyl furanoses: correlation of assigned chemical shifts with furanosyl-ring structure, the assignment of benzyl methylene carbon, 47
- Rotating-frame n.O.e. spectroscopy applied to oligosaccharides, scope and limitations of, 19
- Scleroglucan, susceptibility of, to the (1→3)- $\beta$ -D-glucanase zymolase, 83
- Scope and limitations of rotating-frame n.O.e. spectroscopy applied to oligosaccharides, 19
- Sialic acids in human lymphocytes, determination of, 89
- Sibirosamine, kansosamine, and vinelose from a common precursor, synthesis of branched-chain sugars: a stereoselective route to, 277
- Stereoselective reduction of higher sugar enones with zinc borohydride, 201
- Structural studies of the D-galacto-D-mannan from the seeds of *Parkinsonia aculeata* Linn., 144
- Structure of the capsular polymer of *Actinobacillus pleuropneumoniae* serotype 6, 321
- Sulfonates, a convenient synthesis of carbohydrate oxiranes *via*, 135
- Synthesis and evaluation of a series of 1-(3-alkyl-2,3-dideoxy- $\alpha$ , $\beta$ -D-*erythro*-pentofuranosyl)-thymines, 261
- Synthesis and immunoreactivity of neoglycoproteins containing the trisaccharide unit of phenolic glycolipid I of *Mycobacterium leprae*, 241
- Synthesis of a dimeric Lewis X hexasaccharide derivative corresponding to a tumor-associated glycolipid, 71
- Synthesis of (Z)-3,7-anhydro-2-dideoxy-2-deuterio-D-*gluco*-oct-2-enitol, a prochiral substrate for probing the catalytic functioning of glucosylases, 287
- Synthesis of branched-chain sugars: a stereoselective route to sibirosamine, kansosamine, and vinelose from a common precursor, 277
- Synthesis of carbohydrate oxiranes *via* sulfonates, a convenient, 135
- Synthesis of  $\alpha$ -D-galactopyranose 1,3,4,6-tetraacetate, a simplified, 140
- Thymines, 1-(3-alkyl-2,3-dideoxy- $\alpha$ , $\beta$ -D-*erythro*-pentofuranosyl)-, synthesis and evaluation of a series of, 261
- Trisaccharide hapten of *Mycobacterium leprae*, synthesis of antigen containing, 175
- Vinelose from a common precursor, synthesis of branched-chain, sugars: a stereoselective route to sibirosamine, 277
- Wheat bran, changes in composition and structure of, resulting from the action of human faecal bacteria *in vitro*, 311
- Zymolase, susceptibility of scleroglucan to the (1→3)- $\beta$ -D-glucanase, 83