

CARBOHYDRATE RESEARCH, VOL. 185 (1989)

SUBJECT INDEX

- Acacia auriculaeformis* A. Cunn., structural studies of an acidic polysaccharide from the seeds of, 105
- Acetylation of mannuronic acid residues in calcium alginate gels, selective, 119
- Agglutinin of *Aleuria aurantia*, isolation and specificity of, 15
- Alginate gels, selective acetylation of mannuronic acid residues in calcium, 119
- Alginates, effects of acetylation on some solution and gelling properties of, 131
- Aleuria aurantia* agglutinin, isolation and specificity of, 15
- 1,6-Anhydro- β -maltotriose: preparation from pullulan, and regioselective partial-protection reactions, 91
- α - and β -L-Arabinofuranosides, effect of glycosylation on n.m.r. spectra of, 27
- Aspergillus niger*, purification, properties, and industrial significance of transglucosidase from, 147
- Benzylated starches, determination of the substitution pattern of, 113
- ^{11}B -n.m.r. spectroscopy and MNDO semi-empirical LCAO-MO calculations, a study of borate complexation with pentitols by, 39
- Borate complexation with pentitols, a study of, by ^{11}B -n.m.r. spectroscopy and MNDO semi-empirical LCAO-MO calculations, 39
- Capsular polysaccharide of *E. coli* K39, use of depolymerisation by a bacteriophage-associated glycanase in the structural investigation of the, 225
- Cellulose, the reversion reactions of D-glucose during the hydrolysis of, 249
- Conformations of derivatives of methyl 4-O- α -D-galactopyranosyl - β -D-galactopyranoside, preparation and calculated, 171
- 1,2-O-(1-Cyanoethylidene)- α -D-galactofuranose, formation of cyclo-oligosaccharides by polycondensation of the 3- and 6-O-tritylated derivatives of, c1
- Cyclomaltohexaoses, hydrolysis and synthesis of branched, with *Pseudomonas* isoamylase, 191
- Cyclo-oligosaccharides, formation of, by polycondensation of the 3- and 6-O-tritylated derivatives of 1,2-O-(1-cyanoethylidene)- α -D-galactofuranose, c1
- Detection of isokestose and neokestose in plant extracts by ^{13}C -n.m.r. spectroscopy, 315
- Determination of the substitution pattern of benzylated starches, 113
- E. coli* serotype-39 capsular polysaccharide: primary structure and depolymerisation by a bacteriophage-associated glycanase, 225
- Effect of acetylation on some solution and gelling properties of alginates, 131
- Escherichia coli* O-86, structural studies of the O-antigenic polysaccharide of, which possesses blood-group B activity, 211
- Evalopyranoside: reassignment of anomeric configuration for the methanolysis product of methyl 6-deoxy-3-C-methyl- α -L-mannofuranoside, X-ray structural and n.m.r.-spectral studies of methyl α -L-, 61
- Evidence of stable hydrogen-bonded ions during isomerization of hexoses in alkali, 51
- Examination, by ^1H -n.m.r. spectroscopy, of the binding of a synthetic, high-affinity heparin pentasaccharide to human antithrombin III, 69
- D-Fructose derivatives, 4-seleno-, synthesis of, 77
- β -D-GalpNAc-(1 \rightarrow 4)- β -D-GlcpNAc-(1 \rightarrow 2)- α -D-Manp, synthesis of 3"-sulfate ester of, 163
- α -D-Glucans, formed by the D-glucosyl-transferases of *Streptococcus sobinus*, use of ^{13}C -n.m.r. spectroscopy for the quantitative estimation of 3-O- and 3,6-di-O-substituted D-glucopyranosyl residues in, 239
- Glycosylation, n.m.r. spectra, effect of, 27
- Heparin pentasaccharide, synthetic high-affinity, examination of the binding of a, to human antithrombin III, by ^1H -n.m.r. spectroscopy, 69
- Hexoses, isomerization of, in alkali, evidence of stable hydrogen-bonded ions during, 51
- Hexulofuranosides, unsaturated, 4-seleno-D-fructose derivatives as precursors of, 77
- Hydrolysis and synthesis of branched cyclomaltohexaoses with *Pseudomonas* isoamylase, 191

- Isoamylase, hydrolysis and synthesis of branched cyclomaltohexaoses with *Pseudo-monas*, 191
- Isokestose detection of, in plant extracts, by ^{13}C -n.m.r. spectroscopy, 315
- Isolation and structural characterization of the pectic polysaccharide rhamnogalacturonan II from walls of suspension-cultured rice cells, 261
- Isoraffinose, enzymic synthesis of, 139
- Lectin of *Aleuria aurantia*, isolation and specificity of, 15
- Lutropin, bovine, identification of sulfate ester location on, 163
- β -Maltotriose, 1,6-anhydro-, preparation of, from pullulan, 91
- Mannuronic acid residues in calcium alginate gels, selective acetylation of, 119
- Methyl 4-*O*- α -D-galactopyranosyl- β -D-galactopyranoside, preparation and calculated conformations of derivatives of, 171
- Neokestose, detection of, in plant extracts, by ^{13}C -n.m.r. spectroscopy, 315
- Neuraminate, *N*-acetyl-, sodium salt, thermal degradation of, 307
- N.m.r.-spectral studies of methyl α -L-evalopyranoside: reassignment of anomeric configuration for the methanolysis product of methyl 6-deoxy-3-*C*-methyl- α -L-mannofuranoside, X-ray structural and, 61
- N.m.r. spectra of α - and β -L-arabinofuranosides, effect of glycosylation on, 27
- Oligosaccharide alditols of hen ovomucin, ^1H - and ^{13}C -n.m.r. assignments for two sulphated, 1
- Onion, investigation by ^{13}C -n.m.r. spectroscopy of structural features of the pectic polysaccharides of, 233
- Ovomucin, hen, ^1H - and ^{13}C -n.m.r. assignments for two sulphated oligosaccharide alditols of, 1
- Pectic polysaccharides of onion, investigation by ^{13}C -n.m.r. spectroscopy of structural features of the, 233
- Pentitols, a study of borate complexation with, using ^{11}B -n.m.r. spectroscopy and MNDO semi-empirical LCAO-MO calculations, 39
- Polycondensation of the 3- and 6-*O*-tritylated derivatives of 1,2-*O*-(1-cyanoethylidene)- α -D-galactofuranose, formation of cyclo-oligosaccharides by, c1
- Polysaccharide from the seeds of *Acacia auriculaeformis* A. Cunn., structural studies of an acidic, 105
- Polysaccharide of *Escherichia coli* O-86 which possesses blood-group B activity, structural studies of the O-antigenic, 211
- Polysaccharide, pectic (rhamnogalacturonan I) that is a component of monocot cell-walls, 279
- Polysaccharide, primary structure of *E. coli* serotype-39 capsular, and depolymerisation by a bacteriophage-associated glycanase, 225
- Populus alba* L., isolation and characterisation of xyloglucans from, 199
- Preparation and calculated conformations of derivatives of methyl 4-*O*- α -D-galactopyranosyl- β -D-galactopyranoside, 171
- Pullulan, preparation of 1,6-anhydro- β -maltotriose from, 91
- Purification, properties, and industrial significance of transglucosidase from *Aspergillus niger*, 147
- Raffinose, enzymic synthesis of, 139
- Reversion reactions, of D-glucose, during the hydrolysis of cellulose with dilute sulfuric acid, 249
- Rhamnogalacturonan I, a pectic polysaccharide that is a component of monocot cell-wall, 279
- Rhamnogalacturonan II, a pectic polysaccharide from the walls of suspension-cultured rice cells, isolation and structural characterization of, 261
- Rice cells, walls of suspension-cultured, isolation and structural characterization of the pectic polysaccharide rhamnogalacturonan II from, 261
- 4-Seleno-D-fructose derivatives, synthesis of, 77
- Solution and gelling properties of alginates, effect of acetylation on some, 131
- Starches, determination of the substitution pattern of benzylated, 113
- Structural features of the pectic polysaccharides of onion, investigation by ^{13}C -n.m.r. spectroscopy of, 233
- Structural studies of an acidic polysaccharide from the seeds of *Acacia auriculaeformis* A. Cunn., 105
- Structural studies of the O-antigenic polysaccharide of *Escherichia coli* O-86, which possesses blood-group B activity, 211
- Studies of the polysaccharides of *Populus alba* L.: isolation and characterisation of xyloglucans, 199
- 3'-Sulfate ester of β -D-GalpNAc-(1 \rightarrow 4)- β -D-GlcpNAc-(1 \rightarrow 2)- α -D-Manp, 163

Sulphated oligosaccharide alditols of hen ovomucin, two, ^1H - and ^{13}C -n.m.r. assignments for, 1

Thermal degradation of sodium *N*-acetylneuraminate, 307

Transglucosidase from *Aspergillus niger*, purification, properties, and industrial significance of, 147

Trisaccharides, enzymic synthesis of, 139

Use of ^{13}C -n.m.r. spectroscopy for the quantitative estimation of 3-*O*- and 3,6-di-*O*-substituted D-glucopyranosyl residues in α -D-glucans formed by the D-glucosyltransferases of *Streptococcus sobrinus*, 239

X-Ray structural and n.m.r.-spectral studies of methyl α -L-xylopyranoside: reassignment of anomeric configuration for the methanolysis product of methyl 6-deoxy-3-*C*-methyl- α -L-mannofuranoside, 61

Xyloglucans from *Populus alba* L., isolation and characterisation of, 199