

SUBJECT INDEX

- N*-Acetylneuraminic acid analog, conversion of 2-azido-2-deoxy-D-mannose into, 201
- Affinity labelling of *Schizophyllum commune* cellulase with [1-³H]-4,5-epoxypentyl β -cellobioside: synthesis of inhibitor and stoichiometry of interaction, 245
- Amino sugars and nitroacetone, synthesis of β -nitropyrroles from, 55
- Arabinogalactan-protein from the pulp of grape berries, an, 137
- Arabinoglucuronomannan, tobacco extracellular, selective fragmentation of methylated, by cleavage of β -D-glucopyranosiduronic units, 113
- 2-Azido-2-deoxy-D-mannose, synthesis of, 201
- Binding of cations to carrageenans, evidence from counterion n.m.r. spectroscopy in mixed carrageenan systems, on the specificity of the, 121
- Capsular polysaccharide of *Klebsiella ozaenae* serotype K4 containing 3-deoxy-D-glycero-D-galacto-nonulosonic acid, structure of the, 145
- Carrageenans, evidence on the specificity of the binding of cations to, from counterion n.m.r. spectroscopy in mixed carrageenan systems, 121
- CASPER, computer-assisted structural analysis of polysaccharides with an extended version of, using ¹H- and ¹³C-n.m.r. data, 169
- Cellobiose, comparison of rigid and relaxed conformational maps for, 206
- β -Cellobioside, [1-³H]-4,5-epoxypentyl, for affinity labelling of *Schizophyllum commune* cellulase, 245
- Cellulase, of *Schizophyllum commune*, affinity labelling of, with [1-³H]-4,5-epoxypentyl β -cellobioside, and synthesis of inhibitor and stoichiometry of interaction, 245
- Comparisons of rigid and relaxed conformational maps for cellobiose and maltose, 206
- Computer-assisted structural analysis of polysaccharides with an extended version of CASPER using ¹H- and ¹³C-n.m.r. data, 169
- Coordination by D-galacturonic and D-glucuronic acid, oxovanadium(IV) and copper(II), 25
- Counterion n.m.r. spectroscopy in mixed carrageenan systems, evidence on the specificity of the binding of cations to carrageenans from, 121
- 3-Deoxy-7-O- α -D-galactopyranosyl-D-manno-2-octulopyranosonate from the inner core region of the lipopolysaccharide of *E. coli* EH100, isolation and identification of, 212
- 3-Deoxy-D-threo-hexulosonic acid as constituent of the lipopolysaccharide of *Vibrio parahaemolyticus*, isolation and identification of, 97
- 3-Deoxy-D-glycero-D-galacto-nonulosonic acid, structure of the capsular polysaccharide of *Klebsiella ozaenae* serotype K4 containing, 145
- Di- and tri-saccharide glycosides, enzymic synthesis of, using glycosidases and β -D-galactoside 3- α -sialyltransferase, 9
- Enzymic synthesis of di- and tri-saccharide glycosides, using glycosidases and β -D-galactoside 3- α -sialyltransferase, 9
- Escherichia coli* K55, investigation of the structure of the capsular polysaccharide of, using *Klebsiella* bacteriophage ϕ 5, 157
- Facile, regio- and stereo-selective synthesis of ganglioside GM₃, 71
- Fucosylated oligosaccharides using high-pH anion-exchange chromatography with pulsed-amperometric detection, separation of, 1
- Galactomannan, n.m.r. studies of composition and side-chain arrangement in *Sesbania aegyptiaca* seed, 239
- β -D-Galactopyranoside, methyl, 2-, 3-, and 4-deoxy derivatives from, improved synthesis of the, 228
- Ganglioside GM₃, a facile, regio- and stereo-selective synthesis of, 71
- β -D-Glucopyranosides and β -D-glucosidase from sweet almond emulsin, irregularity of interaction between homologous ω -aminated 1-methoxyalkyl, 45
- β -D-Glucosidase from sweet almond emulsin, irregularity of interaction between homologous ω -aminated 1-methoxyalkyl β -D-glucopyranosides and, 45
- D-Glucuronic and D-galacturonic acid, oxovanadium(IV) and copper(II) coordination by, 25
- Glycal derivatives from phenyl thioglycosides and glycosyl phenyl sulphones, preparation of pyranoid, 81

- Glycopyranosylamines and synthesis of partially protected glycopyranosyl isothiocyanates, regioselective benzoylations of, 35
- Glycopyranosyl isothiocyanates, synthesis of partially protected, following regioselective benzoylations of glycopyranosylamines, 35
- Glycosidases and β -D-galactoside 3- α -sialyl-transferase, enzymic synthesis of di- and trisaccharide glycosides using, 9
- Grape berries, an arabinogalactan-protein from the pulp of, 137
- Improved synthesis of the 2-, 3-, and 4-deoxy derivatives from methyl β -D-galactopyranoside, 228
- Investigation of the structure of the capsular polysaccharide of *Escherichia coli* K55, using *Klebsiella* bacteriophage ϕ 5, 157
- Irregularity of interaction between homologous ω -aminated 1-methoxyalkyl β -D-glucopyranosides and β -D-glucosidase from sweet almond emulsin, 45
- Isolation and identification of 3-deoxy-7-O- α -D-galactopyranosyl-D-manno-2-octulopyranosonate from the inner core region of the lipopolysaccharide of *E. coli* EH100, 212
- Isolation and identification of 3-deoxy-D-threo-hexulosonic acid as a constituent of the lipopolysaccharide of *Vibrio parahaemolyticus*, 97
- Klebsiella ozaenae* serotype K4, structure of the capsular polysaccharide of, containing 3-deoxy-D-glycero-D-galacto-nonulosonic acid, 145
- Lipopolysaccharide of *E. coli* EH100, isolation and identification of 3-deoxy-7-O- α -D-galactopyranosyl-D-manno-2-octulopyranosonate from the inner core region of the, 212
- Lipopolysaccharide of *Vibrio parahaemolyticus*, isolation and identification of 3-deoxy-D-threo-hexulosonic acid as a constituent of the, 97
- Lipopolysaccharides of *Proteus penneri* species novum, 105
- Maltose, comparison of rigid and relaxed conformational maps for, 206
- β -D-Mannopyranosyl and 2-azido-2-deoxy- β -D-mannopyranosyl residues, preparation of oligosaccharides with, by inversion at C-2 after coupling, 193
- D-Mannose, 2-azido-2-deoxy-, synthesis of, 201
- Methyl 2-acetamido-2-deoxy-D-glucopyranoside, stereoselective hydrolysis of radiolabelled O-pivaloyl derivatives of, 222
- Methylation analysis of non-glycosidic phosphoric diesters of carbohydrates, 219
- Monodeoxysucroses, synthesis of 3-, 4-, and 6-, 63
- β -Nitropyrroles from amino sugars and nitroacetone, synthesis of, 55
- N.m.r. studies of composition and side-chain arrangement in *Sesbania aegyptiaca* seed galactomannan, 239
- Non-glycosidic phosphoric diesters of carbohydrates, methylation analysis of, 219
- C-Nucleosides, synthesis of pseudo-, 19
- Oligosaccharides using high-pH anion-exchange chromatography with pulsed-amperometric detection, separation of fucosylated, 1
- Oligosaccharides with β -D-mannopyranosyl and 2-azido-2-deoxy- β -D-mannopyranosyl residues, preparation of, by inversion at C-2 after coupling, 193
- Oxovanadium(IV) and copper(II) coordination by D-galacturonic and D-glucuronic acid, 25
- Phenyl thioglycosides and glycosyl phenyl sulphones, preparation of pyranoid glycal derivatives from, 81
- Phosphoric diesters of carbohydrates, methylation analysis of non-glycosidic, 219
- O-Pivaloyl derivatives of methyl 2-acetamido-2-deoxy-D-glucopyranoside, stereoselective hydrolysis of radiolabelled, 222
- Polysaccharide of *Escherichia coli* K55, investigation of the structure of the capsular, using *Klebsiella* bacteriophage ϕ 5, 157
- Polysaccharides, computer-assisted structural analysis of, with an extended version of CASPER using ^1H - and ^{13}C -n.m.r. data, 169
- Preparation of oligosaccharides with β -D-mannopyranosyl and 2-azido-2-deoxy- β -D-mannopyranosyl residues by inversion at C-2 after coupling, 193
- Preparation of pyranoid glycal derivatives from phenyl thioglycosides and glycosyl phenyl sulphones, 81
- Protein-arabinogalactan from the pulp of grape berries, a, 137
- Proteus penneri* species novum, lipopolysaccharides of, 105
- Pseudo-C-nucleosides, synthesis of, 19
- Regioselective benzoylations of glycopyranosylamines: synthesis of partially protected glycopyranosyl isothiocyanates, 35
- Seed galactomannan, n.m.r. studies of composition and side-chain arrangement in *Sesbania aegyptiaca*, 239

- Selective fragmentation of methylated tobacco extracellular arabinoglucuronomannan by cleavage of β -D-glucopyranosiduronic acid units, 113
- Separation of fucosylated oligosaccharides using high-pH anion-exchange chromatography with pulsed-amperometric detection, 1
- Stereoselective hydrolysis of radiolabelled *O*-pivaloyl derivatives of methyl 2-acetamido-2-deoxy-D-glucopyranoside, 222
- Sucroses, synthesis of 3-, 4-, and 6-monodeoxy-, 63
- Synthesis of 3-, 4-, and 6-monodeoxysucroses, 63
- Synthesis of ganglioside GM₃, a facile, regio- and stereo-selective, 71
- Synthesis of β -nitropyrroles from amino sugars and nitroacetone, 55
- Synthesis of pseudo-*C*-nucleosides, 19