SUBJECT INDEX

- Acarbose is a competitive inhibitor of mammalian lysosomal acid α-D-glucosidases, 71
- N-Acetylmuramic acid, synthesis of, by selective functionalization of HO-3 of 2-acetamido-2deoxy-D-glucose, 144
- Actinobacillus pleuropneumoniae serotype 4 (ATCC 33 378), structure of O-chain of antigenic lipopolysaccharide of, 295
- Adduct 3NaI · 2 sucrose · 3 H₂O the crystal structure of the, 91
- Aldonolactones for the synthesis of 2-O-methyl-L-rhamnose and 2-O-methyl-D-mannose, 130
- Alginates from three species of brown seaweeds, composition and sequence of uronate residues in, 167
- Alkenes and alkadienes, C- $(\alpha$ -D-gluco-pyranosyl)-, synthesis, Diels-Alder reaction, 223
- Ant-egg glycoprotein and its interaction with jacalin, purification of, 305
- Arylation of pyranoid glycals with bromomagnesium phenolates, synthesis of 2,3-unsaturated C-α-glycopyranosylarenes by, 241 Azidation of L-sorbose, selective, 163
- Bark of the Kapok tree (*Ceiba pentandra* var. indica), structural features of alkali-soluble acidic xylans isolated from the, 333
- Bark of the Kapok tree (*Ceiba pentandra* var. indica), structure of water-soluble acidic polysaccharides isolated from the, 321
- Borate complexes of D-allose, D-talose, and D-psicose in aqueous solution, an ¹¹B- and ¹³C-n.m.r. study of the structures of the, 63
- Capsular polysaccharide from Streptococcus sanguis 34, structure of, 279
- Cation-dependent gelation of the acidic extracellular polysaccharides of *rhizobium* leguminosarum: a non-specific mechanism for the attachment of bacteria to plant roots, 315
- O-Chain of antigenic lipopolysaccharide of *Actinobacillus pleuropneumoniae* serotype 4 (ATCC 33 378), structure of, 295
- Chiral building block derived from methyl α -D-glucopyranoside, synthesis of 4-deoxy- β -rhodomycinone via incorporation of a, 253
- Composition and sequence of uronate residues in alginates from three species of brown seaweeds, 167

- Crystal structure of NaBr · sucrose · 2 H₂O re-determination of the, 105
- Crystal structure of the adduct 3NaI · 2 sucrose · 3 H₂O₂, 91
- 1-O-Deacylation of per-O-acylaldoses, facile, 150
- 2'-Deoxy-β-disaccharides, novel approaches to the synthesis of, 29
- Deoxyhexopyranosides, an n.m.r. study of some, using a lanthanide-shift-reagent, 351
- 1-Deoxynojirimycin, synthesis of, 163
- 4-Deoxy-β-rhodomycinone, synthesis of, via incorporation of a chiral building block derived from methyl α-D-glucopyranoside, 253
- 6-Deoxy-6-sulfo- α -D-glucopyranosyl phosphate, synthesis of, 21
- Derivatives of methyl 4-deoxy-4-hydroxyamino- α -D-gluco- and galacto-pyranosides, 138
- Determination of the structures of pentosecontaining carbohydrates by the reductivecleavage method, 343
- β-Disaccharides, novel approaches to the synthesis of 2'-deoxy-, 29
- Facile 1-O-deacylation of per-O-acylaldoses, 150 Furans, 1,3-dipolar cycloaddition reactions of the products of photo-oxygenation of polyhydroxyalkyl- and glycosyl-, 209
- Gelation of the acidic extracellular polysaccharides of *Rhizobium leguminosarum*, cationdependent, 315
- G.l.c. of peracetylated aldononitrile and ketoxime derivatives for quantitation of free sugars in plant tissue, 175
- DL-Glucopyranose, synthesis of derivatives of pseudo-4-amino-4-deoxy- and pseudo-4-amino-4,7-dideoxy-α-, 154
- β-D-Glucopyranose, 6-O-α-D-xylopyranosyl, the disaccharide unit of xyloglucan in plant cell-walls preparation and characterization of anti-bodies against, 79
- C-(α-D-Glucopyranosyl)-alkenes and -alkadienes, synthesis, Diels-Alder reaction, 223
- D-Glucopyranosyl phosphate, synthesis of 6deoxy-6-sulfo-α, 21
- α -D-Glucosidases, acarbose is a competitive inhibitor of mammalian lysosomal acid, 71

C8 SUBJECT INDEX

- C-D-Glucosylarenes in high yield, stereoselective and mild method for synthesis of, 125
- Glycopeptide components of the α -L-rhamnosidase of *Penicillium decumbens*, characterisation of two, 53
- Glycoprotein, purification of ant-egg, and its interaction with jacalin, 305
- C-α-Glycopyranosylarenes, synthesis of 2,3-unsaturated, by arylation of pyranoid glycals with bromomagnesium phenolates, 243
- Glycosylation with a D-xylose 1,2-O-(1-cyanoethylidene) derivative, observations on the 1,2-trans-stereoselectivity of, 13
- DL-Hexopyranoses, pseudo-, proton and ¹³Cn.m.r. spectra of six 2-acetamido-2-deoxy derivatives, 357
- Hexopyranosis-3-uloses and their α -D-ribo isomers, and formation of glycosid-3-ulose hydrates for the β -D-xylo isomers, preparation of methyl 4,6-O-benzylidene-2-chloroand -2-bromo- α and β -D-xylo, 231
- High-resolution, two-dimensional ¹H-n.m.r. spectroscopy of lactose-containing oligosaccharides, 191
- ¹H-N.m.r. spectroscopy, high-resolution, twodimensional, of lactose-containing oligosaccharides, 191
- Human milk oligosaccharides, isolation of monosialylated, and structural analysis of three new compounds, 261
- 4-Hydroxyamino-α-D-gluco- and -galactopyranosides, derivatives of methyl 4-deoxy, 138
- α-D-Idopyranoside methyl 6-deoxy structure of,
- Isolation of monosialylated oligosaccharides from human milk and structural analysis of three new compounds, 261
- β-Isoprimeverose, the disaccharide unit of xyloglucan in plant cell walls, preparation and characterization of antibodies against, 79
- Lactose-containing oligosaccharides, structural analysis of, 191
- Lanthanide shift reagent, an n.m.r. study of some deoxyhexopyranosides using a, 351
- Lanthanide-shift-reagent study of some deoxyhexopyranosides, 351
- Levan, production by levansucrase of, 117 Levansucrase, production of levan by, 117
- Lipopolysaccharide antigenic O-chain of Actinobacillus pleuropneumoniae serotype 4 (ATCC 33 378), structure of, 295
- Mammalian lysosomal acid α -D-glucosidases, acarbose is a competitive inhibitor of, 71

Methyl 4,6-O-benzylidene-2-chloro- and -2-bromo- α - and β -D-xylo-hexopyranosid-3-uloses and their α -D-ribo isomers, and formation of glycosid-3-ulose hydrates for the β -D-xylo isomers, preparation of, 231

- Methyl 4-deoxy-4-hydroxyamino- α -D-gluco- and -galacto-pyranosides derivatives of, 138
- N.m.r. study of the structures of the borate complexes of D-allose, D-talose, and D-psicose in aqueous solution, an ¹¹B- and ¹³C-, 63
- Oligosaccharides from human milk, isolation of monosialylated, and structural analysis of three new compounds, 261
- Organic solvents, effect on levan production by levansucrase of, 117
- Pentose-containing carbohydrates, determination of the structures of, by the reductivecleavage method, 343
- Per-O-acylaldoses, facile 1-O-deacylation of, 150
- Photo-oxygenation of polyhydroxyalkyl- and glycosyl-furans, 1,3-dipolar cycloaddition reactions of the products of, 209
- Polyhydroxyalkyl- and glycosyl-furans, 1,3-dipolar cycloaddition reactions of the products of photo-oxygenation of, 209
- Polysaccharide of *Streptococcus sanguis* 34, capsular, structure of, 279
- Polysaccharides isolated from the bark of *Ceiba* pentandra var. indica, structure of water-soluble acidic, 321
- Polysaccharides of *Rhizobium leguminosarum*, cation-dependent gelation of the acidic extracellular, 315
- Preparation and characterization of antibodies against 6-O-α-D-xylopyranosyl-β-D-glucopyranose (β-isoprimeverose), the disaccharide unit of xyloglucan in plant cell-walls, 79
- Preparation of methyl 4,6-O-benzylidene-2-chloro- and -2-bromo- α and β -D-xylo-hexopyranosid-3-uloses and their α -D-ribo isomers, and formation of glycosid-3-ulose hydrates for the β -D-xylo isomers, 231
- Proton and ¹³C-n.m.r. spectra of six pseudo-2acetamido-2-deoxy-DL-hexopyranoses, 357
- Pseudo-4-amino-4-deoxy- and pseudo 4-amino-4,7 dideoxy-α DL-glucopyranose, synthesis of derivatives of, 154
- Purification of ant-egg glycoprotein and its interaction with jacalin, 305
- Purification of the α -L-rhamnosidase of *Penicillium decumbens* and characterisation of two glycopeptide components, 53

- Quantitation of free sugars in plant tissue by g.l.c. of their peracetylated aldononitrile and ketoxime derivatives, 175
- Re-determination of the crystal structure of NaBr·sucrose · 2 H₂O, 105
- Reductive-cleavage method, determination of the structures of pentose-containing carbohydrates by the, 343
- α-L-Rhamnosidase of *Penicillium decumbens*, purification of the, and characterisation of two glycopeptide components, 53
- Selective functionalization of HO-3 of 2acctamido-2-deoxy-D-glucose, synthesis of Nacetylmuramic acid by, 144
- L-Sorbose, selective azidation of, 163
- Stereoselective and mild method for synthesis of C-D-glucosylarenes in high yield, 125
- Stereoselective arylation of pyranoid glycals, using bromomagnesium phenolates: an entry to 2,3-unsaturated C-α-glycopyranosylarenes, 243
- Streptococcus sanguis 34, structure of capsular polysaccharide of, 279
- Structural features of alkali-soluble acidic xylans isolated from the bark of *Ceiba pentandra* var. indica. 333
- Structure of methyl 6-deoxy- α -D-idopyranoside, 1
- Structure of NaBr·sucrose·2 H₂O, re-determination of the crystal, 105
- Structure of the adduct 3 NaI · 2 sucrose · 3 H₂O, the crystal, 91
- Structure of water-soluble acidic polysaccharides isolated from the bark of *Ceiba pentandra* var. indica, 321
- Structures of the borate complexes of D-allose, D-talose, and D-psicose in aqueous solution: an ¹¹B- and ¹³C- n.m.r. study, 63

- Sugars in plant tissues, quantitation by g.l.c. of peracetylated aldononitrile and ketoxime derivatives, 175
- Synthesis of 2'-deoxy-β-disaccharides, novel approaches to the, 29
- Synthesis of 4-deoxy-β-rhodomycinone via incorporation of a chiral building block derived from methyl α-D-glucopyranoside, 253
- Synthesis of 6-deoxy-6-sulfo-α-D-glucopyranosyl phosphate, 21
- Synthesis of derivatives of pseudo-4-amino-4deoxy- and pseudo 4-amino-4,7-dideoxy-α-DL-glucopyranose, 154
- Synthesis of C-D-glucosylarenes in high yield, stereoselective and mild method for, 125
- Synthesis of 2-O-methyl-L-rhamnose and 2-O-methyl-D-mannose use of aldonolactones for the, 130
- Synthesis of N-acetylmuramic acid by selective functionalization of HO-3 of 2-acetamido-2-deoxy-D-glucose, 144
- trans-Stereoselectivity of glycosylation with a D-xylose 1,2-O-(1-cyanoethylidene) derivative, observations on the 1,2-, 13
- Uronate residues in alginates from three species of brown seaweeds, composition and sequence of, 167
- Use of aldonolactones for the synthesis of 2-O-methyl-L-rhamnose and 2-O-methyl-D-mannose, 130
- Xylose isolated from the bark of Ceiba pentandra var. indica, structural features of alkalisoluble acidic, 333
- p-Xylose 1,2-O-(1, cyanoethylidene)derivative, observations on the 1,2-trans-stereoselectivity of glycosylation with a , 13