

CARBOHYDRATE RESEARCH, VOL. 194 (1989)

SUBJECT INDEX

- Acetamido-4-deoxy analogue of *N*-acetylneuraminic acid and its behaviour towards CMP-sialate synthase, synthesis of the, c15
- Acetylneuraminic acid and its behaviour towards CMP-sialate synthase, synthesis of the 4-acetamido-4-deoxy analogue of, c15
- N*-Acetylneuraminic acid, 7-, 8-, 9-deoxy-, and 7,9-dideoxy-, side chain conformation of, 49
- 3-Alkoxy carbonyl-3-*C*-cyano-3-deoxyglycosides, synthesis of some, by the reaction of 1,5-dialdehydes with cyanoesters, 171
- (\pm)-3-Amino-2,4-dihydroxy-6-hydroxymethyl-8-oxabicyclo[3.2.1]octane derivatives, synthesis of, and migration of anhydro rings in, 115
- Analysis, capillary gas-chromatographic, of monosaccharides, 1
- 1,6-Anhydro- β -D-glucopyranose, MM2 calculation of the chair-boat equilibrium of, 296
- Assymmetric induction in the catalytic osmylation of some α,β -unsaturated octuronic acid derivatives, double, c4
- Blood-anticoagulant polysaccharides from *Hizikia fusiforme*, 315
- Branched-chain furanoses by free radical-mediated cyclization, synthesis of C-4, c1
- Bromoacetylation of alkyl hexopyranosides selectively at position 6, 185
- MM2 Calculation of the chair-boat equilibrium of 1,6-anhydro- β -D-glucopyranose, 296
- Capillary gas-chromatographic analysis of monosaccharides: improvements and comparisons using trifluoroacetylation and trimethylsilylation of sugar *O*-benzyl- and *O*-methyl-oximes, 1
- Chain-elongation reaction, syntheses of higher sugars by a new, 87
- Chair-boat equilibrium of 1,6-anhydro- β -D-glucopyranose, MM2 calculation of the, 296
- Chemical combination of 6-deoxy-6-(mycoloylamino)- α,α -trehalose and *N*-acetyl-6-*O*-(aminoacyl)muramoyl dipeptide, 199
- Chitin, specific degradations of, for preparation of peracetylated chitobiose, 223
- Chitobiose, peracetylated, preparation by specific degradations of chitin, and chemical manipulations, 223
- Composition and conformation of D-threo-3,4-hexodiulose in solution, and the X-ray crystal structure of its $\beta\beta$ anomer, 21
- Conformational investigations of methyl 2,3-anhydro-2,3,4-trideoxy- β -D-*lyxo*-hexopyranoside, X-ray and, 31
- Conversion of sugar dithioacetals into the corresponding dimethyl acetals by *N*-bromosuccinimide-methanol, a mild and rapid, 300
- Crystal and molecular structure of phosphoenolpyruvic acid, 63
- Crystal structure of heptyl 1-thio- α -D-glucopyranoside, a member of a new homologous series of mesogenic carbohydrate derivatives, 79
- Cyanoethylidene derivatives in glycosylation reactions, different reactivities of acetylated *exo*- and *endo*-, 163
- Decagalacturonic acid, a stereocontrolled synthesis of the propyl glycoside of a, 95
- Deoxy derivatives (7-, 8-, 9-, and 4,7-) of *N*-acetylneuraminic acid, side-chain conformation of, 49
- 5-Deoxy-Kdo, synthesis of poly(acrylamide) copolymers containing residues of, 145
- 1,1-Dialkyl-1-methoxymethyl glucosides (acetal-glucosides), stereoselective synthesis of, 155
- 1,6-Dibromo-1,6-dideoxygalactitol (Mitolactol), a kinetic study of the solvolysis of, 305
- Dibutylstannylene-mediated alkylation of α,α -trehalose derivatives, the regioselectivity of the, 308
- Different reactivities of acetylated *exo*- and *endo*-cyanoethylidene derivatives in glycosylation reactions, 163
- Dihydroacarbose, an α -D-glucosidase inhibitor having a pseudo-tetrasaccharide structure, synthesis of, 233
- Dimethyl acetals, conversion of sugar dithioacetals into the corresponding, using *N*-bromosuccinimide-methanol, 300
- Dipeptide, an *N*-acetyl-6-*O*-(aminoacyl)muramoyl, chemical combination of, with 6-deoxy-6-(mycoloylamino), α,α -trehalose, 199
- Efficient, stereoselective synthesis of 4-*E*- and 4-*Z*-D-erythro-sphingene and related compounds from 2-amino-2-deoxy-D-glucose, an, 125
- Enzymic and physicochemical properties of an *exo*-(1 \rightarrow 3)- β -D-glucanase from *Rhizoctonia solani*, 261
- Exo*-(1 \rightarrow 3)- β -D-glucanase from *Rhizoctonia solani*, enzymic and physicochemical properties of an, 261

- Fluid chromatography and supercritical fluid chromatography-mass spectrometry, separation of malto-oligosaccharide derivatives by capillary supercritical, 273
- Free radical-mediated cyclization, synthesis of C-4 branched chain furanoses by, C1
- Fucose-containing sulfated polysaccharides from *Hizikia fusiforme*, 315
- O*- α -D-Galactopyranosylsaccharinic acids, identification by mass spectrometry of trimethylsilyl derivatives, 37
- D-Glucans of oral *Streptococcus salivarius*, production and partial characterization of, 247
- α -D-Glucosidase inhibitor, dihydrocarbose, having a pseudo-tetrasaccharide structure, synthesis of, 233
- Glucosides (acetal-glucosides), stereoselective synthesis of 1,1-dialkyl-1-methoxymethyl, 155
- Glycosylation reactions, different reactivities of acetylated *exo*- and *endo*-cyanoethylidene derivatives in, 163
- Heptyl 1-thio- α -D-glucopyranoside, the crystal structure of, a member of a new homologous series of mesogenic carbohydrate derivatives, 79
- D-*threo*-3,4-Hexodiulose, the composition and conformation of, in solution, and the X-ray crystal structure of its $\beta\beta$ anomer, 21
- Hexopyranosides, selective bromoacetylation at position 6, 185
- Higher sugars, syntheses of, by a new chain-elongation reaction, 87
- Horse colostrum, structure determination of three neutral oligosaccharides from, 280
- Host-guest geometrical relationship in a branched cyclomaltohexaose inclusion-complex, c8
- Identification of *O*- α -D-galactopyranosylsaccharinic acids as their trimethylsilyl derivatives by mass spectrometry, 37
- Kinetic study of the solvolysis of 1,6-dibromo-1,6-dideoxygalactitol (Mitolactol), a, 305
- Liquid crystalline properties of the *N*-alkyl 1-thio- α -D-glucopyranosides, synthesis and, 71
- Malto-oligosaccharide derivatives by capillary supercritical fluid chromatography and supercritical fluid chromatography-mass spectrometry, separation of, 273
- Mass spectrometry of trimethylsilyl derivatives, identification of *O*- α -D-galactopyranosylsaccharinic acids by, 37
- Mesogenic carbohydrate derivatives, the crystal structure of heptyl 1-thio- α -D-glucopyranoside as a member of a new homologous series of, 79
- Methyl 2,3-anhydro-2,3,4-trideoxy- β -D-*lyxo*-hexopyranoside, X-ray and conformational investigations of, 31
- Methyl glucosides, a ^{13}C spin-lattice relaxation study of solvent effects on the rotational dynamics of, 288
- Migration of anhydro rings in (\pm)-3-amino-2,4-dihydroxy-6-hydroxymethyl-8-oxabicyclo-[3.2.1]octane derivatives, 115
- Nariginase, from *Penicillium decumbens*, substrate specificity of the α -L-rhamnosidase component, 321
- Neuraminic acid, *N*-acetyl- 7-, 8-, 9-deoxy-, and 7,9-dideoxy, side-chain conformation of, 49
- Nuclear Overhauser effects in the rotating frame of a host-guest geometrical relationship, c8
- D-*arabino*-Octulopyranosylonic acid, 3,5-dideoxy-, synthesis of poly(acrylamide) copolymers containing residues of, 145
- Octulosonic acid, studies of the synthesis of sugar phosphonates related to 3-deoxy-D-*manno*-2-, 209
- Octuronic acid derivatives, double asymmetric induction in the catalytic osmylation of some α,β -unsaturated, c4
- Oligosaccharides, intermediates for the synthesis of (1 \rightarrow 6)-linked, preparation via selective bromoacetylation of hexopyranosides, 185
- Oligosaccharides, neutral, from horse colostrum, structure determination of three, 280
- Osmylation of some α,β -unsaturated octuronic acid derivatives, double asymmetric induction in the catalytic, c4
- Oximes, *O*-benzyl- and *O*-methyl-, of sugars, use of trifluoroacetylation and trimethylsilylation of, for improvement and comparisons in capillary gas-chromatographic analysis of monosaccharides, 1
- Peracetylated chitobiose: preparation by specific degradations of chitin, and chemical manipulations, 223
- Phosphoenolpyruvic acid, the crystal and molecular structure of, 63
- Poly(acrylamide) copolymers containing 5-deoxy-Kdo residues, synthesis of, 145
- Polysaccharides from oral *Streptococcus salivarius*, production and partial characterization of, 247

- Propyl glycoside of a decagalacturonic acid, stereocontrolled synthesis of the, 95
- Reaction of 1,5-dialdehydes with cyanoesters, synthesis of some 3-alkoxycarbonyl-3-C-cyano-3-deoxyglycosides by the, 171
- Regioselectivity of the dibutylstannylene-mediated alkylation of α,α -trehalose derivatives, 308
- α -L-Rhamnosidase from *Penicillium decumbens*, substrate specificity, 321
- Rhizoctonia solani*, enzymic and physicochemical properties of an $\text{exo-(1}\rightarrow\text{3)-}\beta$ -D-glucanase from, 261
- Rotational dynamics of methyl glucosides, a ^{13}C spin-lattice relaxation study of solvent effects on the, 288
- Selective bromoacetylation of alkyl hexopyranosides at position 6, 185
- Separation of malto-oligosaccharide derivatives by capillary supercritical fluid chromatography and supercritical fluid chromatography-mass spectrometry, 273
- Sialic acid synthase, CMP-, effect of side-chain conformation of deoxy derivatives of *N*-acetylneuraminic acid on, 49
- Solvolysis of 1,6-dibromo-1,6-dideoxygalactitol (Mitolactol), a kinetic study of the, 305
- 4-*Z*-D-erythro-Sphinganine and related compounds from 2-amino-2-deoxy-D-glucose, an efficient, stereoselective synthesis of 4-*E*- and, 125
- ^{13}C Spin-lattice relaxation study of solvent effects on the rotational dynamics of methyl glucosides, a, 288
- Stereocontrolled synthesis of the propyl glycoside of a decagalacturonic acid, as a model compound for the endogenous phytoalexin elicito-active oligogalacturonic acids, 95
- Stereoselective synthesis of 1,1-dialkyl-1-methoxymethyl glucosides (acetal-glucosides), 155
- Steric course of the hydrolysis of α,α -trehalose and α -D-glucosyl fluoride by pig kidney trehalase, 139
- Streptococcus salivarius*, oral, production and partial characterization of D-glucans of, 247
- Structure of phosphoenolpyruvic acid, the crystal and molecular, 63
- Sugar dithioacetals, conversion into the corresponding dimethyl acetals using *N*-bromosuccinimide-methanol, 300
- Sugar phosphonates related to 3-deoxy-D-manno-2-octulosonic acid (Kdo), studies of the synthesis of, 209
- Sulfated, fucose-containing polysaccharides from *Hizikia fusiforme*, 315
- Syntheses of higher sugars by a new chain-elongation reaction, 87
- Synthesis and liquid crystalline properties of the *N*-alkyl 1-thio- α -D-glucopyranosides, a new homologous series of carbohydrate mesogens, 71
- Synthesis of (\pm)-3-amino-2,4-dihydroxy-6-hydroxymethyl-8-oxabicyclo[3.2.1]octane derivatives, and their anhydro-ring-migration, 115
- Synthesis of "dihydroacarbose", an α -D-glucosidase inhibitor having a pseudo-tetrasaccharide structure, 233
- Synthesis of 4-*E*- and 4-*Z*-D-erythro-sphinganine and related compounds from 2-amino-2-deoxy-D-glucose, an efficient, stereoselective, 125
- Synthesis of C-4 branched-chain furanoses by free radical-mediated cyclization, c1
- Synthesis of some 3-alkoxycarbonyl-3-C-cyano-3-deoxyglycosides by the reaction of 1,5-dialdehydes with cyanoesters, 171
- Synthesis of sugar phosphonates related to 3-deoxy-D-manno-2-octulosonic acid, 209
- Synthesis of the 4-acetamido-4-deoxy analogue of *N*-acetylneuraminic acid and its behaviour towards CMP-sialate synthase, c15
- 1-Thio- α -D-glucopyranosides, synthesis and liquid crystalline properties of the *n*-alkyl, 71
- Trehalase, steric course of the hydrolysis of α,α -trehalose and α -D-glucosyl fluoride catalyzed by pig kidney, 139
- α,α -Trehalose and α -D-glucosyl fluoride catalyzed by pig kidney trehalase, 139
- α,α -Trehalose, 6-deoxy-6-(mycoloylamino)-chemical combination with *N*-acetyl-6-*O*-(aminoacyl)muramoyl dipeptide, 199
- α,α -Trehalose derivatives, the regioselectivity of the dibutylstannylene-mediated alkylation of, 308
- X-Ray and conformational investigations of methyl 2,3-anhydro-2,3,4-trideoxy- β -D-lyxo-hexopyranoside, 31