

SUBJECT INDEX

- 2-Acetamido-2-deoxy-D-hexoses, 4-fluoro-, 4,4-difluoro-, and 4,6-difluoro-, synthesis of, 205
- Acidic polysaccharide from the leaves of *Malva sylvestris* var. *mauritiana*, structure and anti-complementary activity of, 323
- Acidic D-xylan from the Siberian apricot (*Armeniaca siberica* L.) fruit, 163
- Aldopentose oximes, an n.m.r. investigation, 1
- Alginate lyases, a case study involving the kinetics and specificity of, 101
- Alkali-soluble α -D-glucan from the fruiting body of *Grifola frondosa*, 149
- Aloe arborescens* var. Miller, isolation and structural analysis of a glucomannan from the leaves of, 387
- 2-Amino-2-deoxy-D-glucose, a simple approach to new 5-butenylidene-imidazolin-2-ones from, 358
- 2-Amino-2-deoxy-D-glycero-L-gluco-heptose, reaction of cyanamide with, 363
- Amylopectins from various botanical sources, retrogradation and gelation of, 49
- Anticomplementary activity of acidic polysaccharide from the leaves of *Malva sylvestris* var. *mauritiana*, 323
- Apricot (*Armeniaca siberica* L.) fruit, an acidic D-xylan from the Siberian, 163
- Arabinoxylan isolated from *Litsea glutinosa* (Lauraceae), structural studies of an, 343
- L-Arabino-D-xylan from rye bran, structural features of a water-soluble, 57
- Aryl glycosides of plants as potential gene inducers, synthesis of, 223
- C-Arylation at the anomeric centre of sugars by bromomagnesium phenolates: synthesis of 1,1- and 5,5-bis(2-hydroxyaryl)-C-glycosyl derivatives, 368
- Carbohydrate in leaves of the fern *Cardiomanes reniforme*, isolation and characterisation of (E)-4-hydroxy-2-(hydroxymethyl)but-2-enyl β -D-allopyranoside the major soluble, 39
- 1-Carboxyethylidene groups, structure of an exopolysaccharide containing, 305
- Cartilage chondroitin sulfate, whale, fractionation of, 157
- Cassia ovata*, a water-soluble polysaccharide isolated from seeds of, 384
- Cellobitol as a model for cellulose, mechanisms of pyrolysis of polysaccharides, 79
- Cellulose, oxidized, regenerated, *in vivo* degradation of, 331
- Cell-wall glucans of *Cryptococcus neoformans* CAP 67, 23
- Chondroitin sulfate of whale cartilage, fractionation of, 157
- Citrobacter* lipopolysaccharide core, structure of, 381
- Computer-assisted structural analysis of the branched O-specific polysaccharide of *Salmonella arizonae*, 399
- Conformational analysis of a disaccharide fragment of the polysaccharide antigen of *Streptococcus pneumoniae* type 1, using n.m.r. spectroscopy and HSEA calculations, 375
- Conformational flexibility of methyl β -xylobioside in solution, revealed by n.m.r. measurements and theoretical calculations, 193
- Cyanamide, reaction of 2-amino-2-deoxy-D-glycero-L-gluco-heptose with, 363
- Cyclic acetals of 4,1',6'-trichloro-4,1',6'-tri-deoxy-galacto-sucrose and their conversion into methyl ether derivatives, 275
- Cyclodextrin (cyclomalto-oligosaccharide) inclusion complexes, a molecular orbital study of cyclodextrin dipole moments in, 181
- Cyclodextrins, regioselective, 392
- Cyclomalto-oligosaccharides, regioselective, 392
- Degradation, *in vivo* of oxidized, regenerated cellulose, 331
- Denaturation of (1 \rightarrow 3)- β -D-glucans in neutral aqueous solution above 130 $^{\circ}$: effect on physicochemical properties, thermal, 111
- Dipole moments of cyclodextrins in various types of inclusion complex, a molecular orbital study of the, 181
- Disaccharide fragment of the polysaccharide antigen of *Streptococcus pneumoniae* type 1, conformational analysis of a, using n.m.r. spectroscopy and HSEA calculations, 375
- EPS II, an exopolysaccharide of *Rhizobium meliloti*, structure of, 305
- Exocellular polysaccharide of *Streptococcus thermophilus*, structure of, 313
- Fluoro-, 4-mono-, 4,4-di-, and 4,6-di-, synthesis of derivatives of 2-acetamido-2-deoxy-D-hexose, 205
- Fluoro- monodeoxy-, synthesis of methyl and 4-nitrophenyl- α -D-manno-biosides and -trisides, 259

- β -D-Galactopyranosides, aryl, synthesis of, 223
- GDP-mannose oxidoreductase reaction, stereochemistry and mechanism, 91
- Gelation and retrogradation of amylopectins from various botanical sources, 49
- α -D-Glucan, an alkali-soluble, from the fruiting body of *Grifola frondosa*, 149
- Glucans in neutral aqueous solution above 130°: effect on physicochemical properties, thermal denaturation of (1 \rightarrow 3)- β -D-, 111
- Glucmannan from the leaves of *Aloe arborescens* var. Miller, isolation and structure analysis of a, 387
- β -D-Glucopyranosides, aryl, synthesis of, 223
- D-Glucopyranosiduronic acid 2- and 3-sulfate, methyl, synthesis of, 133
- O-(β -D-Glucopyranosyl)-(1 \rightarrow 6)-D-glucopyranose linkage, reactivity in the presence of trimethylsilyl triflate of, 313
- α -D-Glucosidase, hydrolysis of β -D-glucosyl fluoride to α -D-glucose catalyzed by *Aspergillus niger*, 123
- β -D-Glucosyl fluoride to α -D-glucose catalyzed by *Aspergillus niger* α -D-glucosidase, hydrolysis of, 123
- Glycopeptide derivative, branched, containing terminal D-mannose 6-phosphate residues, synthesis, 235
- C-Glycosyl derivatives, synthesis of 1,1- and 5,5-bis(2-hydroxyaryl)-, by C-arylation at the anomeric centre of sugars by bromomagnesium phenolates, 368
- Heptose-3-deoxyoctulosonic acid region of *Citrobacter* lipopolysaccharide core, structured, 381
- D-Hexoses, 2-acetamido-2-deoxy-, synthesis of 4-fluoro-, 4,4-difluoro-, and 4,6-difluoro derivatives of, 205
- Hexoses in glycoproteins, a method for the microanalysis of, 173
- Hydrolysis of β -D-glucosyl fluoride to α -D-glucose catalyzed by *Aspergillus niger* α -D-glucosidase, 123
- (E)-4-Hydroxy-2-(hydroxymethyl)but-2-enyl β -D-allopyranoside, the major soluble carbohydrate in leaves of the fern *Cardiomanes reniforme*, isolation and characterisation of, 39
- Imidazolin-2-ones from 2-amino-2-deoxy-D-glucose, a simple approach to new 5-butenylidene-, 358
- Interceed®, *in vivo* degradation of, 331
- Isolation and characterisation of (E)-4-hydroxy-2-(hydroxymethyl)but-2-enyl β -D-allopyranoside, the major soluble carbohydrate in leaves of the fern *Cardiomanes reniforme*, 39
- Isolation and structure analysis of a glucmannan from the leaves of *Aloe arborescens* var. Miller, 387
- Kinetics and specificity of alginate lyases, a case study involving the, 101
- Lipopolysaccharide core of *Citrobacter*, structure of, 381
- Lipopolysaccharides of reference strains for *Serratia marcescens* serogroups O17 and O19, a common structure for neutral polymers isolated from the, 163
- Litsea glutinosa* (Lauraceae), structural studies of an arabinoxylan isolated from, 343
- β -Maltosides, aryl, synthesis of, 223
- Malva sylvestris* var. *mauritiana*, structure and anticomplementary activity of acidic polysaccharide from the leaves of, 323
- α -D-Manno-biosides and -trioside, methyl and 4-nitrophenyl, monodeoxyfluoro-, synthesis of, 259
- D-Mannose 6-phosphate residues, synthesis of a branched glycopeptide derivative containing, 235
- Mechanisms of pyrolysis of polysaccharides: cellobiitol as a model for cellulose, 79
- Methyl D-glucopyranosiduronic acid 2- and 3-sulfate, synthesis of, 133
- Methyl monodeoxyfluoro- α -D-manno-biosides and -trioside, synthesis of, 259
- Methyl β -xylobioside, conformational flexibility in solution, revealed by n.m.r. measurements and theoretical calculations, 193
- Microanalysis of hexoses in glycoproteins, a method for the, 173
- Model studies on the analysis of pyruvic acid acetal-containing polysaccharides by the reductive-cleavage method, 285
- Molecular orbital study of cyclodextrin (cyclomalto-oligosaccharide) inclusion complexes, 181
- 4-Nitrophenyl monodeoxyfluoro- α -D-manno-biosides and -trioside, synthesis of, 259
- Oxidoreductase reaction of GDP-D-mannose, stereochemistry and mechanism, 91
- Oximes, of the aldopentoses, an n.m.r. investigation, 1
- Polysaccharide antigen of *Streptococcus pneumoniae* type 1, conformational analysis of a disaccharide fragment of the, using n.m.r. spectroscopy and HSEA calculations, 374
- Polysaccharide, exocellular from *Streptococcus thermophilus*, structure of, 313

- Polysaccharide from *Pseudomonas cepacia* serogroup O7, structure of the *O*-specific, 153
- Polysaccharide from *Streptococcus pneumoniae* Type 4, a novel method for the determination of the stereochemistry of pyruvate acetal substituents applied to the capsular, 353
- Polysaccharide from *Streptococcus pneumoniae* type 7A, structural studies of the capsular, 67
- Polysaccharide isolated from seeds of *Cassia ovata*, a water-soluble, 384
- Proof of the structure of ristotetraose and synthesis of propyl α -ristotetraoside, 15
- Pseudomonas cepacia* serogroup O7, structure of the *O*-specific polymers for, 153
- Pyrolysis of polysaccharides: cellobiitol as a model for cellulose, mechanisms of, 79
- Pyruvate acetal substituents, a novel method for the determination of the stereochemistry of, applied to the capsular polysaccharide from *Streptococcus pneumoniae* Type 4, 353
- Reaction of 2-amino-2-deoxy-D-glycero-L-glucose with cyanamide, 363
- Retrogradation and gelation of amylopectins from various botanical sources, 49
- Rhizobium meliloti* strain Rm1021, structure of an exopolysaccharide of, 305
- Ribonucleoside 2',3'-cyclic monophosphates, regioselective cleavage, 392
- Ristotetraose, proof of the structure of, and synthesis of propyl α -ristotetraoside, 15
- Rye bran, structural features of a water-soluble L-arabino-D-xylan from, 57
- Salmonella arizonae*, computer-assisted structural analysis of the branched *O*-specific polysaccharides of 399
- Seeds of *Cassia ovata*, a water-soluble polysaccharide isolated from, 384
- Serratia marcescens* serogroups O17 and O19, a common structure for neutral polymers isolated from the lipopolysaccharides of reference strains for, 168
- Simple approach to new 5-butenylidene-imidazolin-2-ones from 2-amino-2-deoxy-D-glucose, 358
- Solution behavior of methyl β -xylobioside: conformational flexibility revealed by n.m.r. measurements and theoretical calculations, 193
- Specificity of alginate lyases, a case study involving the kinetics and, 101
- Stereochemistry and mechanism of the GDP-mannose oxidoreductase reaction, 91
- Stereochemistry of pyruvate acetal substituents, a novel method for the determination of the, applied to the capsular polysaccharide from *Streptococcus pneumoniae* Type 4, 353
- Streptococcus pneumoniae* Type 7A, structural studies of the capsular polysaccharide from, 67
- Streptococcus thermophilus*, structure of exocellular polysaccharide of, 313
- Structural features of a water-soluble L-arabino-D-xylan from rye bran, 57
- Structural studies of an arabinoxylan isolated from *Litsea glutinosa* (Lauraceae), 343
- Structural studies of the capsular polysaccharide from *Streptococcus pneumoniae* type 7A, 67
- Structure for neutral polymers isolated from the lipopolysaccharides of reference strains for *Serratia marcescens* serogroups O17 and O19, a common, 163
- Structure of the *O*-specific polymers for *Pseudomonas cepacia* serogroup O7, 153
- Sucrose, cyclic acetals of 4,1',6'-trichloro-4,1',6'-trideoxy-galacto-, and their conversion into methyl ether derivatives, 275
- Sugar *N*-(2-thiazolin-2-yl)thioureas, synthesis of, 247
- 2-*O*- and 3-*O*-Sulfo-D-glucopyranosiduronic acids, methyl, synthesis of, 133
- Synthesis and conformation of 2,6-dioxabicyclo-[3.1.1.]heptanes: 1,3-anhydro-2,4,6-tri-*O*-benzyl- β -D-galactopyranose, 141
- Synthesis of 1,1- and 5,5-bis(2-hydroxyaryl)-C-glycosyl derivatives by *C*-arylation at the anomeric centre of sugars by bromomagnesium phenolates, 368
- Synthesis of propyl α -ristotetraoside and proof of the structure of ristotetraose, 15
- Synthesis of sugar *N*-(2-thiazolin-2-yl)thioureas, 247
- Thermal denaturation of (1 \rightarrow 3)- β -D-glucans in neutral aqueous solution above 130°: effect of physicochemical properties, 111
- N*-(2-Thiazolin-2-yl)thioureas, synthesis of sugar, 247
- Trichloro-4,1',6'-trideoxy-galacto-sucrose, cyclic acetals of 4,1',6'-, and their conversion into methyl ether derivatives, 275
- Triflate, trimethylsilyl, reactivity of the *O*-(β -D-glucopyranosyl)-(1 \rightarrow 6)-D-glucopyranose linkage in the presence of, 403
- Trimethylsilyl trifluoromethanesulfonate (triflate), reactivity of the *O*-(β -D-glucopyranosyl)-(1 \rightarrow 6)-D-glucopyranose linkage in the presence of, 403
- Whale cartilage chondroitin sulfate, fractionation of, 157
- D-Xylan from the Siberian apricot (*Armeniaca siberica* L.) fruit, an acidic, 163