

CARBOHYDRATE RESEARCH VOL. 206 (1990)

SUBJECT INDEX

- Ab initio* molecular orbital calculations on furanose sugars, 183
- Acyclic sugar poly-*p*-chlorobenzoates, circular dichroism of, 41
- Alkyl D-glucopyranosides. A study of binary phase behavior, anomeric exchange and the structure of *n*-, 193
- O*-(2-Amino-2-deoxy-4,6-*O*-ethylidene- β -D-glucopyranosyl)-4'-*O*-demethyl-4-epipodophyllotoxin, a new approach to the synthesis of 4-, 219
- α -Amylase, porcine pancreatic, effect of maltotriitol on the action pattern of, 161
- Amylopectin, wheat, fine structure of; mode of A to B chain binding, 145
- Analysis, structural, of an acidic polysaccharide secreted by *Xanthobacter* sp., 289
- 1,2 Anhydro- α -D-hexopyranose, displacement reactions of α : Installation of useful functionality at the anomeric carbon, 361
- 1,2-Anhydro-3,4,6-tri-*O*-benzyl- α -D-glucopyranose, displacement reaction of: Installation of useful functionality at the anomeric carbon, 361
- Anomeric effect in carbohydrates, diagnostic structural criteria for the, 21
- Anomeric exchange and the structure of *n*-alkyl D-glucopyranosides. A study of binary phase behavior, 193
- Anomerization of the 2-pentulofuranoses, kinetic and thermodynamic studies by ^{13}C -n.m.r. spectroscopy, 1
- Apple pectin, identification by n.m.r. spectroscopy of oligosaccharides obtained by treatment with rhamnogalacturonase of the hairy regions of, 131
- Assessment of methanolysis for the determination of sugars in pectins, 277
- Avoidance of degradation during the methylation of uronic acids, 71
- Capsular polysaccharides of *Rhodococcus equi* serotype 2, structural analysis of the specific, 311
- 5-Carba- β -D-fructofuranose 6-phosphate, synthesis of, 233
- Carba-sugar analog of trehalosamine, [(1*S*)-(1,2/3,5)-2-amino-3,4-dihydroxy-5-hydroxymethyl-1-cyclohexyl] α -D-glucopyranoside, and a revised synthesis of its β anomer, 352
- Carbohydrates, diagnostic structural criteria for the anomeric effect in, 21
- Carbon-proton coupling constants of model compounds for glycosides, dependence on conformation of the one-bond and three-bond, 55
- Calculations, *ab initio* molecular orbital, on furanose sugars, 183
- Carrageenan fractions from Norwegian *Furcellaria lumbricalis* (Huds.) Lamour, characterization by ^1H -n.m.r. spectroscopy, 367
- Cellulose and (1 \rightarrow 4)- β -D-xylan, an n.m.r. study of the products of oxidation with sodium nitrite in orthophosphoric acid, 340
- Cell-wall polysaccharides, linkage of phenolic acids to, 297
- Characterization of carrageenan fractions from Norwegian *Furcellaria lumbricalis* (Huds.) Lamour by ^1H -n.m.r. spectroscopy, 367
- Chemical transformations of sugar nucleotides: acetylation of uridine 5'-(α -D-glucopyranosyl diphosphate), 373
- Circular dichroism of acyclic sugar poly-*p*-chlorobenzoates, 41
- CMP-Kdo synthetase, synthesis of *C*-(D-glycosyl) analogues of 3-deoxy-D-manno-2-octulosonic acid (Kdo) as potential inhibitors of, 269
- Conformation in aqueous solution from optical rotation, lactose, 347
- Conformational dependency of the one-bond and three-bond carbon-proton coupling constants of model compounds for glycosides, 55
- Crystal structure of raffinose pentahydrate, hydrogen bonding in, 173
- Cyclisation reaction catalysed by α - and β -cyclodextrin glycosyltransferases studies of the mechanism of the, 257
- Cyclopentanylmethyl (1*R*,2*R*,3*S*,4*S*)-2,3,4-trihydroxy-4-hydroxymethyl-, dihydrogen phosphate, synthesis of, 233
- Dependence on conformation of the one-bond and three-bond carbon-proton coupling constants of model compounds for glycosides, 55
- Diagnostic structural criteria for the anomeric effect in carbohydrates, 21
- Epipodophyllotoxin, a new approach to the synthesis of 4-*O*-(2-amino-2-deoxy-4,6-*O*-ethylidene-

- dene- β -D-glucopyranosyl-4'-O-demethyl-4-, 219
- Formylation of primary hydroxyl groups in sugars, 65
- β -D-Fructofuranose 6-phosphate, carbocyclic analog of, 233
- Furanose ring anomerization: Kinetic and thermodynamic studies of the D-2-pentuloses by ^{13}C -n.m.r. spectroscopy, 1
- Furanose sugars, *ab initio* molecular orbital calculations, on, 183
- D-Galactopyranose, ^1H - and ^{13}C -n.m.r. spectroscopy of methyl ethers of, 333
- D-Glucal, 3,4,5-tri-O-benzyl, displacement reaction of: Installation of useful functionality at the anomeric carbon, 361
- Glucan, a 4-methylmorpholine *N*-oxide-methyl sulfoxide soluble, of *Piptoporus betulinus*, 167
- Glycolipid from *Torulopsis apicola*, elucidation of the structure of an unusual cyclic, 13
- Glycosyltransferases, studies of the mechanism of the cyclisation reaction catalysed by α - and β -cyclodextrin, 257
- ^1H -n.m.r. and ^{13}C -n.m.r. spectroscopy of methyl ethers of D-galactopyranose, 333
- Hairy regions of pectins, degradation by rhamnogalacturonase of, 105
- Hairy regions of pectins isolated from apple juice produced by the liquefaction process, structural features of, 117
- Helix-coil transition behaviour of xanthan, the influence of acetyl and pyruvate substituents on the, 87
- Hydrogen bonding in the crystal structure of raffinose pentahydrate, 173
- Hydrolysis of (1 \rightarrow 3)- and (1 \rightarrow 2)- β -D-xylosidic linkages by an endo-(1 \rightarrow 4)- β -D-xylanase of *Cryptococcus albidus*, 251
- Identification by n.m.r. spectroscopy of oligosaccharides obtained by treatment of the hairy regions of apple pectin with rhamnogalacturonase, 131
- Influence of acetyl and puruvate substituents on the helix-coil transition behaviour of xanthan, 87
- Lactose conformation in aqueous solution from optical rotation, 347
- Linkage of phenolic acids to cell-wall polysaccharides, 297
- Lutropin, a pituitary glycoprotein hormone, synthesis of a peripheral trisaccharide sequence of, by use of chitobiose as a key starting-material, 207
- Maltotriitol, effect on the action pattern of porcine pancreatic amylase, 161
- Methanolysis for the determination of sugars in pectins, assessment of, 277
- Methyl ethers of D-galactopyranose, ^1H - and ^{13}C -n.m.r. spectroscopy of, 333
- Methylation of uronic acids, avoidance of degradation during the, 71
- 4-Methylmorpholine *N*-oxide-methyl sulfoxide soluble glucan of *Piptoporus betulinus*, a, 167
- Molecular orbital, *ab initio*, calculations on furanose sugars, 183
- N.m.r. spectroscopy, characterization of carrageenan fractions from Norwegian *Furcellaria lumbricalis* (Huds.) Lamour by ^1H -, 367
- N.m.r. study of the products of oxidation of cellulose and (1 \rightarrow 4)- β -D-xylan with sodium nitrite in orthophosphoric acid, 340
- Octulosonic acid (Kdo) as potential inhibitors of CMP-Kdo synthetase, synthesis of C-(β -D-glycosyl) analogues of 3-deoxy-D-manno-2-, 269
- Oligosaccharides obtained by treatment of the hairy regions of apple pectin with rhamnogalacturonase identification by n.m.r. spectroscopy of, 131
- Optical rotation, lactose conformation in aqueous solution from, 347
- Oxidation of cellulose and (1 \rightarrow 4)- β -D-xylan with sodium nitrite in orthophosphoric acid, an n.m.r. study of the products of, 340
- Pectins, assessment of methanolysis for the determination of sugars in, 277
- Pectins, degradation by rhamnogalacturonase of the hairy regions of, 105
- Pectins isolated from apple juice produced by the liquefaction process, structural features of hairy regions of, 117
- 2-Pentulofuranoses, kinetics and thermodynamics of anomerization studied by ^{13}C -n.m.r. spectroscopy, 1
- Phase behavior, anomeric exchange and the structure of *n*-alkyl D-glucopyranosides. A study of binary, 193
- Phenolic acids to cell-wall polysaccharides, linkage of, 297
- Piptoporus betulinus*, a 4-methylmorpholine *N*-oxide-methyl sulfoxide soluble glucan of, 167
- Polysaccharide, acidic, secreted by *Xanthobacter* sp., structural analysis of, 289
- Primary hydroxyl groups in sugars, formylation of, 65
- Raffinose pentahydrate, hydrogen bonding in the crystal structure, 173

- Rhamnogalacturonase: a novel enzyme that degrades the hairy regions of pectins, 105
- Rhodococcus equi* serotype 2, structural analysis of the specific capsular polysaccharides of, 311
- Structural analysis of the specific capsular polysaccharides of *Rhodococcus equi* serotype 2, 311
- Structural features of hairy regions of pectins isolated from apple juice produced by the liquefaction process, 117
- Structure, fine, of wheat amylopectin; mode of A to B chain binding, 145
- Structure of an unusual cyclic glycolipid from *Torulopsis apicola*, elucidation of the, 13
- Sugar nucleotides: acetylation of uridine 5'-(α -D-glucopyranosyl diphosphate), chemical transformations of, 373
- Sugar poly-*p*-chlorobenzoates, corcular dichroism of acyclic, 41
- Sugars, formylation of primary hydroxyl groups in, 65
- Synthesis of a carba-sugar analog of trehalosamine, [(1S)-(1,2/3,5)-2-amino-3,4-dihydroxy-5-hydroxymethyl-1-cyclohexyl] α -D-glucopyranoside, and a revised synthesis of its β anomer, 352
- Synthesis of a peripheral trisaccharide sequence of lutropin, a pituitary glycoprotein hormone; use of chitobiose as a key starting-material, 207
- Synthesis of 4-O-(2-amino-2-deoxy-4,6-O-ethylidene- β -D-glucopyranosyl)-4'-O-demethyl-4-epipodophyllotoxin, a new approach to the, 219
- Synthesis of C-(β -D-glycosyl)analogues of 3-deoxy-D-manno-2-octulosonic acid (Kdo) as potential inhibitors of CMP-Kdo synthetase, 269
- Synthesis of D-[1,2- 13 C₂]xylulose, transketolase-catalysed, 79
- Torulopsis apicola*, elucidation of the structure of an unusual cyclic glycolipid from, 13
- Transketolase-catalysed synthesis of D-[1,2- 13 C₂]xylulose, 79
- Trehalosamine, [(1S)-(1,2/3,5)-2-amino-3,4-dihydroxy-5-hydroxymethyl-1-cyclohexyl] α -D-glucopyranoside, and a revised synthesis of its β anomer, 352
- Trisaccharide, a peripheral sequence of lutropin, a pituitary glycoprotein hormone, synthesis of, by use of chitobiose as a key starting-material, 207
- Uridine 5'-(α -D-glucopyranosyl diphosphate), chemical transformations of sugar nucleotides: acetylation of, 373
- Uronic acids, avoidance of degradation during the methylation of, 71
- Wheat amylopectin, fine structure of; mode of A to B chain binding, 145
- Xanthan, the influence of acetyl and pyruvate substituents on the helix-coil transition behaviour of, 87
- Xanthobacter* sp., structural analysis of an acidic polysaccharide secreted by, 289
- Xylanase of *Cryptococcus albidus*, hydrolysis of (1 \rightarrow 3)- and (1 \rightarrow 2)- β -D-xylosidic linkages by an endo-(1 \rightarrow 4)- β -D-, 251
- Xylosidic linkages, hydrolysis of (1 \rightarrow 3)- and (1 \rightarrow 2)- β -D-, by an endo-(1 \rightarrow 4)- β -D-xylanase of *Cryptococcus albidus*, 251
- Xylulose, transketolase-catalysed synthesis of D-[1,2- 13 C₂]-, 79