

## CARBOHYDRATE RESEARCH VOL. 208 (1990)

## SUBJECT INDEX

- N*-[2-*O*-(2-Acetamido-1,2,3,5-tetra-deoxy-1,5 imino-*D*-glucitol-3-yl)-*D*-lactoyl]-*L*-alanyl-*D*-isoglutamine, synthesis and immunoadjuvant activity, 267
- N*-Acetyl-2-selenoneuraminic acid,  $\alpha$ -ketoside, synthesis of, 251
- Aerococcus viridans* var. *homari*, structural studies of the capsular polysaccharide from, 145
- (1-<sup>13</sup>C)Alditols: elimination of magnetic equivalence in <sup>1</sup>H- and <sup>13</sup>C-n.m.r. spectra of symmetric compounds through <sup>13</sup>C-substitution, 23
- Alginates and fragments thereof, colorimetric determination as the 2-nitrophenylhydrazides, 289
- Alpha-amylases, inhibitors by modified malto-oligosaccharides of, 312
- 4-Amino-4-deoxy and 3,4-diamino-3,4-dideoxy sugars, synthesis of 4-*O*-methyl- $\beta$ -rhodomycins using derivatives of, 67
- Amylose-glycerol monostearate complex superstructures, solute effects on the thermal stability of, 199
- 3-*O*-(3,6-Anhydro- $\alpha$ -*D*-galactopyranosyl)- $\beta$ -*D*-galactopyranose (neocarrabiose), molecular structure in the solid state and in solution, 215
- Anthracycline oligosaccharides: facile stereoselective synthesis of 2,6-dideoxy- $\alpha$ -*L*-lyxo-hexopyranosides, 111
- L*-Ascorbic acid, 3-deoxy-*L*-glycero-pentos-2-ulose (3-deoxy-*L*-xylosone) and *L*-threo-pentos-2-ulose (*L*-xylosone) as intermediates in the degradation of, 246
- 4,6-*O*-(*R*)-Benzylidene derivatives of methyl *D*-glucopyranosides, X-ray crystallographic and n.m.r. studies of, 237
- Biotinylated bovine testicular hyaluronidase, the effects of deglycosylation on the properties of native and, 306
- Carrabiose and its 4'-sulphate and 2,4'-disulphate, synthesis and conformational studies of, 83
- Carrageenan, <sup>87</sup>Rb<sup>+</sup> spin relaxation in enzymically purified and in untreated iota-, 127
- Cellulose, chlorodeoxy-, and cellulose *p*-toluenesulfonate, competitive formation during homogeneous reaction of *p*-toluenesulfonyl chloride with cellulose in *N,N*-dimethylacetamide-lithium chloride, 183
- Cellulose *p*-toluenesulfonate and chlorodeoxycellulose, competitive formation during homogeneous reaction of *p*-toluenesulfonyl chloride with cellulose in *N,N*-dimethylacetamide-lithium chloride, 183
- Chiral recognition of 1-*O*-allyl- and 1-*O*-benzyl-*D*- and -*L*-myo-inositol by cyclomalto-hexaose and -heptaose ( $\alpha$ - and  $\beta$ -cyclodextrin), 256
- Chlamydia* epitope, synthesis of a tetrasaccharide of lipopolysaccharide of, 37
- Chlorodeoxycellulose and cellulose *p*-toluenesulfonate, competitive formation during homogeneous reaction of *p*-toluenesulfonyl chloride with cellulose in *N,N*-dimethylacetamide-lithium chloride, 183
- Colorimetric determination of alginates and fragments thereof as the 2-nitrophenylhydrazides, 289
- Conformational studies of carrabiose and its 4'-sulphate and 2,4'-disulphate, synthesis and, 83
- Cyclodextrin, chiral recognition of 1-*O*-allyl- and 1-*O*-benzyl-*D*- and -*L*-myo-inositol by  $\alpha$ - and  $\beta$ -, 256
- Deglycosylation, the effects of, on the properties of native and biotinylated bovine testicular hyaluronidase, 306
- 3-Deoxy-*D*-erythro-hexulose: a convenient synthesis and its interaction with the enzymes of fructose metabolism, 276
- 3-Deoxy-*L*-glycero-pentose-2-ulose (3-deoxy-*L*-xylosone) and *L*-threo-pentos-2-ulose (3-deoxy-*L*-xylosone) as intermediates in the degradation of *L*-ascorbic acid, 246
- 2,6-Dideoxy- $\alpha$ -*L*-lyxo-hexopyranosides, facile stereoselective synthesis of, 111
- Dimerization of 2,3-*O*-isopropylidene-*L*-erythrose, 273
- Disaccharide methyl glycosides related to the polysaccharide from *Klebsiella* serotype 40, synthesis and a study of their inhibition in the precipitin reaction, 59
- Enterobacteriaceae*, synthesis of methyl 2-*O*- $\alpha$ -*D*-galactopyranosyl-3-*O*- $\beta$ -*D*-glucopyranosyl- $\alpha$ -*D*-glucopyranoside, a trisaccharide of the R-1 core antigen of, 241
- Epitope of *Chlamydia*, genus-specific lipopolysaccharide, synthesis of tetrasaccharide of, 37

- L-Erythrose, 2,3-*O*-isopropylidene-, dimerization of, 273
- Escherichia coli* O83:K24:H, identification of the K24 antigen as a polymer consisting of  $\alpha$ -Kdop and glycerol phosphate, 139
- Ferric chloride-catalyzed dimerization of 2,3-*O*-isopropylidene-L-erythrose, 273
- Fructose metabolism, 3-deoxy-D-erythro-hexulose: a convenient synthesis and its interaction with the enzymes of, 276
- $\alpha$ -L-Fucopyranoside, methyl, 2-*O*- $\alpha$ -L-fucopyranosyl, 3- and 4-sulfate, synthesis of, 51
- $\alpha$ -L-Fucopyranoside, methyl, 2-*O*-(sodium  $\alpha$ -L-fucopyranosyl 3- and 4-sulfate)-, synthesis of, 280
- 2-*O*- $\alpha$ -L-Fucopyranosyl- $\alpha$ -L-fucopyranoside, methyl, 3- and 4-sulfate, synthesis of, 51
- Galactan, structural studies of a sulfated, from *Styela plicata* (Tunicate): analysis of the Smith-degraded polysaccharide, 163
- $\alpha$ -L-Galactofuran from the tunicate *Clavelina*, structure of a unique sulfated, 153
- $\alpha$ -D-Galactopyranose, 6-*S*-acetyl-6-deoxy-1,2:3,4-di-*O*-isopropylidene-6-thio-, a one-step synthesis of, 287
- D-Galactopyranosyl chloride, efficient syntheses of 3,4,6-tri-*O*-acetyl-2-deoxy-2-phthalimido- $\beta$ - and - $\alpha$ -, 260
- $\alpha$ -D-Glucopyranoside, methyl 2-*O*- $\alpha$ -D-galactopyranosyl-3-*O*- $\beta$ -D-glucopyranosyl-, a trisaccharide of the R-1 core antigen of Enterobacteriaceae, synthesis of, 241
- 3-*O*-( $\alpha$ -D-Glucopyranosyluronic acid)-L-galactopyranose isolated from the polysaccharides of various unicellular red algae, structure of, 301
- Glucosides, thermal polymerization, polysaccharides from, 93
- Glycerol monostearate-amylose complex superstructures, solute effects on the thermal stability of, 199
- C-Glycosylation of 2,3,5-tri-*O*-benzylglycofurans promoted by the boron trifluoride-diethyl ether complex, a simple and ready internal, 264
- Heptitols, 2,6-anhydro-7-deoxy-7-nitro-D-glycero-L-gulo- and 1,3,4,5-tetra-*O*-acetyl-2,6-anhydro-7-deoxy-7-nitro-D-glycero-D-manno-, crystal structures of, 1
- Hexitol, 3,4,5-tri-*O*-acetyl-2,6-anhydro-1-deoxy-1-nitro-D-ido-, crystal structure of, 1
- Hyaluronidase, the effects of deglycosylation on the properties of native and biotinylated bovine testicular, 306
- Immunoadjuvant activity of *N*-[2-*O*-(2-acetamido-1,2,3,5-tetra-deoxy-1,5-imino-D-glucitol-3-yl)-D-lactoyl]-L-alanyl-D-isoglutamine, synthesis and, 267
- myo*-Inositol bis- and tris-phosphate isomers, preparative separation by anion-exchange chromatography, 105
- myo*-Inositol, chiral recognition of 1-*O*-allyl- and 1-*O*-benzyl-D- and -L-by  $\alpha$ - and  $\beta$ -cyclodextrin, 256
- $\alpha$ -Kdop and glycerol phosphate, identification of the K24 antigen of *E. coli* O3:K24:H as a polymer consisting of, 139
- Klebsiella* serotype 40, synthesis of disaccharide methyl glycosides related to the polysaccharide from, and a study of their inhibition in the precipitin reaction, 59
- Levan produced by *Streptococcus salivarius* SS2, the structural analysis of a, 193
- Lipopolysaccharide epitope of *Chlamydia*, synthesis of tetrasaccharide of, 37
- Magnetic equivalence in  $^1\text{H}$ - and  $^{13}\text{C}$ -n.m.r. spectra of symmetric compounds, elimination of, through  $^{13}\text{C}$ -substitution in (1- $^{13}\text{C}$ )alditols, 23
- Malto-oligosaccharides, modified, inhibitors of human alpha-amylases by, 312
- Methyl  $\alpha$ -L-fucopyranoside, 2-*O*-(sodium  $\alpha$ -L-fucopyranosyl 3- and 4-sulfate)-, synthesis of, 280
- Methyl D-glucopyranosides, X-ray crystallographic and n.m.r. studies of 4,6-*O*-(*R*)-benzylidene derivatives of, 237
- Methylation of oligoglycosyl alditols using MeI, Me<sub>2</sub>SO, and NaOH, oxidation in, 175
- Molecular structure of 3-*O*-(3,6-anhydro- $\alpha$ -D-galactopyranosyl)- $\beta$ -D-galactopyranose (neocarrabiose) in the solid state and in solution, 215
- N.m.r. assignment of bacterial polysaccharides, a reverse approach to  $^1\text{H}$ -, 15
- Neocarrabiose [3-*O*-(3,6-anhydro- $\alpha$ -D-galactopyranosyl)- $\beta$ -D-galactopyranose], molecular structure in the solid state and in solution, 215
- Nitromethane,  $\alpha$ -D-glucopyranosyl-,  $\alpha$ -D-mannopyranosyl-,  $\alpha$ -D-xylopyranosyl-, crystal structures of, 1
- 2-Nitrophenylhydrazides, colorimetric determination of alginates and fragments thereof as the, 289
- Oligoglycosyl alditols, methylation of, using MeI, Me<sub>2</sub>SO, and NaOH; oxidation of, 175
- Oligosaccharides, malto-, inhibitors of human alpha-amylases by modified, 312
- Oligosaccharides related to *N*-glycoproteins, ROESY studies and HSEA calculations on xylose-containing, 117

- L-*threo*-Pentos-2-ulose (L-xylosone) and 3-deoxy-L-*glycero*-pentos-2-ulose (3-deoxy-L-xylosone) as intermediates in the degradation of L-ascorbic acid, 246
- Phenylseleno  $\alpha$ -ketosides of *N*-acetylneuraminic acid, synthesis of, 251
- Phosphate isomers, preparative separation of *myo*-inositol bis- and tris-, by anion-exchange chromatography, 105
- Polysaccharide, analysis of the Smith-degraded; structural studies of a sulfated galactan from *Styela plicata* (Tunicate), 163
- Polysaccharide from *Aerococcus viridans* var. *homari*, structural studies of the capsular, 145
- Polysaccharide from *Salmonella kentucky* strain 98/39 (O8, H:i Z<sub>6</sub>), structural studies of the O-specific, 293
- Polysaccharides, a reverse approach to <sup>1</sup>H-n.m.r. assignments of bacterial, 15
- Polysaccharides from thermal polymerization of glucosides, 93
- Polysaccharides of various unicellular red algae, structure of 3-*O*-( $\alpha$ -D-glucopyranosyluronic acid)-L-galactopyranose isolated from the, 301
- Preparative separation of *myo*-inositol bis- and tris-phosphate isomers by anion-exchange chromatography, 105
- <sup>87</sup>Rb<sup>+</sup> spin relaxation in enzymically purified and in untreated iota-carrageenan, 127
- Reverse approach to <sup>1</sup>H-n.m.r. assignments of bacterial polysaccharides, a, 15
- Rhomycins, synthesis of 4-*O*-methyl- $\beta$ -, using derivatives of 4-amino-4-deoxy and 3,4-diamino-3,4-dideoxy sugars, 67
- ROESY studies and HSEA calculations on xylose-containing oligosaccharides related to *N*-glycoproteins, 117
- Salmonella kentucky* strain 98/39 (O8, H:i, Z<sub>6</sub>), structural studies of the O-specific polysaccharide from, 293
- 2-Selenoneuraminic acid, *N*-acetyl,  $\alpha$ -ketoside, synthesis of, 251
- Solute effects on the thermal stability of glyceryl monostearate-amylose complex superstructures, 199
- Spin relaxation in enzymically purified and in in-treated iota-carrageenan, 127
- Stereoselective synthesis of 2,6-dideoxy- $\alpha$ -L-*lyxo*-hexopyranosides, facile, 111
- Streptococcus salivarius* SS2, the structural analysis of a levan produced by, 193
- Structural studies of the capsular polysaccharide from *Aerococcus viridans* var. *homari*, 145
- Structural studies of the O-specific polysaccharide from *Salmonella kentucky* strain 98/39 (O8, H:i Z<sub>6</sub>), 293
- Structure of a unique sulfated  $\alpha$ -L-galactofucan from the tunicate *Clavelina*, 153
- Structure of the K24 antigen of *E. coli* O83:K24:II, a polymer that consists of  $\alpha$ -Kdop and glycerol phosphate, 139
- Structure of 3-*O*-( $\alpha$ -D-glucopyranosyluronic acid)-L-galactopyranose isolated from the polysaccharides of various unicellular red algae, 301
- Sulfate, 3- and 4-, of methyl 2-*O*- $\alpha$ -L-fucopyranosyl- $\alpha$ -L-fucopyranoside, synthesis of, 51
- Sulfated galactan, structural studies of a, from *Styela plicata* (Tunicate): analysis of the Smith-degraded polysaccharide, 163
- 3' and 4'-Sulfates, sodium salts, of methyl 2-*O*- $\alpha$ -L-fucopyranosyl- $\alpha$ -L-fucopyranoside, 280
- Synthesis and conformational studies of carrabiose and its 4'-sulphate and 2,4'-disulphate, 83
- Synthesis of disaccharide methyl glycosides related to the polysaccharide form *Klebsiella* serotype 40 and a study of their inhibition in the precipitin reaction, 59
- Synthesis of methyl 2-*O*- $\alpha$ -D-galactopyranosyl-3-*O*- $\beta$ -D-glucopyranosyl- $\alpha$ -D-glucopyranoside, a trisaccharide of the R-I core antigen of *Enterobacteriaceae*, 241
- Synthesis of 4-*O*-methyl- $\beta$ -rhodomycins using derivatives of 54-amino-4-deoxy and 3,4-diamino-3,4-dideoxy sugars, 67
- Syntheses of 3,4,6-tri-*O*-acetyl-2-deoxy-2-phthalimido- $\beta$ - and - $\alpha$ -D-galactopyranosyl chloride, efficient, 260
- Thermal polymerization of glucosides, polysaccharides from, 93
- Thermal stability of glycerol monostearate-amylose complex superstructures, solute effects on, 199
- 3,4,6-Tri-*O*-acetyl-2-deoxy-2-phthalimido- $\alpha$ - and - $\beta$ -D-galactopyranosyl chloride, efficient syntheses of, 260
- 2,3,5-Tri-*O*-benzylglycofuranoses, a simple and ready internal C-glycosylation of, promoted by the boron trifluoride-diethyl ether complex, 264
- Trisaccharide of the R-I core antigen of *Enterobacteriaceae*, synthesis of methyl 2-*O*- $\alpha$ -D-galactopyranosyl-3-*O*- $\beta$ -D-glucopyranosyl- $\alpha$ -D-glucopyranoside, a, 241
- Tunicate *Clavelina*, structure of a unique sulfated  $\alpha$ -L-galactofucan from the, 153
- X-ray crystallographic and n.m.r. studies 4,6-*O*-(*R*)-benzylidene derivatives of methyl D-glucopyranosides, 237
- Xylose-containing oligosaccharides related to *N*-glycoproteins, ROESY studies and HSEA calculations on, 117