

CARBOHYDRATE RESEARCH VOL. 209 (1991)

SUBJECT INDEX

- N*-Acetyl-D-glucosaminyltransferases from human colon carcinoma cells, biosynthesis of lactoglycosphingolipids by, 261
- Actinobacillus pleuropneumoniae* serotype 7, structure of the capsular polysaccharide from, 211
- Actinobacillus pleuropneumoniae* serotype 7, structure of the O-antigen polysaccharide of, 225
- Aldose epimerization by Ni(II): effect of ether-containing alkylenediamine ligands, 289
- Alkaline degradation of monosaccharides in methyl sulfoxide, a study by e.s.r. spectroscopy, 1
- Alkyl [(alkyl 6-deoxy- α -D-glucopyranosyluronate) 6-deoxy- α -D-glucopyranosid]uronates, a novel type of mirror cord factor, synthesis of, 181
- 3-Amino-3,6-dideoxy- α -L-hexopyranosides branched at C-3, synthesis of methyl, 311
- 3-Amino sugar derivatives, application of the Hofmann rearrangement in the synthesis of, 131
- 1D-1,2-Anhydro-*myo*-inositol, synthesis of, 296
- O-Antigen polysaccharide of *Actinobacillus pleuropneumoniae* serotype 7, structure of the, 225
- Antigenic determinants of human glycophorin A_M and A_N, differentiation of the structural features of the T_N and T, in relation to their specificity, 67
- Bergenin-type C-glucosylarenes, synthesis of, 101
- Boat-chair equilibrium in the glucuronate residue of chondrosine, evidence for a, c13
- 3-*tert*-Butoxycarbonylamino-3-cyano-3-deoxy and 3-acetamidomethyl-3-*tert*-butoxycarbonylamino-3-deoxy sugars, preparation of some, 131
- Cell-wall polysaccharides of kiwifruit (*Actinidia deliciosa*): effect of ripening on the structural features of cell-wall materials, 191
- Chain rigidity of chitosan, and mesophase formation, 251
- Chitosan, chain rigidity and mesophase formation, 251
- Chondrosine, evidence for a boat-chair equilibrium in the glucuronate residue of, c13
- Conformational analysis of the amino termini (5 residues) of human glycophorin A_M and A_N: differentiation of the structural features of the T_N and T antigenic determinants in relation to their specificity, 67
- Conformational study of eight pseudo-trehaloses, an n.m.r. spectroscopic and, 51
- Cord factor, synthesis of alkyl [(alkyl 6-deoxy- α -D-glucopyranosyluronate) 6-deoxy- α -D-glucopyranosid]uronates, a novel type of mirror pseudo, 181
- Crystal and molecular structure of 1,3-dihydro-4-(3,4-O-isopropylidene-D-arabino-tetritol-1-yl)-3-methyl-1-*p*-tolyl-2H-imidazole-2-thione, 279
- Cyclodextrin glycosyltransferase, chemical modification of histidine residues with diethyl pyrocarbonate, 145
- 4-Deoxy and 4-deoxy-4-halogeno derivatives of L-fucose, synthesis as potential enzyme inhibitors, 119
- Diethyl pyrocarbonate, chemical modification of histidine residues in cyclodextrin glycosyltransferase with, 145
- 1,3-Dihydro-4-(3,4-O-isopropylidene-D-arabino-tetritol-1-yl)-3-methyl-1-*p*-tolyl-2H-imidazole-2-thione, crystal and molecular structure of, 279
- 1,6-Dioxa-3-azaspiro[4.5]decane, X-ray structure of (5*S*, 8*R*, 9*R*, 10*S*)-8,9,10-triacetoxy-3-acetyl, 285
- Dissaccharide derivatives, immobilisation of β -D-galactosidase from *Escherichia coli* on cellulose beads and its use for the synthesis of, 83
- Effect of ether-containing alkylenediamine ligands, aldose epimerization by Ni(II), 289
- Effect of the concentration of sodium chloride in the medium on the relative proportions of poly- and oligo-saccharides excreted by *Rhizobium meliloti* strain YE-2SL, 203
- Efficient synthesis of 2,4-dideoxy-4-hydroxyphosphinyl-D-erythro-pentofuranose, an, c9
- Epimerization by Ni(II): effect of ether-containing alkylenediamine ligands on aldose, 289
- E.s.r. spectroscopy, a study of the alkaline degradation of monosaccharides by, 1
- Fast-atom-bombardment mass spectrometry of sulphated oligosaccharides from ovine lutropin, 33

- L-Fucose, synthesis of 4-deoxy and 4-deoxy-4-halogeno derivatives of, as potential enzyme inhibitors, 119
- β -D-Galactosidase from *Escherichia coli*, immobilisation on cellulose beads and use for the synthesis of disaccharide derivatives, 83
- Gel-permeation chromatography of solutions of D-glucose after irradiation by ultrasound and γ -rays, 109
- Glucorhamnan from the lipopolysaccharide of *Serratia marcescens* strain S1254, structure of a, 319
- D-Glucose, gel-permeation chromatography of solutions of, after irradiation by ultrasound and γ -rays, 109
- C-Glucosylarenes, synthesis of bergenin-type, 101
- Glucuronate residue of chondrosine, evidence for a boat-chair equilibrium in the, c13
- Glycolipids, *lacto*-, biosynthesis by *N*-acetyl-D-glucosaminyltransferases from human colon carcinoma cells, 261
- Glycophorin A_M and A_N, conformational analysis of the amino termini (5 residues) of human, 67
- O-Glycosylated glycoproteins in the *Plasmodium falciparum* parasite, c5
- Glycosylation variant and modification reactions of ϵ -(iso)rhodomycins, a new, 89
- Heptoseptanosides, synthesis of methyl 3-deoxy-3-nitro-, 155
- Histidine residues in cyclodextrin glycosyltransferase, chemical modification with diethyl pyrocarbonate, 145
- Hofmann rearrangement in the synthesis of 3-amino sugar derivatives, application of the, 131
- N*-Hydroxyimino groups and nitroxyl free radicals thereof, spacer arms bearing two, 299
- Immobilisation of β -D-galactosidase from *Escherichia coli* on cellulose beads and its use for the synthesis of disaccharide derivatives, 83
- myo*-Inositol, synthesis of 1D-1,2-anhydro-, 296
- Irradiation of solutions of D-glucose by ultrasound and γ -rays, gel-permeation chromatography of the products, 109
- Kiwifruit (*Actinidia deliciosa*), effect of ripening on the structural features of cell-wall materials, 191
- Lacto*-glycolipids, biosynthesis by *N*-acetyl-D-glucosaminyltransferases from human colon carcinoma cells, 261
- Lewis X, sialyl, total synthesis, c1
- Lipopolysaccharide of *Serratia marcescens* strain S1254, structure of a glucorhamnan from the, 319
- Mass spectrometry of sulphated oligosaccharides from ovine lutropin, fast-atom-bombardment, 33
- Mesophase formation by chitosan, and chain rigidity, 251
- Methyl 3-amino-3,6-dideoxy- α -L-hexopyranosides branched at C-3, synthesis of, 311
- Methyl 3-deoxy-3-nitroheptoseptanosides, synthesis of, 155
- Methylation of starch, topochemical effects in the, 239
- Molecular and crystal structure of 1,3-dihydro-4-(3,4-*O*-isopropylidene-D-*arabino*-tetritol-1-yl)-3-methyl-1-*p*-tolyl-2*H*-imidazole-2-thione, 279
- Monosaccharides, a study by e.s.r. spectroscopy of alkaline degradation in methyl sulfoxide, 1
- Nitroxyl free radicals, spacer arms bearing two *N*-hydroxyimino groups and derived, 299
- N.m.r. spectroscopic and conformational study of eight pseudo-trehaloses, 51
- Oligosaccharides from ovine lutropin, fast-atom-bombardment mass spectrometry of sulphated, 33
- Oligosaccharides α -D-Glcp-(1 \rightarrow 4)-D-Xylp, α -D-Xylp-(1 \rightarrow 4)-D-Glcp, α -D-Glcp-(1 \rightarrow 4)- α -D-Glcp-(1 \rightarrow 4)-D-Xylp, α -D-Glcp-(1 \rightarrow 4)- α -D-Xylp-(1 \rightarrow 4)-D-Glcp, and α -D-Xylp-(1 \rightarrow 4)- α -D-Glcp-(1 \rightarrow 4)-D-Glcp, synthesis of the, 167
- Parasite, *Plasmodium falciparum*, presence of O-glycosylated glycoproteins in, c5
- D-*erythro*-2-Pentulose and D-threo-2-pentulose, synthesis, and analysis of the ¹³C- and ¹H-n.m.r. spectra of the 1-¹³C- and 2-¹³C-substituted sugars, 13
- Phosphinyl-D-*erythro*-pentofuranose, an efficient synthesis of 2,4-dideoxy-4-hydroxy, c9
- Plasmodium falciparum* parasite, presence of O-glycosylated glycoproteins in, c5
- Poly- and oligo-saccharides excreted by *Rhizobium meliloti* strain YE-2SL, effect of the concentration of sodium chloride in the medium on the relative proportions of, 203
- Polysaccharide from *Actinobacillus pleuropneumoniae* serotype 7, structure of the capsular, 211
- Polysaccharides of kiwifruit (*Actinidia deliciosa*), effect of ripening on the structural features of cell-wall, 191
- Pseudo-trehaloses, an n.m.r. spectroscopic and conformational study of eight, 51
- Rhizobium meliloti* strain YE-2SL, effect of the concentration of sodium chloride in the medi-

- um on the relative proportions of poly- and oligo-saccharides excreted by, 203
- ϵ -(Iso)rhodomycins, a new glycosylation variant and modification reactions, 89
- Semisynthetic ϵ -(iso)rhodomycins: a new glycosylation variant and modification reactions, 89
- Serratia marcescens* strain S1254, structure of a glucorhamnan from the lipopolysaccharide of, 319
- Sialyl Lewis X, total synthesis, c1
- Spacer arms bearing two *N*-hydroxyimino groups and nitroxyl free radicals thereof, 299
- Spiropyranose derivative, X-ray structure of a, 285
- Starch, topochemical effects in the methylation of, 239
- Stereoselective syntheses of acetylated *o*-tolyl 1-thioglycosides, 306
- Structure of the capsular polysaccharide from *Actinobacillus pleuropneumoniae* serotype 7, 211
- Structure of the *O*-antigen of *Actinobacillus pleuropneumoniae* serotype 7 lipopolysaccharide, 225
- Synthesis of alkyl [(alkyl 6-deoxy- α -D-glucopyranosyluronate) 6-deoxy- α -D-glucopyranosid]uronates, a novel type of mirror pseudo cord factor, 181
- Synthesis of 1D-1,2-anhydro-*myo*-inositol, 296
- Synthesis of 2,4-dideoxy-4-hydroxyphosphinyl-D-*erythro*-pentofuranose, an efficient, c9
- Synthesis of bergenin-type C-glucosylarenes, 101
- Synthesis of 4-deoxy and 4-deoxy-4-halogeno derivatives of L-fucose as potential enzyme inhibitors, 119
- Synthesis of methyl 3-amino-3,6-dideoxy- α -L-hexopyranosides branched at C-3, 311
- Synthesis of methyl 3-deoxy-3-nitroheptoseptanosides, 155
- Synthesis of the oligosaccharides α -D-Glcp-(1 \rightarrow 4)-D-Xylp, α -D-Xylp-(1 \rightarrow 4)-D-Glcp, α -D-Glcp-(1 \rightarrow 4)- α -D-Glcp-(1 \rightarrow 4)-D-Xylp, α -D-Glcp-(1 \rightarrow 4)- α -D-Xylp-(1 \rightarrow 4)-D-Glcp, and α -D-Xylp-(1 \rightarrow 4)-D-Glcp-(1 \rightarrow 4)-D-Glcp, 167
- 1-Thioglycosides, stereoselective syntheses of acetylated *o*-tolyl, 306
- o*-Tolyl 1-thioglycosides, stereoselective syntheses of acetylated, 306
- Topochemical effects in the methylation of starch, 239
- X-ray structure of (5*S*, 8*R*, 9*R*, 10*S*)-8,9,10-triacetoxy-3-acetyl-1,6-dioxo-3-azaspiro[4.5]decane, a spiropyranose derivative, 285