SUBJECT INDEX

- Affinity-immobilized dextransucrase from Streptococcus sanguis, acceptor activity of, 337
- Alginate lyase from a marine bacterium associated with *Sargassum*, L-gulururonan-specific, 91
- 3-*O*-Allylation and 3-*O*-benzylation of methyl α-D-manno-, α-L-rhamno-, and β-L-fuco-pyranoside, selective, 179
- Amadori compounds, autoxidative degradation in the presence of copper ion, 167
- 3-Amino-4-*C*-phenyl-D-altrohexofuranose and 3-amino-5-*C*-[3-carboxy-4-(carboxymethyl)-2-oxo-3-cyclohexen-1-yl]-D-altrofuranose, possible intermediates for synthesis of the anthracycline antibiotic decilorubicin, 137
- Analysis of positions of substitution of O-carboxymethyl groups in partially O-carboxymethylated cellulose by the reductive-cleavage method, 41
- Analysis of a pyruvic acid acetal-containing polysaccharide by the reductive-cleavage method, 309
- Anhydrodeoxyribose derivatives, synthesis of polymerizable, 333
- 2,6-Anhydrohept(hex)-2-enononitriles (1-cyano-2-hydroxyglycals), preparation of acetylated, 173
- Antibody binding site probes, the design and synthesis of, three pentasaccharide analogues of the *Brucella* A antigen prepared by activation *in situ* of thioglycosides with bromine, 59
- Anticoagulant fucan sulfate, structure of a new,
- Antigen, *Brucella* A, three pentasaccharide analogues of the, prepared by activation *in situ* of thioglycosides with bromine; antibody binding site probes, the design and synthesis of, 59
- Assignment of structures to oligosaccharides produced by enzymic degradation of a β-D-glucan from barley by ¹H- and ¹³C-n.m.r. spectroscopy, 219
- Autoxidative degradation of Amadori compounds in the presence of copper ion, 167
- 3-O-Benzylation and 3-O-allylation of methyl α-D-manno-, α-L-rhamno-, and β-L-fuco-pyranoside, selective, 179
- Branched-chain thiosugars: temperature effects in the acetolytic deacetalation of furanose sugars, 245
- Brucella A antigen, three pentasaccharide analogues of the, prepared by activation in situ of

- thioglycosides with bromine; antibody binding sites probes, the design and synthesis of, 59
- CASPER, Structural studies of the *Escherichia* coli OIA O-polysaccharide, using the computer program, 183
- Cellulose, partially O-carboxymethylated, analysis of positions of substitution of O-carboxymethyl groups in, by the reductive-cleavage method, 41
- Chitosans, determination of the degree of *N*-acetylation and the distribution of *N*-acetyl groups in chitosans by high-field n.m.r. spectroscopy, 17
- Conformational analysis of isopropylidene-protected *C*-glycosyl derivatives of 3-deoxy-p-manno-2-octulosonic acid (Kdo) in the solid state and in solution, I
- Conformation of a cyclic trisaccharide from highresolution n.m.r. spectroscopy and molecular modelling, structure and solution, 191
- Cryptococcus neoformans serotype B, a glucoronoxylomannan of, structural analysis by gasliquid chromatography-mass spectrometry and ¹³C-nuclear magnetic resonance spectroscopy, 103
- Cyclodehydration of 3-(D-galacto-pentitol-1-yl)pyrazoles, synthesis of 3-(D-lyxofuranosyl)pyrazoles by trifluoroacetic acid-catalysed, 287
- Deacetalation, acetolytic, of furanose sugars, branched-chain thiosugars: temperature effects in the. 245
- Decilorubicin, 3-Amino-5-*C*-phenyl-D-altrohexofuranose and 3-amino-5-*C*-[3-carboxy-4-(carboxymethyl)-2-oxo-3-cyclohexen-1-yl]-D-altrofuranose, possible intermediates for synthesis of the anthracycline antibiotic, 137
- Determination of the degree of *N*-acetylation and the distribution of *N*-acetyl groups in chitosans by high-field n.m.r. spectroscopy, 17
- Dextransucrase, affinity-immobilized, form Streptococcus sanguis acceptor activity of, 337
- Dextransucrase from *Streptococcus* sanguis, photolabeling of, with *p*-azidophenyl α-D-glucopyranoside, 317
- Displacement-reactions of the 4-sulfonyloxy group in derivatives having the *D*-manno configuration, nucleophilic, 295
- Ecklonia kurome, structure of fucan sulfate from,

- Enzymic synthesis of galactopyranosyl-L-serine derivatives using galactosidases, 327
- Fucan sulfate from *Ecklonia kurome*, structure of, 77
- α-t-Fucosyl residues, a new undecasaccharide subunit of xyloglucans, with two, 117
- Galactopyranosyl-t,-serine derivatives, enzymic synthesis using galactosidases, 327
- Galactosidases, enzymic synthesis of galactopyranosyl-L-serine derivatives using, 327
- Ganglioside GM1b and its positional analog, facile total synthesis, 337
- Gas-liquid chromatography mass spectrometry and ³C-nuclear magnetic resonance spectroscopy, structural analysis by, of a glucuronoxylomannan of *Cryptococcus neotormans* serotype B, 103
- D-Glucitol, 4-O-acetyl-1,5-anhydro-2,3,6-tri-O-(methoxycarbonylmethyl)- and the positional isomers of 4-O-acetyl-1,5-anhydro-di-O-(methoxycarbonylmethyl)-O-methyl-o-glucitol and 4-O-acetyl-1,5-anhydro-O-(methoxycarbonylmethyl)-di-O-methyl-o-glucitol, synthesis and mass spectra of, 47
- (D-Glucopyranosyl 5a-carba-D- and -L-glucopyranoses), synthesis of pseudolaminarabiose, -cellobiose, and -maltose, 147
- Glucuronoxylomannan of *Cryptococcus neofor-mans* serotype B: structural analysis by gasliquid chromatography-mass spectrometry and ¹³C-nuclear magnetic resonance spectroscopy, 103
- Glycoside synthesis, use of glycosyl 1-piperidinecarbodithiosates in, 157
- Glycosyl derivatives of 3-deoxy-*p-manno*-2-octulosonic acid (Kdo) in the solid state and in solution, conformational analysis of isopropylidene-protected *C*-, 1
- Glycosyl 1-piperidinecarbodithioates in the synthesis of glycosides, 157
- L-Gulururonan-specific alginate lyase from a marine bacterium associated with *Sarqussum*, 91
- Hept(hex)-2-enononitriles, preparation of acety-lated 2.6-anhydro-, 173
- (Kdo) in the solid state and in solution, conformational analysis of isopropylidene-protected Cglycosyl derivatives of 3-deoxy-D-manno-2-octulosonic acid. 1
- Mass spectra and synthesis of 4-O-acetyl-1,5-anhydro-2,3,6-tri-O-(methoxycarbonylmethyl)-D-glucitol and the positional isomers of 4-O-acetyl-1,5-anhydro-di-O-(methoxycarbonylmethyl)-O-methyl-D-glucitol and

- 4-*O*-acetyl-1.5-anhydro-*O*-(methoxycarbonyl-methyl)-di-*O*-methyl-p-glucitol, 47
- Mechanism of oxidation of reducing sugars by osmium tetraoxide in alkaline medium by the stopped-flow technique, 235
- N.m.r. spectroscopy, assignment of structures to oligosaccharides produced by enzymic degradation of a β -D-glucan from barley by ¹H- and ¹³C-, 219
- N.m.r. spectroscopy, determination of the degree of *N*-acetylation and the distribution of *N*-acetyl groups in chitosans by high-field, 17
- N.m.r. spectroscopy, identification of sucrose, I-kestose, and neokestose in mixtures present in plant extracts by ¹H- and ³C-, 131
- ¹⁷C-N.m.r. study of the tungstate and molybdate complexes of perseitol, galactitol, and D-mannitol, 279
- ³C-Nuclear magnetic resonance spectroscopy and gas-liquid chromatography mass spectrometry, structural analysis by, of a glucoronoxylomannan of Cryptococcus neoformans serotype B, 103
- Nucleophilic displacement-reactions of the 4-sulfonyloxy group in derivatives having the omanno configuration, 295
- Observation of a stable orthoacyl fluoride in the reaction of a reducing sugar with diethylamino sulfur trifluoride, 163
- Oligosaccharides produced by enzymic degradation of a β -D-glucan from barley, assigment of structures by ${}^{1}\text{H}$ and ${}^{11}\text{C}$ -n.m.r. spectroscopy, 219
- Orthoacyl fluoride in the reaction of a reducing sugar with diethylamino sulfur trifluoride, observation of a stable, 163
- Osmium tetraoxide in aikaline medium by the stopped-flow technique, mechanism of oxidation of reducing sugars by, 235
- Oxidation of reducing sugars by osmium tetraoxide in alkaline medium by the stopped-flow technique, mechanism of, 235
- D-Pentofuranuronic acids, ring-opening kinetics (anomerization), 207
- Phosphate-containing "heptasaccharide" fragments of the capsular polysaccharides of *Streptococcus pneumoniae* types 6A and 6B, synthesis of two, 25
- Photolabeling of dextransucrase from Streptococcus vanguis with p-azidophenyl-x-0-glucopyranoside, 317
- 1-Piperidinecarbodithioates in the synthesis of glycosides, use of glycosyl, 157
- Plantextracts, identification by 'H- and ''C-n.m.r. spectroscopy of sucrose, 1-kestose, and neo-kestose in mixtures present in, 131

- Polymerizable anhydrodeoxyribose derivatives, synthesis of, 333
- Polysaccharide, analysis of a pyruvic acid acetalcontaining, by the reductive-cleavage method, 309
- Polysaccharide of *Streptococcus pneumoniae* type 23F, synthesis of a spacer-containing repeating unit of the capsular, 261
- Polysaccharide, structural studies of the *Escherichia coli* OIA using the computer program CASPER, 183
- Possible intermediates for synthesis of the anthracycline antibiotic decilorubicin, 3-amino-5-C-phenyl-p-altrohexofuranose and 3-amino-5-C-[3-carboxy-4-(carboxymethyl)-2-oxo-3-cyclohexen-1-yll-p-altrofuranose, 137
- Preparation of acetylated 2,6-anhydrohept (hex)-2-enononitriles (1-cyano-2-hydroxygly-cals), 173
- Pseudo-laminarabiose, -cellobiose, and -maltose (D-glucopyranosyl 5a-carba-D- and -l-glucopyranoses), synthesis of, 147
- Pyrazoles, synthesis of 3-(D-lyxofuranosyl)-, by trifluoroacetic acid-catalysed cyclodehydration of 3-(D-galacto-pentitol-1-yl)pyrazoles, 287
- Pyruvic acid acetal-containing polysaccharide, analysis of a, by the reductive-cleavage method, 309
- Reducing sugar, formation of a stable orthoacyl fluoride in the reaction with diethylamino sulfur trifluoride, 163
- Reductive-cleavage method, analysis of positions of substitution of O-carboxymethyl groups in partially O-carboxymethylated cellulose by the 41
- Reductive-cleavage method, analysis of a pyruvic acid acetal-containing polysaccharide, by the
- Ring-opening kinetics of the D-pentofuranuronic acids, 207
- Sargassum, L-gulururonan-specific alginate lyase from a marine bacterium, associated with, 91
- Streptococcus pneumoniae type 23F, synthesis of a spacer-containing repeating unit of the capsular polysaccharide of, 261
- Streptococcus pneumoniae types 6A and 6B, synthesis of two phosphate-containing "heptasac-charide" fragments of the capsular polysaccharides of, 25

- Structural studies of the *Escherichia coli* OIA Opolysaccharide, using the computer program CASPAR, 183
- Structure and solution conformation of a cyclic trisaccharide from high-resolution n.m.r. spectroscopy and molecular modelling, 191
- Sucrose, 1-kestose, and neokestose in mixtures present in plant extracts, identification by ¹H-and ¹³C-n.m.r. spectroscopy, 131
- 4-Sulfonyloxy group in derivatives having the pmanno configuration, nucleophilic displacement-reactions of the, 295
- Synthesis and mass spectra of 4-O-acetyl-1,5-anhydro-2,3,6-tri-O-(methoxy-carbonylmethyl)-D-glucitol and the positional isomers of 4-O-acetyl-1,5-anhydro-di-O-(methoxycarbonylmethyl)-O-methyl-D-glucitol and 4-O-acetyl-1,5-anhydro-O-(methoxycarbonylmethyl)-di-O-methyl-D-glucitol, 47
- Synthesis of 3-(D-lyxofuranosyl)pyrazoles by trifluoroacetic acid-catalysed cyclodehydration of 3-(D-galacto-pentitol-1-yl)pyrazoles, 287
- Synthesis of polymerizable anhydrodeoxyribose derivatives, 333
- Synthesis of pseudo-laminarabiose, -cellobiose, and -maltose (D-glucopyranosyl 5a-carba-D-and-L-glucopyranoses), 147
- Synthesis of a spacer-containing repeating unit of the capsular polysaccharide of *Streptococcus pneumonia* type 23F, 261
- Synthesis of two phosphate-containing "heptasaccharide" fragments of the capcular polysaccharides of *Streptococcus pneumoniae* types 6A and 6B, 25
- Thiosugars, branched-chain, temperature effects in the acetolytic deacetalation of furanose sugars, 245
- Trisaccharide from high-resolution n.m.r. spectroscopy and molecular modelling, structure and solution conformation of a cyclic, 191
- Tungstate and molybdate complexes of perseitol, galactitol, and p-mannitol, a ¹³C-n.m.r. study of the tungstate and molybdate complexes of, 279
- Xyloglucans, a new undecasaccharide subunit of, with two α-L-fucosyl residues, 117