## SUBJECT INDEX

- 2-Acetamido-2-deoxy-3-*O-β*-D-galactopyranosyl-D-galactose, synthesis through a triflyl group displacement, of, 267
- N-Acetylneuraminate, sodium thermal and photochemical degradation of, 25
- N-Acetylneuraminic acid, methyl 2-thioglycoside of, facile, large-scale preparation, 277
- Alfalfa-stem pectins: enzymic degradation and structural characterization of a buffer-soluble fraction, 177
- Alpha-dextrins derived from amylopectin and their relation to the structure of waxy-maize starch, investigation of the fine structure of, 229
- Amadori compounds, aromatic, synthesis of, 37
  Amino- and nitro-heptoseptanosides obtained by
- Amino- and nitro-neptoseptanosides obtained by cyclization of dialdehydes with nitromethane, structure and reactions of, 129
- Aminocyclitols, use of the methyl ether as a protective group in the synthesis of, 321
- Amylopectin, chains of intermediate lengths in waxy-maize, 245
- Antigen from Serratia marcescens, structure of the O21, 187
- Branched-chain monosaccharides, synthesis of three examples of a new class of, 283
- Capsular polysaccharide from *Actinobacullus* pleuropneumoniae serotype 12, structural studies of the. 219
- 2-C-Carbamoyl-, 2-C-cyano-, and 2-C-acetamidomethyl-substituted glycosides, synthesis of, 283
- Chains of intermediate lengths in waxy-maize amylopectin, 245
- Crystal and molecular structure of methyl  $\alpha$ -D-galactopyranoside 4-(sodium sulphate) dihydrate, I
- 2-Deoxy sugars, formation of enolate semiquinones during the alkaline oxidative degradation of, 273
- D-Enzyme from sweet potato, analysis of its characteristic action in terms of subsite theory, 201
- 6,6'-Di-O-mycoloyl- $\beta$ , $\beta$  and - $\alpha$ , $\beta$ -trehalose, synthesis and biological activities, 47
- Database of three-dimensional structures of monosaccharides from molecular-mechanics calculations, 253
- Dialdehydes with nitromethane, structure and reactions of amino- and nitro-heptoseptanosides obtained by cyclization of dialdehydes with nitromethane, 129

- Dihydrofuran derivatives by intramolecular substitution of the *manno* adducts formed by Michael reaction of a 1-O-acetyl-3-C-nitro-2-enopyranose derivative with 2,4-pentanedione and dibenzoylmethane, formation of, 119
- Enolate semiquinones formed during the alkaline oxidative degradation of 2-deoxy sugars, 273
- 1,2-Ethylthio group migration, stereospecific, incidence and avoidance of, during the synthesis of ethyl 1-thio-α-L-rhamnopyranoside 2,3-orthoester, 13
- Evernitrose, an improved synthesis of, 93
- Extraction and characterisation of water-soluble pectic substances from guava (*Psidium guajava*, L.), 159
- Fatty acid glycoside from *Ipomoea pescaprae*, structure (pescaproside E), 169
- Fine structure of alpha-dextrins derived from amylopectin and their relation to the structure of waxy-maize starch, ir vestigation of the, 229
- Formation of dyhydrofuran derivatives by intramolecular substitution of the *manno* adducts formed by Michael reaction of a 1-O-acetyl-3-C-nitro-2-enopyranose derivative with 2,4-pentanedione and dibenzoylmethane, 119
- $\alpha$ -L-Fucp- $(1 \rightarrow 2)$ - $\beta$ -D-Galp- $(1 \rightarrow 4)$ -D-Glcp, synthesis of, c1
- 2'-O-L-Fucplactose, synthesis of, c1
- 3-Furoylhydrazine, synthesis and reactions of 2methyl-5-(D-arabino-tetrahydroxybutyl), 261
- Galactopyranoside 4-(sodium sulphate) dihydrate, crystal and molecular structure of methyl σ-D-1
- $\beta$ -D-Galp-(1 $\rightarrow$ 3)-D-Galp, synthesis through a triffyl group displacement of, 267
- Glass-transition behaviour of maltose-water mixtures, kinetic aspects of the, 109
- Glycosidic linkage, correlation with the magnitude of the hydrodynamic frictional coefficient of polysaccharides, 193
- Glycosylation, a new stereospecific method for 1,2-cis, 77
- Guava (Psidium guajava L.), extraction and characterisation of water-soluble pectic substances from, 159

- Hydrodynamic frictional coefficient of polysaccharides, the role of the glycosidic linkage, 193
- 2-Hydroxyamino-α-D-arabino- and -lyxo-hexopyranosides, synthesis and properties of derivatives of methyl 2,3-dideoxy-, 65
- Ipmoea pescaprae, structure of a fatty acid glycoside from (pescaproside E), 169
- Kinetic aspects of the glass-transition behaviour of maltose-water mixtures, 109
- Lactose, 2'-O-L-fucopyranosyl-, synthesis of, Cl
   Lipopolysaccharide of *Pseudomonas syringae* pv.
   tabaci 225 (serogroup VIII), structure of the
   O-specific polysaccharide chain, 307
- Lipopolysaccharide of *Pseudomonas gladiolo* pv. *alliicola* 8494 (serogroup X), structure of the O-specific polysaccharide chain, 313
- Lipopolysaccharide of the reference strain (S3255) for a new serogroup of Serratia marcescens, structure of a mannan isolated from the 213
- Lipopolysaccharide, structure of the O-specific polysaccharide chain of *Pseudomonas syringae* pv. syringae (cerasi), 435
- Lipopolysaccharide of *Pseudomonas syringae* pv. *lachrymans* 7591 (serogroup IX), structure of the O-specific polysaccharide chain, 301
- Maltose-water mixtures, kinetic aspects of the glass-transition behaviour of, 109
- Maltotetraose-forming, amylase-mediated, p-nitrophenyl  $\alpha$ - and - $\beta$ -maltopentaoside formation in an aqueous-organic solvent system: a substrate for human serum, 289
- Mannan isolated from the lipopolysaccharide of the reference strain (S3255) for a new serogroup of Serratia marcescens, structure of a, 213
- 2-Methyl-5-(D-arabino-tetrahydroxybutyl)-3-furoylhydrazine, synthesis and reactions of, 261
- Methyl 2,3-dideoxy-2-hydroxyamino-α-D-arabino- and -lyxo-hexopyranosides, synthesis and properties of derivatives of, 65
- Methyl ether as a protective group in the synthesis of aminocyclitols, use of the, 321
- Methyl α-D-galactopyranoside 4-(sodium sulphate) dihydrate, crystal and molecular structure of, 1
- Methyl 2-thioglycoside of N-acetylneuraminic acid, facile, large-scale preparation, 277
- Michael reaction of a, 1-O-acetyl-3-C-nitro-2enopyranose derivative with 2,4-pentanedione and dibenzoylmethane, formation of dihydrofuran derivatives by intramolecular substitution of the *manno* adducts formed by, 119
- Migration, stereospecific, 1,2-ethylthio group,

- during the synthesis of ethyl 1-thio-α-L-rhamnopyranoside 2,3-orthoester, incidence and avoidance of 13
- Molecular-mechanics calculations, database of three-dimensional structures of monosaccharides from, 253
- Neuraminate, N-acetyl-, sodium, thermal and photochemical degradation of, 25
- Oxidative degradation of 2-deoxy sugars, enolate semiquinones formed during the alkaline, 273
- Pectic substances from guava (*Psidium guajava* L.), extraction and characterisation of water-soluble, 159
- Pectins, alfalfa-stem, enzymic degradation and structural characterization, 177
- 6-Perfluoroalkylalkanoates of trehalose and sucrose, one-step preparation for biomedical uses, 55
- Peroxidation of saccharide phenylhydrazones, c9 Pescaproside E, a fatty acid glycoside from *Ipomoea pescaprae*, structure, 169
- Phenylhydrazone, peroxidation of saccharide, c9 Polysaccharide, the capsular, from *Actinobacullus* pleuropneumoniae serotype 12, 219
- Polysaccharides, the role of the glycosidic linkage in determing the hydrodynamic frictional coefficient of, 193
- Preparation of 6-perfluoroalkylalkanoates of trehalose and sucrose for biomedical uses, onestep, 55
- Pseudomonas gladioli pv. alliicola 8494 (serogroup X) lipopolysaccharide, structure of the O-specific polysaccharide chain of, 313
- Pseudomonas syringae pv. lachrymans 7591 (serogroup IX) lipopolysaccharide structure of the O-specific polysaccharide chain of, 301
- Pseudomonas syringae pv. syringae (cerasi) 435 lipopolysaccharide, structure of the O-specific polysaccharide chain of, 295
- Pseudomonas syringae pv. tabaci 225 (serogroup VIII) lipopolysaccharide structure of the Ospecific polysaccharide chain of, 307
- Saccharide phenylhydrazones, peroxidation of, c9
- Serratia marcescens, structure of a mannan isolated from the lipopolysaccharide of the reference strain (\$3255) for a new serogroup of, 213
- Serratia marcescens, structure of the O21 antigen from, 187
- Sodium N-acetylneuraminate, thermal and photochemical degradation of, 25
- L-Sorbal (2,6-anhydro-3-deoxy-L-threo-hex-2enitol) and L-tagatose, synthesis from D-galactose, C5

- Starch, investigation of the fine structure of alphadextrins derived from amylopectin and their relation to the structure of waxy-maize, 229
- Stereospecific method for 1,2-cis-glycosylation, a new, 77
- Structure and reactions of amino- and nitro-heptoseptanosides obtained by cyclization of dialdehydes with nitromethane, 129
- Structures of monosaccharides from molecularmechanics calculations, database of three-dimensional, 253
- Structure of the O21-antigen from Serratia marcescens, 187
- Structure of the O-specific polysaccharide chain of *Pseudomonas syringae* pv. *lachrymans* 7591 (serogroup IX) lipopolysaccharide, 301
- Structure of the O-specific polysaccharide chain of *Pseudomonas gladiolo* pv. *alliicola* 8494 (serogroup X) lipopolysaccharide, 313
- Structure of the O-specific polysaccharide chain of *Pseudomona syringae* pv. *tabaci* 225 (serogroup VIII) lipolysaccharide, 307
- Structure of the O-specific polysaccharide chain of *Pseudomonas syringae* pv. *syringae* (*cerasi*) 435 lipopolysaccharide, 295
- Sweet potato, D-enzyme from, analysis of its characteristic action, 201
- Synthesis and properties of derivatives of methyl 2,3-dideoxy-2-hydroxyamino-α-arabino- and -lyxo-hexopyranosides, 65

- Synthesis and reaction of 2-methyl-5-(D-arabinotetrahydroxybutyl)-3-furoylhydrazine, 261
- Synthesis of aminocyclitols, use of the methyl ether as a protective group in the, 321
- Synthesis of 2,6-anhydro-3-deoxy-L-threo-hex-2enitol ('L-sorbal') and of L-tagatose from Dgalactose, C5
- Synthesis of aromatic Amadori compounds, 37 Synthesis of 2-C-carbamoyl-, 2-C-cyano-, and 2-C-acetamidomethyl-substituted glycosides, 283
- Synthesis of evernitrose, an improved, 93
- L-Tagatose and 'L-sorbal' (2,6-anhydro-3-deoxy-L-threo-hex-2-enitol), synthesis from D-galactose, C5
- Trehalose and sucrose, one-step preparation of 6-perfluoroalkylalkanoates for miomedical uses. 55
- Trehalose, 6,6'-di-O-mycoloyl- $\beta$ , $\beta$  and - $\alpha$ , $\beta$ -, synthesis and biological activities, 47
- Trifluoromethylsulfonyl group displacement, synthesis of  $\beta$ -D-Galp-(1 $\rightarrow$ 3)-D-Galp through, 267
- Waxy-maize amylopectin, chains of intermediate lengths in. 245