

## SUBJECT INDEX

- Affinity chromatography of two sets of isomeric antibodies with specificity for different oligosaccharide units of gum arabic, 1
- Alkaline anthraquinone-2-sulfonate- $\text{H}_2\text{O}_2$ -catalyzed oxidative degradation of lactose: an improved Spengler-Pfannenstiehl oxidation, 71
- 6-*O*-Alkyl- $\alpha$ -D-galactopyranosyl fluoride, synthesis of, 331
- 3-*O*-Alkyl- $\alpha$ -D-glucopyranosyl fluoride, synthesis of, 331
- Allergen Ag-54 (Cla h II) from the mould *Cladosporium herbarum*, structural studies of the carbohydrate moiety of the, 267
- Antibodies with specificity for different oligosaccharide units of gum arabic, affinity chromatography of two sets of isomeric, 1
- Anticoagulant activity of a fucan sulfate from the brown seaweed *Ecklonia kurome*, the sulfate-content dependence of the, 193
- Base-catalyzed degradation of permethylated 4-*O*-glycosyl-glycopyranosid-2-uloses, 95
- Bireactant, irreversible, active-site-directed inhibitor of  $\beta$ -D-galactosidase (*E. coli*): synthesis and properties of (1/2,5,6)-2-(3-azibutylthio)-5,6-epoxy-3-cyclohexen-1-ol, 35
- Carbohydrate moiety of the allergen Ag-54 (Cla h II) from the mould *Cladosporium herbarum*, structural studies of the, 267
- Cerebroside, lactosyl ceramide, and ganglioside GM analogs containing  $\beta$ -thioglycosidically linked ceramide, synthesis of, 43
- Characterization of complex formation between lipopolysaccharide and lysozyme, 115
- Chemical composition conformation and intrinsic viscosity, hydrolysis of xanthan in dilute acid: effects on, 55
- Complexes of cyclomalto-oligosaccharides and azobenzene derivatives, induced circular dichroism spectra of, 25
- Conformational study of a sugar nitroxyl free radical, 235
- Cross-linked degradable starch microspheres as carriers of paramagnetic contrast agents for magnetic resonance imaging, synthesis, degradation and relaxation properties of, 325
- Cyclomalto-oligosaccharides and azobenzene derivatives, induced circular dichroism spectra of complexes of, 25
- Cyclomalto-oligosaccharides, synthesis and characterisation of some lipophilic per(2,6-di-*O*-alkyl)-, 257
- Degradation of permethylated 4-*O*-glycosyl-glycopyranosid-2-uloses, base-catalyzed, 95
- Dermatan sulfate, sulfation of, 245
- Egg-yolk membrane, large-scale preparation of sialic acid from chalaza and, 179
- Fluorescent conjugates, a new method for sequencing carbohydrates on gels using charged, 155
- Francisella tularensis* strain 15, structure of the O-antigenic polysaccharide of, 289
- D-Fructofuranose-6-phosphates and D-fructofuranoses, synthesis of partially protected, 187
- D-Fructofuranoses and D-fructofuranose-6-phosphates, synthesis of partially protected, 187
- Fucan sulfate from the brown seaweed *Ecklonia kurome*, the sulfate-content dependence of the anticoagulant activity of, 193
- L-Fuco-4-*O*-methyl-D-glucurono-D-xylan from *Hyptis suaveolens*, a novel, 107
- Furanones from D-xylose by regio- and stereoselective functionalization, practical synthesis of optically pure 3,4-epoxy-5-methyldihydro-2-(3*H*)-, 87
- $\alpha$ -D-Galactopyranosyl fluoride, 6-*O*-alkyl-, synthesis of, 331
- Galactosidase (*E. coli*): synthesis and properties of (1/2,5,6)-2-(3-azibutylthio)-5,6-epoxy-3-cyclohexen-1-ol, a bireactant, irreversible, active-site-directed inhibitor of  $\beta$ -D-, 35
- Gellan-related polymers: molecular structures of welan, S-657, and rhamsan, X-ray and computer modeling studies on, 11
- $\alpha$ -D-Glucopyranosyl fluoride, 3-*O*-alkyl-, synthesis of, 331
- O*-Glycopeptide sequence, *N*-terminal-, of interleukin-2, conformation of, 199
- O*-Glycopeptide sequences containing D-xylose, conformation of, 227
- Glycosyl-glycopyranosid-2-uloses, base-catalyzed degradation of permethylated 4-*O*-, 95
- Gum arabic, affinity chromatography of two sets of isomeric antibodies with specificity for different oligosaccharide units of, 1
- HIV-induced cytopathic effects by synthetic (1 $\rightarrow$ 6)- $\alpha$ -D-mannopyranan sulfate, a strong inhibition of, 147
- Hydrolysis of xanthan in dilute acid: effects on chemical composition, conformation and intrinsic viscosity, 55

- Hyptis suaveolens*, a novel L-fuco-4-*O*-methyl-D-glucurono-D-xylan from, 107
- $\alpha$ -D-Idopyranoside, methyl 4,6-*O*-benzylidene-, sulfation of, 245
- Induced circular dichroism spectra of complexes of cyclomalto-oligosaccharides and azobenzene derivatives, 25
- Inhibitor of  $\beta$ -D-galactosidase (*E. coli*): synthesis and properties of (1/2,5,6)-2-(3-azibutylthio)-5,6-epoxy-3-cyclohexen-1-ol, a bireactant, irreversible, active-site-directed, 35
- Interleukin-2, conformation of the N-terminal *O*-glycopeptide sequence of, 199
- Kinetic and mechanistic studies on the rearrangement of 1-(substituted phenyl)-1,3-dimethoxy-2-propanones, 169
- Lactose: an improved Spengler-Pfannenstiehl oxidation, the alkaline anthraquinone-2-sulfonate- $H_2O_2$ -catalyzed oxidative degradation of, 71
- Large-scale preparation of sialic acid from chaliza and egg-yolk membrane, 179
- Lipophilic per(2,6-di-*O*-alkyl)cyclomalto-oligosaccharides, synthesis and characterisation of some, 257
- Lipopolysaccharide and lysozyme, characterization of complex formation between, 115
- Lysozyme, characterization of complex formation between lipopolysaccharide and, 115
- Magnetic resonance imaging, synthesis and relaxation properties of water-soluble polysaccharides as carriers of paramagnetic contrast agents for, 315
- Magnetic resonance imaging, synthesis, degradation, and relaxation properties of cross-linked degradable starch microspheres as carriers of paramagnetic contrast agents for, 325
- D-Mannans of pathogenic yeasts *Candida stellatoidea* Type I strains: TIMM 0310 and ATCC compared with IFO 1397, 131
- Mannopyranan sulfate, a strong inhibition of HIV-induced cytopathic effects by synthetic (1 $\rightarrow$ 6)- $\alpha$ -D-, 147
- Methyl 4,6-*O*-benzylidene- $\alpha$ -D-idopyranoside, sulfation of, 245
- Musanga cercropoides*, structural studies of a rhamnogalacturonan from the stipules of the umbrella tree, 281
- New method for sequencing carbohydrates on gels using charged fluorescent conjugates, 155
- Nitroxyl free radical, conformational study of a sugar, 235
- Novel 1-fuco-4-*O*-methyl-D-glucurono-D-xylan from *Hyptis suaveolens*, 107
- Optically pure 3,4-epoxy-5-methyldihydro-2-(3*H*)-furanones from D-xylose by regio- and stereo-selective functionalization, practical synthesis of, 87
- Oxidative degradation of lactose: an improved Spengler-Pfannenstiehl oxidation, the alkaline anthraquinone-2-sulfonate- $H_2O_2$ -catalyzed, 71
- Paramagnetic contrast agents for magnetic resonance imaging, synthesis and relaxation properties of water-soluble polysaccharides as carriers of, 315
- Paramagnetic contrast agents for magnetic resonance imaging, synthesis, degradation, and relaxation properties of cross-linked degradable starch microspheres as carriers of, 325
- Peptide, *O*-glyco-, sequences containing D-xylose, conformation of, 227
- Polysaccharide from tamarind seed, structure and solution properties of the major, 299
- Polysaccharide of *Francisella tularensis* strain 15, structure of the *O*-antigenic, 289
- Practical synthesis of optically pure 3,4-epoxy-5-methyldihydro-2-(3*H*)-furanones from D-xylose by regio- and stereo-selective functionalization, 87
- Propanones, kinetic and mechanistic studies on the rearrangement of 1-(substituted phenyl)-1,3-dimethoxy 2-, 169
- Rearrangement of 1-(substituted phenyl)-1,3-dimethoxy-2-propanones, kinetic and mechanistic studies on the, 169
- Rhamnogalacturonan from the stipules of *Musanga cercropoides*, structural studies of a, 281
- Sequence of N-terminal *O*-glycopeptide sequence of interleukin-2, conformation of, 199
- Sequencing carbohydrates on gels using charged fluorescent conjugates, a new method for, 155
- Sialic acid from chaliza and egg-yolk membrane, large-scale preparation of, 179
- Strong inhibition of HIV-induced cytopathic effects by synthetic (1 $\rightarrow$ 6)- $\alpha$ -D-mannopyranan sulfate, 147
- Structural determination of D-mannans of pathogenic yeasts *Candida stellatoidea* Type I strains: TIMM 0310 and ATCC 11066 compared with IFO 1397, 131
- Structural studies of the carbohydrate moiety of the allergen Ag-54 (Cla h II) from the mould *Cladosporium herbarum*, 267

- Structural studies of a rhamnogalacturonan from the stipules of *Musanga cercropoides*, 281
- Structure and solution properties of tamarind-seed polysaccharide, 299
- Structure of the O-antigenic polysaccharide of *Francisella tularensis* strain 15, 289
- Sugar nitroxyl free radical, conformational study of a, 235
- Sulfate-content dependence of the anticoagulant activity of a fucan sulfate from the brown seaweed *Ecklonia kurome*, 193
- Synthesis and characterisation of some lipophilic per (2,6-di-O-alkyl)cyclomalto-oligosaccharides, 257
- Synthesis of cerebroside, lactosyl ceramide, and ganglioside GM analogs containing  $\beta$ -thioglycosidically linked ceramide, 43
- Tamarind-seed polysaccharide, structure and solution properties of, 299
- Water-soluble polysaccharides as carriers of paramagnetic contrast agents for magnetic resonance imaging, synthesis and relaxation properties of, 315
- Welan, S-657, and rhamsan, X-ray and computer modeling studies on gellan-related polymers: molecular structures of, 11
- Xanthan in dilute acid: effects on chemical composition, conformation and intrinsic viscosity, hydrolysis of, 55
- X-Ray and computer modeling studies on gellan-related polymers: molecular structures of welan, S-657, and rhamsan, 11
- D-Xylose-containing O-glycopeptide sequences, conformation of, 227
- Yeasts *Candida stellatoidea* Type I strains: TIMM 0310 and ATCC compared with IFO 1397, structural determination of D-mannans of pathogenic, 131