SUBJECT INDEX

- Acetals of carbohydrates, preparation of dioxolane-type fluoren-9-ylidene, and their hydrogenolysis with AlClH₂ to give axial fluoren-9-yl ethers, 413
- Acyclic analogues of pyrazofurin, synthesis and antiviral evaluation, 441
- Acyclic sugars, unsaturated, transformations of, into enantiomerically pure norbornene derivatives, 33
- Adenine-guanine analogues, synthesis and duplex stability of oligonucleotides containing, 129
- Adenosine, synthesis of 2'-thio-, 257
- Aldol-type cyclocondensation, stereospecific synthesis of branched-chain sugars by a novel, 399
- Allylation of dibutylstannylene derivatives of *myo*-inositol, 197
- Allyl glycosides for conversion into neoglycoproteins bearing epitopes of mycobacterial glycolipid antigens, synthesis, 337
- Allyl glycosides of the outer di- and tri-saccharide units of the antigens of *M. avium* serovars 14 and 20, synthesis and serology of the derived neoglycoproteins, 357
- Aminodeoxy derivatives of 1,6-anhydro-β-p-glucopyranose, potentiometric and spectroscopic studies of the binding of copper(II) ions by, 453
- Analogues of pyrazofurin, syntheses and antiviral evaluation of acyclic, 441
- 1,3¹-Anhydro-3-*C*-hydroxymethylaldoses, a new type of anhydro sugar, 171
- Antibody binding-site probes, synthesis of a hexasaccharide and two pentasaccharides (related to the *Brucella* A antigen) as, 67
- Antigen that corresponds to a disaccharide repeating unit of the capsular polysaccharide of *Haemophilus influenzae* type d, synthesis of an artificial, 187
- Antigens of *M. avium* serovars 14 and 20, synthesis of allyl glycosides of the outer diand tri-saccharide units of, and serology of the derived neoglycoproteins, 357
- Approaches to the C-B-A trisaccharide of dihydroaclacinomyncin by extending the chain from either side, 475
- L-Arabinofuranose and 2-deoxy-L-erythro-pentofuranose, synthesis of new acylated derivatives of, 249
- Ascorbic acid, cyclic polyethers derived from 5,6-O-isopropylidene-L-, 523
- I-(3-Azido-2,3-dideoxy-β-D-allofuranosyl)thymine and related nucleosides, synthesis of, 179

- Benzyl 3,5-di-*O*-benzyl-2-deoxy-1,4-dithio-Derythro-pentofuranoside, an improved synthesis of, 237
- Bisphosphines, synthesis and evaluation in asymmetric hydrogenation of carbohydrate-derived 1.3-, 149
- Branched-chain sugars, formation of 1,3¹-anhydrides, 171
- Branched-chain sugars, stereospecific synthesis by a novel aldol-type cyclocondensation, 399
- Brucella A antigen, synthesis of a hexasaccharide and two pentasaccharides related to the, by in situ activation of thioglycosides with bromine, 67
- Capsular antigen K54 from Escherichia coli O6:K54:H10, synthesis of carbohydrate-amino acid conjugates related to the, 381
- Carbohydrate-amino acid conjugates related to the capsular antigen K54 from *Escherichia coli* O6:K54:10 and artificial antigens therefrom, synthesis of, 381
- Carbohydrate-derived 1,3-bisphosphines, synthesis and evaluation in asymmetric hydrogenation, 149
- Chrysanthemic acid, a new approach to the synthesis of *cis*-. 511
- Complex-N-glycoprotein, synthesis of partial structures of, 289
- Conformations of 7,8-dideoxy-1,2:3,4-di-*O*-isopropylidene-α-*D*-*glycero*-*D*-*galacto*- and -β-L*glycero*-*D*-*galacto*-oct-7-enopyranose, crystallographic, 11
- Copper (II) binding by aminodeoxy derivatives of 1,6-anhydro-β-D-glucopyranose, potentiometric and spectroscopic studies of, 453
- Crystallographic conformations of 7,8-dideoxy-1,2:3,4-di-*O*-isopropylidene-α-D-*glycero*-D-*galacto*- and -β-L-*glycero*-D-*galacto*-oct-7enopyranose, 11
- Cyclic polyethers derived from 5,6-O-isopropylidene-L-ascorbic acid, 523
- Cycloaddition of nitrile oxides to 3-O-benzyl-5,6-dideoxy-1,2-O-isopropylidene-α-D-ribo-hex-5-enofuranose, 461
- Cyclopentanes, optically pure di- to tetra-substituted, synthesis of, from sugar-derived norbornene derivatives, 51
- Decarboxyneuraminic acid analogue, synthesis of methyl 4-acetamido-2,4-dideoxy-D-glycero-D-galacto-octopyranoside as a, 483

- 2-Deoxy-4-*O*-2- and -β-D-mannopyranosyl-1ervthro-pentonic acids, synthesis of, 227
- 2-Deoxy-t-erythro-pentofuranose and t-arabinofuranose, synthesis of new acylated derivatives of, 249
- 1-(2-Deoxy-D-erythro-pentofuranosyl)imidazole nucleosides, synthesis by chemical and biotransformation methods of 4- and 5-amino-109
- Dibutylstannylene derivatives of *myo*-inositol, the allylation of, 197
- 5.6-Dichlorobenzimidazole 2'→5'- and 3'→5'-nucleotide dimers and trimers, synthesis and properties of, 421
- 2,3-Didehydro-2-deoxysialic acids structurally varied at C-5 and their behaviour towards the sialidase from *Vibrio cholerae*, 61
- Dihexulose dianhydrides, steric and electronic effects in the hydrogen fluoride-catalysed formation of, 141
- Dihydroaclacinomycin by extending the chain from either side, approaches to the C-B-A trisaccharide of, 475
- 2.4-Dinitrophenyl reporter groups, synthesis of oligonucleotides that contain, 315
- Disaccharide repeating unit of the capsular polysaccharide of *Haemophilus influenzae* type d, synthesis of an artificial antigen that corresponds to a. 187
- 1.4-Dithio-D-*crythro*-pentofuranoside, an improved synthesis of benzyl 3.5-di-*O*-benzyl-2-deoxy-, 237
- Enzymic determination of D-mannitol with mannitol dehydrogenase from *Agaricus hisporus*, 505
- Epidithio and thio derivatives of methyl β -lactoside, 271
- Fluoren-9-ylidene acetals of carbohydrates, preparation and hydrogenolysis with AlClH₂ of dioxolane-type, 413
- D-Glucono-1,5-lactone, synthesis of some trideoxy-D-hexoses and derivatives thereof from, 79
- N-Glycopeptides, application of n-pentenyl glycosides in the regio- and stereo-controlled synthesis of α-linked, 323
- Glycopeptides bearing the dimeric and trimeric sialosyl-Tn epitope, stereoselective total synthesis of, 211
- N-Glycoprotein, complex, synthesis of partial structures of, 289
- N-Glycoprotein, synthesis of partial structures of complex, 289
- Glycosides and isopropylidene derivatives of 5-thio-t-idose, synthesis of, 119

- Glycosides, syntheses and reactions of saturated and 2,3-unsaturated vinyl and 1'-substituted-vinyl, 93
- Glycosylamino-oxazolines, syntheses of \$\beta\$-iodourea derivatives of carbohydrates and, 21
- Glycosyl ring in thymidine and undine nucleosides, n.mr. studies of the flexibility of the. I
- Heptofuran-6-enose, a short synthesis from oglucurone of 1,2.3-tris(tert-butyldimethylsilyl)-6.7-dideoxy-6-C-methyl-z-p-aluen-, 517
- Hexasaccharide and two pentasaccharides related to the *Brucella* A antigen, preparation by *in situ* activation of thioglycosides with bromine, 67
- Hydrogen fluoride, steric and electronic effects in the formation of dianhydrides by the treatment of racemic sorbose with, 141
- C-Hydroxymethylaldoses, formation of 1.35 anhydrides, 171
- Imidazole nucleosides, synthesis by chemical and biotransformation methods of 4- and 5-amino-1-(2-deoxy-p-crythro-pentofuranosyl)-, 109
 myo-Inositol, the allylation of dibutylstannylene derivatives of, 197
- B-Iodourea derivatives of carbohydrates and glycosylamino-oxazolines, syntheses of, 24
- β-Lactoside, thio and epidithio derivatives of methyl, 271
- Mannitol dehydrogenase from *Agaricus hisporus*, the enzymic determination of ρ-mannitol with, 505
- D-Mannitol, enzymic determination with mannitol dehydrogenase from *Agaricus hisporus*, 505
- Methyl 2-acetamido-2-deoxy-//i-ti-mannopyranoside, synthesis of, 187
- Methyl 4-acetamido-2,4-dideoxy-1*-glycero-1*-*galacto*-octopyranoside, synthesis as a decarboxyneuraminic acid analogue, 483
- Mycobacterial glycolipid antigens, neoglycoproteins bearing epitopes of, 337
- Mycobacterium arium serovar 20, structure of the glycopeptidolipid antigen of, 35?
- Neoglycoproteins bearing epitopes of mycobacterial glycolipid antigens, synthesis of precursor allyl glycosides and their conversion, 337
- New approach to the synthesis of *cis*-chrysan-themic acid, 511
- Nitrile oxides, cycloaddition to 3-O-benzyl-5,6-dideoxy-1,2-O-isopropylidene-x-p-riho-hex-5-enofuranose, 461
- N.m.r. studies of the flexibility of the glycosyl ring in thymidine and uridine nucleosides. I

- Norbornene derivatives, enantiomerically pure, transformations of unsaturated acyclic sugars into, 33
- Norbornene derivatives, sugar-derived, synthesis of optically pure di- to tetra-substituted cyclopentanes from, 51
- Novel type of spiroketalisation on pyranoses, 375 Nucleotide dimers and trimers, synthesis and properties of 5,6-dichlorobenzimidazole $2' \rightarrow 5'$ -and $3' \rightarrow 5'$ -, 421
- Oct-7-enopyranose, crystallographic conformations of 7,8-dideoxy-1,2:3,4-di-*O*-isopropylidene-α-D-*glycero*-D-*galacto* and -β-L-*glycero*-D-*galacto*-, 11
- Oligonucleotides containing adenine—guanine analogues, synthesis and duplex stability of, 129
- Oligonucleotides that contain 2,4-dinitrophenyl reporter groups, synthesis of, 315
- n-Pentenyl glycosides, application in the regioand stereo-controlled synthesis of α-linked Nglycopeptides, 323
- Pentonic acids, synthesis of 2-deoxy-4-O-α- and -β-D-mannopyranosyl-L-ervitro-, 227
- Polyethers derived from 5,6-O-isopropylidene-L-ascorbic acid, cyclic, 523
- Polysaccharide of *Pseudomonas fragi* ATCC 4973, structure of the glycocalyx, 495
- Potentiometric and spectroscopic studies of the binding of copper(II) ions by aminodeoxy derivatives of 1,6-anhydro-β-D-glucopyranose, 453
- Preparation of dioxolane-type fluoren-9-ylidene acetals of carbohydrates and their hydrogenolysis with AlClH₂ to give axial fluoren-9-yl ethers, 413
- Preparation of new acylated derivatives of L-arabinofuranose and 2-deoxy-L-erythro-pentofuranose as precursors for the synthesis of Lpentofuranosyl nucleosides, 249
- Pseudomonas fragi ATCC 4973, structure of the glycocalyx polysaccharide of, 495
- Pyranoses, a novel type of spiroketalisation on, 375
- Pyrazofurin, syntheses and antiviral evaluation of acyclic analogues of, 441
- Regio- and stereo-controlled synthesis of α -linked N-glycopeptides, application of n-pentenyl glycosides in the, 323
- Sialic acids, C-5 structural variants of 2,3-didehydro-2-deoxy, and their behaviour towards the sialidase from *Vibrio cholerae*, 61

- Sialosyl-Tn epitope, stereoselective total synthesis of glycopeptides bearing the dimeric and trimeric, 211
- Spiroketalisation on pyranoses, a novel type of, 375
- Stereoselective total synthesis of glycopeptides bearing the dimeric and trimeric sialosyl-Tn epitope, 211
- Stereospecific synthesis of branched-chain sugars by a novel aldol-type cyclocondensation, 399
- Steric and electronic effects in the formation of dihexulose dianhydrides: reaction of racemic sorbose in anhydrous hydrogen fluoride and a facile synthesis of p-sorbose, 141
- Structure of the glycocalyx polysaccharide of Pseudomonas fragi ATCC 4973, 495
- Sugars, unsaturated, acyclic, transformations of, into enantiomerically pure norbornene derivatives, 33
- Synthesis and reactions of saturated and 2,3-unsaturated vinyl and 1'-substituted-vinyl glycosides, 93
- Syntheses of β -iodourea derivatives of carbohydrates and glycosylamino-oxazolines, 21
- synthesis and duplex stability of oligonucleotides containing adenine-guanine analogues, 129
- Synthesis and evaluation in asymmetric hydrogenation of carbohydrate-derived 1,3-bisphosphines, 149
- Synthesis and properties of 5,6-dichlorobenzimidazole $2' \rightarrow 5'$ - and $3' \rightarrow 5'$ - nucleotide dimers and trimers. 421
- Synthesis of carbohydrate-amino acid conjugated related to the capsular antigen K54 from Escherichia coli O6: K54:H10 and artificial antigens thereform, 381
- Synthesis of 4- and 5-amino-1-(2-deoxy-D-erythro-pentofuranosyl)imidazole nucleosides by chemical and biotransformation methods, 109
- Synthesis of 1-(3-azido-2,3-dideoxy-β-D-allofuranosyl)thymine and related nucleosides, 179
- Synthesis of benzyl 3,5-di-*O*-benzyl-2-deoxy-1,4dithio-p-*erythro*-pentofuranoside, an improved, 237
- Synthesis of *cis*-chrysanthemic acid, a new approach to the, 511
- Synthesis of 2-deoxy-4-*O*-α- and -β-D-mannopy-ranosyl-L-*erythro*-pentonic acids, 227
- Synthesis of derivatives of 5-thio-L-idose, 119
- Synthesis of methyl 4-acetamido-2,4-dideoxy-Dglycero-D-galacto-octopyranoside, a decarboxyneuraminic acid analogue, 483
- Synthesis of oligonucleotides that contain 2,4-dinitrophenyl reporter groups, 315
- Synthesis of optically pure tri- to tetra-substituted cyclopentanes from sugar-derived norbornene derivatives, 51

- Synthesis of some trideoxy-b-hexoses and derivatives thereof from b-glucono-1,5-lactone, 79 Synthesis of 2'-thioadenosine, 257
- Synthesis of 1.2.3-tris(*tert*-butyldimethylsilyl)-6, 7-dideoxy-6-*C*-methyl-z-*qluco*-heptofuran-6-enose from b-glucurone, a short, 517
- 2'-Thiodenosine, synthesis of, 257
- Thio and epidithio derivatives of methyl β -lactoside, 271
- 5-Thio-L-idose, synthesis of derivatives of, 119 Thymidine and uridine nucleosides, n.m.r. studies of the flexibility of the glycosyl ring in. 1
- Thymine, synthesis of 1-(3-azido-2.3-dideoxy-βp-allofuranosyl)-, 1-(2.3-dideoxy-β-p-allofuranosyl)-, and 1-(2.3-dideoxy-β-p-erythro-hex-2enofuranosyl)-, 179
- Trideoxy-D-hexoses and derivatives thereof, synthesis from D-glucono-1.5-lactone, 79

- Trisaccharide of dihydroaclacinomycin by extending the chain from either side, approaches to the C-B-A, 475
- 1.2,3-Tris(*tert*-butyldemethylsilyl)-6,7-dideoxy-6-C-methyl-α-0-*gluco*-heptofuran-6-enose. a short synthesis from φ-glucurone, \$17
- Unsaturated acyclic sugars, transformations of, into enantiomerically pure norbornene derivatives, 33
- Vibrio cholerae sialidase, behaviour of C-5 structural variants of 2.3-didehydro-2-deoxysialic acids towards, 61
- Vinyland I'-substituted-vinylglycosides, syntheses and reactions of saturated and 2.3-unsaturated, 93