SUBJECT INDEX

- Acacia nilotica gum exudates, structure of, 289
 Acacia trees from India and Africa, comparison
 of structures of gum exudates from, 289
- N-[1-Acetyl-5-(D-arabino-tetraacetoxybutyl)-2methyl-3-pyrroyl]-N-phthalimidoacetamide, synthesis of, 267
- Acetylenic dipolarophiles, synthesis and reactivity of imidazo[2,1-b]thiazolium-3-olate systems toward, 99
- Acetyl migration, evidence of, during the methylation of methyl 2,3,4-tri-O-acetyl-p-mannose with diazomethane-boron trifluoride etherate, 261
- Analysis of cyclomalto-oligosaccharides (cyclodextrins) and derivatives thereof by ion-spray mass spectrometry, 23
- 2,2'-Anhydro-1-(3-deoxy-3-fluoro-4,6-O-isopropylidene-β-D-altropyranosyl)pyrimidines, a one-pot synthesis of, 277
- Asymmetric synthesis of 6-deoxy-5-C-methyl-Dribo-hexose, and structure in aqueous solution, 151
- Azotobacter beijerinckii B-1615, structure of the major exopolysaccharide produced by, 233
- Branched saccharides formed by the action of His-modified cyclodextrin glycosyltransferase from *Klebsiella pneumoniae* on starch, 239
- Capsular polysaccharide (K98 antigen) of E. coli O7:K98:H6, structure of the, 245
- Cellulose derivative having ether and ester substituents, ¹³C-n.m.r. structural study of an enteric pharmaceutical coating, 255
- Chitosan in the solid state, molecular motion of, 205
- Crystal structure of 2-O-[(S)-2-hydroxypropyl]cyclomaltoheptaose, 37
- Crystal structure of α,β-panose, hydrogen bonding in the, 47
- Cyclodextrin glycosyltransferase from Klebsiella pneumoniae, branched saccharides formed by the action on starch of His-modified, 239
- Cyclomaltoheptaose, crystal structure of 2-O-[(S)-2-hydroxypropyl]-, 37
- Cyclomaltoheptaose, synthesis of some 2-O-(2-hydroxyalkyl) and 2-O-(2,3-dihydroxyalkyl) derivatives of, 113
- Cyclomalto-oligosaccharides (cyclodextrins) and derivatives thereof, analysis by ion-spray mass spectrometry, 23

- Cyclophellitols, total synthesis of glucosidase inhibitors, 189
- De novo highly stereocontrolled synthesis of 2,6-dideoxy sugars by use of 2,6-anhydro-2-thio sugars, 173
- Deacetylation of octa-O-acetylsucrose, preparation of hepta-O-acetylsucroses by regioselective enzymic, 121
- 6-Deoxy-5-C-methyl-D-ribo-hexose, total asymmetric synthesis and structure in aqueous solution, 151
- 2,6-Dideoxy sugars by use of 2,6-anhydro-2-thio sugars, de novo highly stereocontrolled synthesis of, 173
- Diethylaminosulfur trifluoride, action on 1-(4,6-O-isopropylidene-β-D-glucopyranosyl)pyrimidines, 277
- 1,2:5,6-Di-O-isopropylidene-D-mannitol, some new aspects of the synthesis and isolation of, 283
- Disialoganglioside GDlα, total synthesis of a, c1 DL-Prumycin, 3-deoxy-, (4-(D-alanylamino)-2-amino-2,3,4-trideoxy-DL-threo-pentose), total synthesis of, 163
- E. coli O7:K98:H6, structure of the capsular polysaccharide (K98 antigen) of, 245
- Encephalartos friderici guilielmi, studies of an acidic polysaccharide from, 215
- Enteric pharmaceutical coating cellulose derivative having ether and ester substituents, ¹³C-n.m.r. structural study of an, 255
- Exopolysaccharide produced by Azotobacter beijerinckii B-1615, structure of the major, 233
- Fluorosugar analogues of GLA-60: 2,6-dideoxy-6-fluoro-2-[(3R)- and (3S)-3-hydroxytetradecanamido]-3-O-[(3R)-3-(tetradecanoyloxy)tetradecanoyl]-D-glucopyranose and 2-deoxy -2-[(3R)- and (3S)-3-hydroxytetradecanamido]-3-O-[(3R)-3-(tetradecanoyloxy)tetradecanoyl]-α-D-glucopyranosyl fluoride 4-(dihydrogen phosphate), syntheses of, 83
- Germ-free rats, intestinal mucin of, I
- GLA-60, fluorosugar analogues of: 2,6-dideoxy-6-fluoro-2-[(3R)- and (3S)-3-hydroxytetradecanamido]-3-O-[(3R)- and (3S)-3-hydroxytetradecanamido]-3-O-[(3R)-3-(tetradecanoyloxy)tetradecanoyl]-α-D-glucopyranosyl fluoride 4-(dihydrogen phosphate), syntheses of, 83

- D-Glucopyranose, 2-deoxy-2-[(3R)-3-hydroxyte-tradecanamido]-3-O-[(3R)-3-hydroxytetradecanyl]-4-O-phosphono-, and 2-deoxy-2-[(3R)-3-hydroxytetradecanamido]-3-O-[(3R)-3-hydroxytetradecanyl]-\(\alpha-D-glucopyranosyl dihydrogen phosphate, synthesis of, 57
- D-Glucopyranose, 4-(dihydrogen phosphate), 2,6-dideoxy-6-fluoro-2-[(3R)- and (3S)-3-hydroxytetradecanamido]-3-O-[(3R)-3-(tetradecanoyloxy)tetradecanoyl]-, and 2-deoxy-2-[(3R)- and (3S)-3-hydroxytetradecanamido]-3-O-[(3R)-3-(tetradecanoyloxy)tetradecanoyl]-α-D-glucopyranosyl fluoride 4-(dihydrogen phosphate): fluorosugar analogues of GLA-60, syntheses of, 83
- α-D-Glucopyranosyl dihydrogen phosphate, 2-deoxy-2-[(3R)-3-hydroxytetradecanamido]-3-O-](3R)-3-hydroxytetradecanyl]-, and 2-deoxy-2-[(3R)-3-hydroxytetradecanamido]-3-O-[(3R)-3-hydroxytetradecanyl]-4-O-phosphono-D-glucopyranose, synthesis of, 57
- α-D-Glucopyranosyl fluoride 4-(dihydrogen phosphate), 2-deoxy-2-[(3R)- and (3S)-3-hydroxytetradecanamido]-3-O-[(3R)-3-(tetradecanoyloxy)tetradecanoyl]- and 2,6-dideoxy-6-fluoro-2-[(3R)- and (3S)-3-hydroxytetradecanamido]-3-O-[(3R)-3-(tetradecanoyloxy)tetradecanoyl]-D-glucopyranose 4-(dihydrogen phosphate): fluorosugar analogues of GLA-60, syntheses of, 83
- Glucosidase inhibitors: cyclophellitols, total synthesis of, 189
- Glycosyl donors, synthesis of derivatives of Lrhamnose and L-glucose for use as, 141
- Glycosyltransferase from Klebsiella pneumoniae, branched saccharides formed by the action on starch of His-modified cyclodextrin, 239
- Gum exudate from Acacia nilotica, structure of, 289
- Hydrogen bonding in the crystal structure of α,β panose, 47
- 2-O-(2-Hydroxyalkyl) and 2-O-(2,3-dihydroxyalkyl) derivatives of cyclomaltohexaose, synthesis of some, 113
- 2-O-[(S)-2-Hydroxypropyl]cyclomaltoheptaose, crystal structure of, 37
- Imidazo[2,1-b]thiazolium-3-olate systems, synthesis and reactivity toward acetylenic dipolarophiles, 99
- Ion-spray mass spectrometry, analysis of cyclomalto-oligosaccharides (cyclodextrins) and derivatives thereof by, 23
- Lipid A, 3-ether analogue of, 69

- D-Mannose, 2,3,4-tri-O-acetyl-, methyl, evidence of acetyl migration during the methylation of, with diazomethane-boron trifluoride etherate, 261
- Methylation of methyl 2,3,4-tri-O-acetyl-D-mannose with diazomethane-boron trifluoride etherate, evidence of acetyl migration during the, 261
- Molecular motion of chitosan in the solid state, 205
- Motion of chitosan in the solid state, molecular, 205
- Mucin, intestinal, of germ-free rats, 1
- New aspects of the synthesis and isolation of 1,2:5,6-di-O-isopropylidene-p-mannitol, 283
- ¹³C-N.m.r. structural study of an enteric pharmaceutical coating cellulose derivative having ether and ester substituents, 255
- Octa-O-acetylsucrose, preparation of hepta-O-acetylsucroses by regioselective enzymic deacetylation, 121
- α,β -Panose, hydrogen bonding in the crystal structure of. 47
- DL-threo-Pentose, 4-(D-alanylamino)-2-amino-2, 3,4-trideoxy-, (3-deoxy-DL-prumcyn), total synthesis of, 163
- 5-(S)-Phenylphosphatinothioyl derivative of α-Dxylopyranose, X-ray crystal structure of, 11
- 5-(S)-Phenylphosphinyl derivative of α-D-xylopyranose, X-ray crystal structure of, 11
- Polyalcohol prepared from schizophyllan (β-D-glucan) by periodate oxidation and borohydride reduction, properties of the, 223
- Polysaccharide from Encephalartos friderici guilielmi, studies of an acidic, 215
- Properties of the polyalcohol prepared from schizophyllen (β-D-glucan) by periodate oxidation and borohydride reduction, 223
- Rats, germ-free, intestinal mucin of, 1
- L-Rhamnose and L-glucose, synthesis of derivatives for use as glycosyl donors, 141
- Schizophyllan (β-p-glucan), properties of the polyalcohol prepared by periodate oxidation and borohydride reduction, 223
- Stereocontrolled synthesis of 2,6-dideoxy sugars by use of 2,6-anhydro-2-thio sugars, *de novo* highly, 173
- Structure of the capsular polysaccharide (K98 antigen) of E. coli O7:K98:H6, 245
- Structure of the major exopolysaccharide produced by Azotobacter beijerinckii B-1615, 233

- Studies of an acidic polysaccharide from Encephalartos friderici guilielmi, 215
- Sucrose, preparation of hepta-O-acetylsucroses by regioselective enzymic deacetylation of octa-O-acetyl-, 121
- Sugar derivatives, synthesis of sulfenates of, 271 Sulfenates of sugar derivatives, synthesis of, 271 Synthesis and isolation of 1,2:5,6-di-O-isopropylidene-D-mannitol, some new aspects of the, 283
- Synthesis and reactivity toward acetylenic dipolarophiles of imidazo[2,1-b]thiazolium-3-olate systems, 99
- Synthesis of N-[1-acetyl-5-(D-arabino-tetraacet-oxybutyl)-2-methyl-3-pyrroyl]-N-phthalimidoacetamide, 267
- Synthesis of 2,2'-anhydro-1-(3-deoxy-3-fluoro-4,6-O-isopropylidene-β-D-altropyranosyl)pyrimidines, a one-spot synthesis of, 277

- Synthesis of 6-deoxy-5-C-methyl-p-ribo-hexose and structure in aqueous solution, total asymmetric, 151
- Synthesis of derivatives of L-rhamnose and L-glucose for use as glycosyl donors, 141
- Synthesis of some 2-O-(2-hydroxyalkyl) and 2-O-(2,3-dihydroxyalkyl) derivatives of cyclomaltoheptaose, 113
- Synthesis of sulfenates of sugar derivatives, 271 Synthesis of 4-thio-L-rhamnofuranose, 131
- 4-Thio-L-rhamnofuranose, synthesis of, 131 Total synthesis of glucosidase inhibitors: cyclophellitols, 189
- α-D-Xylopyranose, 1,2,4-tri-O-acetyl-5-deoxy-3-O-methyl-5-[(S)-phenylphosphinyl- and -5-[(S)-phenylphosphinothionyl-, X-ray crystal structure of, 11