

SUBJECT INDEX

- O*-(*N*-Acetyl- α -neuraminosyl)-(2 \rightarrow 9)-*O*-(*N*-acetyl- α -neuraminosyl)-(2 \rightarrow 3')- β -lactosylceramide, synthesis of, 185
- S*-(*N*-Acetyl- α -neuraminosyl)-(2 \rightarrow 9)-*O*-(*N*-acetyl-9-thio- α -neuraminosyl)-(2 \rightarrow 3')- β -lactosylceramide, synthesis of, 175
- Action of Cu(II) salts on osazones: side reactions of osotriazole formation, 327
- Alginates, effect of the content of D-mannuronic acid and L-guluronic acid blocks on the antitumor activity of, 343
- Alkaline degradation of disaccharides in methyl sulfoxide, an e.s.r. study, 19
- β -D-Allopyranose 1,3,4,6- and 1,2,3,6-tetra-acetates, n.m.r. and X-ray studies, 285
- Allyl-D-xylopyranose and its use in the preparation of xylo-oligosaccharides, a facile synthesis of 4-O-, 311
- Amanita muscaria*, structure and antitumor activity of a branched (1 \rightarrow 3)- β -D-glucan from, 237
- 4,8-Anhydro-3-deoxy-3-nitro-D-lyxo-D-glucanitol, crystal and molecular structure, 273
- Antitumor activity of a branched (1 \rightarrow 3)- β -D-glucan from *Amanita muscaria*, 237
- Arabinogalactan-protein, investigations of the structure of grape, 219
- Cellooligosaccharides, 4-thio-, synthesis and use, for the separation of cellobiohydrolases, 29
- Cellulose mixed esters regioselectively substituted by acetyl and propanoyl groups, preparation and n.m.r. assignments of, 277
- Chloro-3'-deoxykanamycin A, synthetic study of methyl 3-deoxy-3-fluoro- α -D-glucopyranosides from methyl 2,3-anhydro- α -D-allopyranosides and synthesis of 3'-deoxy-3'-fluorokanamycin A and 3'-, 141
- Chlorodimethylthexylsilane, protection of the hydroxyl groups in cyclomaltoheptaose (β -cyclodextrin) by use of, 307
- CMP-Kdo synthetase inhibitor (2-deoxy- β -Kdo), synthesis, 319
- CMP-sialic acid analogs, synthesis of sialic acid-containing nucleotide sugars, 123
- Crystal and molecular structure of 4,8-anhydro-3-deoxy-3-nitro-D-lyxo-D-glucanitol, 273
- Cyclic sulfates in the synthesis of 6-deoxy-D-manno-heptopyranose derivatives, application of, 193
- Cyclodextrin, use of chlorodimethylthexylsilane for protecting the hydroxyl groups in, 307
- Cyclomaltoheptaose (β -cyclodextrin), synthesis and conformation of dihistamine derivatives of, 95
- Cyclomaltoheptaose (β -cyclodextrin), use of chlorodimethylthexylsilane for protecting the hydroxyl groups in, 307
- Cyclomalto-oligosaccharides, inclusion complexes of some non-ionic surfactants with, 165
- 2-Deoxy- β -Kdo, a potent CMP-Kdo synthetase inhibitor, synthesis of, 319
- 6-Deoxy-D-manno-heptopyranose derivatives, application of cyclic sulfates in the synthesis of, 193
- Dihistamine derivatives of cyclomaltoheptaose (β -cyclodextrin), synthesis and conformation, 95
- Disaccharides, an e.s.r. study of alkaline degradation in methyl sulfoxide, 19
- Disaccharides containing an α -L-fucosyl group, synthesis by use of α -L-fucosidases of, 291
- E.s.r. study of the alkaline degradation of disaccharides in methyl sulfoxide, 19
- Ferrites in lignocellulosics, *in situ* synthesis of, 133
- Fluorokanamycin A and 3'-chloro-3'-deoxykanamycin A, synthetic study of methyl 3-deoxy-3-fluoro- α -D-glucopyranosides from methyl 2,3-anhydro- α -D-allopyranosides and synthesis of 3'-deoxy-3'-, 141
- α -L-Fucosyl-containing disaccharides, synthesis by use of α -L-fucosidases of, 291
- Ganglioside GD₃, synthesis of a position isomer having an α -Neu5Ac-(2 \rightarrow 9)- α -Neu5Ac linkage, 185
- Ganglioside GD₃, synthesis of a thioglycosidically linked, position-isomeric analog of, 175
- Gellan double helix: an X-ray study, roles of potassium ions, acetyl and L-glycerol groups in native, 1
- (1 \rightarrow 3)- β -D-Glucan from the alkaline extract of *Amanita muscaria*, structure and antitumor activity, 237
- (1 \rightarrow 3)- α -D-Glucans and (1 \rightarrow 3)- β -D-glucans, O-(carboxymethyl)ated, the distribution of carboxymethyl groups in, 201
- D-glycero-Pentose and its ethyl furanosides, 2,3-dideoxy-3-C-methylene-, total stereo- and enantio-selective synthesis of, 103

- Glycolipid hydrolases, human lysosomal, use of glycosides of 6- and 8-acylamino-4-methylumbelliferone in the study of, 255
- C-Glycosyl compounds, synthesis by a Wittig-type reaction promoted by zinc of, 301
- Grape arabinogalactan-protein, investigations of the structure of, 219
- L-Guluronic acid and D-mannuronic acid blocks, effect on the antitumor activity of alginates of the content of, 343
- Heptopyranose derivatives, application of cyclic sulfates in the synthesis of 6-deoxy-D-manno-, 193
- Heteroglycan isolated from the fungus *Omphalia lapidescens*, structure of a, 209
- Higher-carbon sugars, preparation by stereoselective osmylation of related allylic alcohols, 73
- In situ* synthesis of ferrites in lignocellulosics, 133
- Inclusion complexes of some non-ionic surfactants with cyclomalto-oligosaccharides, 165
- Inhibitors of pancreatic alpha-amylase, spacer-modified disaccharide and pseudo-trisaccharide methyl glycosides that mimic maltotriose as competitive, 59
- Investigations of the structure of grape arabinogalactan-protein, 219
- Lactococcus lactis* subsp. *cremoris* SBT 0495, structure of the extracellular polysaccharide from slime-forming, 245
- Lignocellulosics, *in situ* synthesis of ferrites in, 133
- Maltotriose, spacer-modified disaccharide and pseudo-trisaccharide methyl glycosides that mimic, as competitive inhibitors of pancreatic alpha-amylase, 59
- D-Mannuronic acid and L-guluronic acid blocks, effect on the antitumor activity of alginates of the content of, 343
- 4-Methylumbelliferone glycosides, 6- and 8-acylamino-, use in the study of human lysosomal glycolipid hydrolases of, 255
- N.m.r. study of the 1,3,4,6- and 1,2,3,6-tetraacetates of β -D-allopyranose and the X-ray structure of the former, 285
- Nelumbo nucifera*, structural studies of a polysaccharide from the seeds of, 331
- Nigero-oligosaccharides, synthesis of, 111
- Nonitol, crystal and molecular structure of 4,8-anhydro-3-deoxy-3-nitro-D-lyxo-D-gluc-, 273
- C-Nucleoside analogues, novel types of acyclic, via the reaction of hydrogen bromide in acetic acid with L-threo-(glycerol-1-yl)-pyrazolinediones, 41
- Omphalia lapidescens*, structure of a heteroglycan isolated from the fungus, 209
- Osazones: side reactions of osotriazole formation, action of Cu(II) salts on, 327
- Osmylation of allylic alcohols, preparation of higher-carbon sugars by stereoselective, 73
- Osotriazole formation, action of Cu(II) salts on osazones: side reactions of, 327
- Pentasaccharide that would be formed by glycosylation of a tetrasaccharide acceptor with a $\beta(1\rightarrow3)$ -N-acetylglucosaminyltransferase, synthesis of a, 83
- 1,2,4-Phosphites of α -D-xylopyranose, synthesis, structure, and transformations, 49
- Polysaccharide from the seeds of *Nelumbo nucifera*, structural studies of a, 331
- Preparation and n.m.r. assignments of cellulose mixed esters regioselectively substituted by acetyl and propanoyl groups, 277
- Preparation of higher-carbon sugars by stereoselective osmylation of related allylic alcohols, 73
- Pyrazolinediones, L-threo-(glycerol-1-yl)pyrazolinediones, novel types of acyclic C-nucleosides, 41
- Reductive-cleavage method, location of the O-acetyl group in welan by, 337
- Regioselectively substituted by acetyl and propanoyl groups, preparation and n.m.r. assignments of cellulose mixed esters, 277
- Roles of potassium ions, acetyl and L-glyceryl groups in native gellan double helix: an X-ray study, 1
- Sialic acid-containing nucleotide sugars: CMP-sialic acid analogs, synthesis of, 123
- S-(α -Sialosyl)-(2 \rightarrow 9)-O-(9-thio- α -sialosyl)-(2 \rightarrow 3')- β -lactosylceramide, synthesis of an, 175
- Spacer-modified disaccharide and pseudo-trisaccharide methyl glycosides that mimic maltotriose, as competitive inhibitors of pancreatic alpha-amylase, 59
- Structure of a heteroglycan isolated from the fungus *Omphalia lapidescens*, 209
- Structure of the extracellular polysaccharide from slime-forming *Lactococcus lactis* subsp. *cremoris* SBT 0495, 245
- Surfactants, inclusion complexes with cyclomalto-oligosaccharides of some non-ionic, 165
- Synthesis and conformation of dihistamine derivatives of cyclomaltoheptaose (β -cyclodextrin), 95
- Synthesis of 4-O-allyl-D-xylopyranose and its use in the preparation of xylo-oligosaccharides, a facile, 311

- Synthesis of a tetrasaccharide acceptor for use in the assay of a $\beta(1 \rightarrow 3)$ -*N*-acetylglucosaminyltransferase and the pentasaccharide that would be formed by its enzymic glycosylation, 83
- Synthesis of nigero-oligosaccharides, 111
- Synthesis of sialic acid-containing nucleotide sugars: CMP-sialic acid analogs, 123
- Synthesis, structure, and transformations of 1,2,4-phosphites of α -D-xylopyranose, 49
- Synthetic study of methyl 3-deoxy-3-fluoro- α -D-glucopyranosides from methyl 2,3-anhydro- α -D-allopyranosides and synthesis of 3'-deoxy-3'-fluorokanamycin A and 3'-chloro-3'-deoxykanamycin A, 141
- Tetra-acetates of β -D-allopyranose, n.m.r. and X-ray studies of the 1,3,4,6- and 1,2,3,6-, 285
- Tetrasaccharide acceptor for use in the assay of a $\beta(1 \rightarrow 3)$ -*N*-acetylglucosaminyltransferase, synthesis of a, 83
- Trichoderma reesei*, separation by affinity chromatography of cellobiohydrolases of, 29
- Umbelliferone glycosides, 4-methyl-6- and -8-acylamino-, use in the study of hydrolases of, 255
- Welan, location of the *O*-acetyl group in, by the reductive-cleavage method, 337
- Wittig-type reaction promoted by zinc, synthesis of *C*-glycosyl compounds by a, 301
- X-Ray study, roles of potassium ions, acetyl and L-glycerol groups in native gellan double helix: an, 1
- Xylo-oligosaccharides, a facile synthesis of 4-*O*-allyl-D-xylopyranose and its use in the preparation of, 311
- α -D-Xylopyranose 1,2,4-phosphites, synthesis, structure, and transformations, 49
- Zinc, synthesis of *C*-glycosyl compounds by a Wittig-type reaction promoted by, 301