

## SUBJECT INDEX

- Acarviosin analogues having the  $\alpha$ -manno configuration, synthesis and enzyme-inhibitory activity of methyl, 79
- Acetals, ethylenic, of sucrose and their copolymerization with vinyl monomers, 337
- N*-Acetylglucosaminyltransferase-III, combined chemical-enzymic synthesis of a dideoxypentasaccharide for use in a study of the specificity of, 219
- (1 $\rightarrow$ 3)-*N*-Acetyl- $\beta$ -D-glucosaminyltransferase of human serum, elongation of both branches of biantennary backbones of oligo-(*N*-acetylglucosaminyl)glycans by, 155
- Agrobacterium radiobacter* (ATCC 53271), evidence that the acidic polysaccharide secreted by, has a seventeen glycosyl-residue repeating unit, 131
- Alginic acids, analysis of *Macrocystis pyrifera* and *Pseudomonas aeruginosa* by the reductive-cleavage method, 313
- Allofuranose, an n.m.r. analysis and the X-ray structure of 1,2-*O*-isopropylidene-3-*O*-methyl- $\alpha$ -D-, 175
- Amylose-Rose Bengal complexes, a spectroscopic study, 179
- Amylose subfractions with different molecular sizes, synthesis of, 279
- Amyloses, low molecular weight, with modified terminal groups, enzymic synthesis of, 119
- Analogues of methyl acarviosin having the  $\alpha$ -manno configuration, synthesis and enzyme-inhibitory activity of, 79
- X-Antigenic trisaccharide, incorporation at the nonreducing ends of oligosaccharides in a rapid synthesis, 91
- Antitumour activity of derivatives of curdlan and lichenan branched at C-6, synthesis and, 239
- Antitumour activity of sulfoalkyl derivatives of curdlan and lichenan, synthesis and, 247
- Apricot (*Armeniaca siberica* Lam.), structures of pectic polysaccharides isolated from the Siberian, 353
- Arabinoxylan from the endosperm of wheat, structural features of a water-soluble, 303
- L-Ascorbate dihydrate, crystal structure of lithium, 43
- 5a-Carbapyranoses (pseudo sugars), radical cyclization of hept-1-enitols to give, 57
- Carbohydrate isoxazolidines, regio- and stereoselective synthesis by 1,3-dipolar cycloaddition of nitrones to a sugar alkene, 49
- Chemical synthesis of 4-deoxy-(1 $\rightarrow$ 6)- $\alpha$ -D-xylohexopyranan and 3,4-dideoxy-(1 $\rightarrow$ 6)- $\alpha$ -D-erythro-hexopyranan, 345
- Chemical enzymic synthesis of a dideoxypentasaccharide for use in a study of the specificity of *N*-acetylglucosaminyltransferase-III, combined, 219
- Conformational analysis of 6-deoxy-6-fluoro-D-glucopyranose, 6-deoxy-6-fluoro-D-galactopyranose, and 4-deoxy-4-fluoro-D-glucopyranose in solution by <sup>1</sup>H-n.m.r. spectroscopy, c1
- Copolymerization, ethylenic acetals of sucrose and their, with vinyl monomers, 337
- Crystal structure of lithium L-ascorbate dihydrate, 43
- Curdlan and lichenan, synthesis and antitumour activity of derivatives branched at C-6, 239
- Curdlan and lichenan, synthesis and antitumour activity of sulfoalkyl derivatives, 247
- Cycloaddition of nitrones to a sugar alkene, regio- and stereo-selective synthesis of carbohydrate isoxazolidines by 1,3-dipolar, 49
- Cyclomalto-hexaose and -heptaose, 6-*O*-( $\alpha$ -maltosyl)-, n.m.r. study on the formation and geometry of inclusion complexes with *p*-nitrophenol in aqueous solution, 197
- 4-Deoxy-(1 $\rightarrow$ 6)- $\alpha$ -D-xylo-hexopyranan and 3,4-dideoxy-(1 $\rightarrow$ 6)- $\alpha$ -D-erythro-hexopyranan, chemical synthesis of, 345
- Di- and tri-saccharide segments of a phenolic glycolipid of *Mycobacterium kansasii*, synthesis of, 233
- Di-D-fructose dianhydride derivatives, mass spectra of some, 327
- Enzymic synthesis of low molecular weight amyloses with modified terminal groups, 119
- Fluoro-substituted methyl hexopyranosides, potential use of mass spectrometry for positional identification of the fluorine in, 189
- Fluoro sugars in solution, conformational analysis of some, by <sup>1</sup>H-n.m.r. spectroscopy, c1
- O*- $\alpha$ -L-Fucopyranosyl-(1 $\rightarrow$ 2)-*O*- $\beta$ -D-galactopyranosyl-(1 $\rightarrow$ 3)-2-acetamido-2-deoxy- $\beta$ -D-glucopyranoside, synthesis of methyl, 331
- $\alpha$ -L-Fucosylating agent, use of 2,3,4-tri-*O*-benzoyl- $\alpha$ -L-fucopyranosyl bromide as an, 331
- Furo[2,3-*b*]furans, a radical-mediated stereoselective route for the construction from D-xylose of chiral, 185

- $\beta$ -D-Glucosaminyltransferase of human serum, (1 $\rightarrow$ 3)-*N*-acetyl-, elongation of both branches of biantennary backbones of oligo-(*N*-acetyl-lactosamino)-glycans by, 155
- D-(1,5,6- $^{13}\text{C}_3$ )Glucose and D-(2,5,6- $^{13}\text{C}_3$ )glucose, synthesis of multiply substituted  $^{13}\text{C}$  monosaccharides, 261
- $\alpha,\beta$ -D-Glucoses, 4,6-di-*O*- $\beta$ -D-galactopyranosyl-, 6-*O*- $\beta$ -lactosyl- $\alpha,\beta$ -lactoses, and 1-*O*-(6-*O*- $\beta$ -lactosyl- $\beta$ -lactosyl)-(R,S)-glycerols, synthesis and characterization of, 101
- (R,S)-Glycerols, 1-*O*-(6-*O*- $\beta$ -lactosyl- $\beta$ -lactosyl)-, 6-*O*- $\beta$ -lactosyl- $\alpha,\beta$ -lactoses, and 4,6-di-*O*- $\beta$ -D-galactopyranosyl- $\alpha,\beta$ -D-glucoses, synthesis and characterization of, 101
- Glycolipid of *Mycobacterium kansasii*, synthesis of di- and tri-saccharide segments of a phenolic, 233
- Hept-1-enitols, radical cyclisation to give 5a-carbapyranoses (pseudo sugars), 57
- Hexopyranan and 3,4-dideoxy-(1 $\rightarrow$ 6)- $\alpha$ -D-erythro-hexopyranan, chemical synthesis of 4-deoxy-(1 $\rightarrow$ 6)- $\alpha$ -D-xylo-, 345
- Inclusion complexes of 6-*O*-( $\alpha$ -maltosyl)cyclo-malto-hexaose and -heptaose with *p*-nitrophenol in aqueous solution, n.m.r. study on the formation and geometry of, 197
- 1,2-*O*-Isopropylidene- and 1,2:5,6-di-*O*-isopropylidene-3-*O*-methyl- $\alpha$ -D-allofuranose, an n.m.r. analysis of, 175
- Kiwi fruit, structures of the pectic polysaccharides from the cell walls of, 287
- Lactosaminoglycans, oligo-, *N*-acetyl-, elongation of both branches (1 $\rightarrow$ 3)-*N*-acetyl- $\beta$ -D-glucosaminyl transferase, 155
- $\alpha,\beta$ -Lactoses, 6-*O*- $\beta$ -lactosyl-, 1-*O*-(6-*O*- $\beta$ -lactosyl- $\beta$ -lactosyl)-(R,S)-glycerols, and 4,6-di-*O*- $\beta$ -D-galactopyranosyl- $\alpha,\beta$ -D-glucoses, synthesis and characterization of, 101
- Lactulose trihydrate, crystal structure and  $^{13}\text{C}$  CPMAS n.m.r. analysis, 29
- Lichenan and curdlan, synthesis and antitumour activity of derivatives branched at C-6, 239
- Lithium L-ascorbate dihydrate, the crystal structure of, 43
- Mass spectra of some di-D-fructose dianhydride derivatives, 327
- Mass spectrometry, potential use for positional identification of the fluorine in methyl deoxy-fluorohexopyranosides, 189
- Methyl acarviosin analogues having the  $\alpha$ -manno configuration, synthesis and enzyme-inhibitory activity of, 79
- Methyl per-*O*-acetyl-x-deoxy-x-fluoro- $\alpha$ -D-hexopyranosides, positional identification of fluorine in, by electron impact and chemical ionisation mass spectrometry, 189
- Methyl *O*- $\alpha$ -L-fucopyranosyl-(1 $\rightarrow$ 2)-*O*- $\beta$ -D-galactopyranosyl-(1 $\rightarrow$ 3)-2-acetamido-2-deoxy- $\beta$ -D-glucopyranoside, synthesis of, 331
- Monosaccharides, multiply  $^{13}\text{C}$ -substituted: synthesis of D-(1,5,6- $^{13}\text{C}_3$ )-glucose and D-(2,5,6- $^{13}\text{C}_3$ )glucose, 261
- Mycobacterium kansasii*, synthesis of di- and tri-saccharide segments of a phenolic glycolipid of, 233
- 3-Nitro-2-enopyranoside derivatives in 1,3-dioxolane, photoaddition reactions of, 271
- Nitrones, regio- and stereoselective synthesis of carbohydrate isoxazolidines by 1,3-dipolar cycloaddition to a sugar alkene, 49
- N.m.r. analysis of 1,2-*O*-isopropylidene- and 1,2:5,6-di-*O*-isopropylidene-3-*O*-methyl- $\alpha$ -D-allofuranose, 175
- N.m.r. spectroscopy, 1D and 2D, isotope-edited, of  $^{13}\text{C}$ -substituted carbohydrates, 209
- N.m.r. spectroscopy, elucidation of the structure and conformation of a methylated tetrasaccharide-alditol acetate by, 15
- N.m.r. spectroscopy,  $^1\text{H}$ - and  $^{13}\text{C}$ -, of four human milk oligosaccharides, 1
- N.m.r. spectroscopy,  $^1\text{H}$ -, conformational analysis of 6-deoxy-6-fluoro-D-glucopyranose, 6-deoxy-6-fluoro-D-galactopyranose, and 4-deoxy-4-fluoro-D-glucopyranose in solution by, C1
- N.m.r. study on the formation and geometry of inclusion complexes of 6-*O*-( $\alpha$ -maltosyl)cyclo-malto-hexaose and -heptaose with *p*-nitrophenol in aqueous solution, 197
- Oligosaccharides from human milk, structures of, 1
- Oligosaccharides containing the X-antigenic trisaccharide ( $\alpha$ -L-Fucp-(1 $\rightarrow$ 3)-[ $\beta$ -D-Galp-(1 $\rightarrow$ 4)]- $\beta$ -D-GlcpNAc) at their non-reducing ends, rapid synthesis, 91
- Oxidation of sucrose in aqueous *N,N*-dimethylformamide, the periodate, 253
- Pectic polysaccharide isolated from the Siberian apricot (*Armeniaca siberica* Lam.), structures of, 353
- Pectic polysaccharides from the cell walls of kiwi fruit, structures of the, 287
- Pentasaccharide for use in a study of the specificity of *N*-acetyl-glucosaminyltransferase-III, combined chemical-enzymic synthesis of a di-deoxy-, 219

- Periodate oxidation of sucrose in aqueous *N,N*-dimethylformamide, the, 253
- Photoaddition reactions of 3-nitro-2-enopyranoside derivatives in 1,3-dioxolane, 271
- Polysaccharide, evidence that the acidic, secreted by *Agrobacterium radiobacter* (ATCC 53271), has a seventeen glycosyl-residue repeating unit, 131
- Polysaccharide from wheat endosperm, structural features of a water-soluble arabinoxylan, 303
- Polysaccharides from the cell walls of kiwi fruit, structures of the pectic, 287
- Polysaccharides isolated from the Siberian apricot (*Armeniaca siberica* Lam.), structures of pectic, 353
- Radical cyclisation of hept-1-enitols to give 5a-carbapyranoses (pseudo sugars), 57
- Radical-mediated stereoselective route for the construction of chiral furo[2,3-*b*]furans from D-xylose, 185
- Reductive-cleavage method, analysis of *Macrocystis pyrifera* and *Pseudomonas aeruginosa* alginic acid by the, 313
- Repeating unit, evidence that the acidic polysaccharide secreted by *Agrobacterium radiobacter* (ATCC 53271) has a seventeen glycosyl-residue, 131
- Rose Bengal, a spectroscopic study of complexes of amylose with the dye, 179
- Saccharides, octa-, nona-, and undeca-, human milk, structure of, 1
- Spectroscopic study of amylose-Rose Bengal complexes, a, 179
- Structure and conformation of a methylated tetrasaccharide-alditol acetate, elucidation by n.m.r. spectroscopy, 15
- Subfractions of amylose having different molecular sizes, structures of, 279
- <sup>13</sup>C-Substituted carbohydrates, isotope-edited 1D and 2D n.m.r. spectroscopy of, 209
- <sup>13</sup>C-Substituted (multiply) monosaccharides: synthesis of D-(1,5,6-<sup>13</sup>C<sub>3</sub>)glucose and D-(2,5,6-<sup>13</sup>C<sub>3</sub>)glucose, 261
- Sucrose, ethylenic acetals of, and their copolymerization with vinyl monomers, 337
- Sucrose in aqueous *N,N*-dimethylformamide, the periodate oxidation of, 253
- Sulfoalkyl derivatives of curdlan and lichenan, synthesis and antitumour activity of, 247
- Synthesis, enzymic, of low molecular weight amyloses with modified terminal groups, 119
- Tetrasaccharide-alditol acetate, elucidation by n.m.r. spectroscopy of the structure and conformation of a methylated, 15
- Wheat endosperm, structural features of a water-soluble arabinoxylan from, 303
- D-Xylose, a radical-mediated stereoselective route for the construction of chiral furo[2,3-*b*]furans from, 185