SUBJECT INDEX

- 2-Acetamido-2-deoxy-D-hexopyranoses, synthesis of 3-deoxy-3-fluoro derivatives of, 85
- Algac, siphonous green, *Codium latum*, studies on the cell-wall mannan of the, 207
- 2-Amino-2-deoxy-3,4,5,6-tetra-O-methyl-D-gluconic acid hydrochloride, an intermediate in the preparation of polypeptide-type polyamides, 301
- Aminotrideoxysugars for the synthesis of cyclophosphamide analogs, 313
- Amylose, branching of, by the branching isoenzymes of maize endosperm, 253
- 1,2-Anhydro-3,4,6-tri-O-benzyl-β-D-talopyranose, synthesis and conformation of, 295
- Anomerization and transglycosylation reactions of permethylated methyl p-glycopyranosides, 197
- Antigen, the synthesis of chemically modified disaccharide derivatives of the Shigella flexneri Y polysaccharide, 161
- L-Arabinopyranoses, tetra-O-benzoyl-α,β-, contribution of the O-benzoyl groups of to the formation of 1,1-bis(benzamido)-1-deoxy-L-arabinitol, 79
- Arbekacin and its analogs, and study of structure-toxicity, synthesis of low-toxicity, 5-de-oxy-5-fluoro and 5-deoxy-5,5-difluoro derivatives of, 307
- Bile alcohol glucuronides: regioselective *O*-glucuronidation of 5β -cholestane- 3α , 7α , 12α ,25-tetrol and 24-nor- 5β -cholestane- 3α , 7α , 12α ,25-tetrol, 133
- Biosynthesis of curdlan from culture media containing ¹³C-labeled glucose as the carbon source, 153
- 1,1-Bis(benzamido)-1-deoxy-L-arabinitol, contribution of the benzoyl groups of tetra-*O*-benzoyl-α,β-L-arabinopyranoses to the formation of, 79

- Carbohydrates, novel O-galacturonoyl derivatives, the preparation and susceptibility to hydrolysis, 95
- Cell-wall types from guava (*Psidium guajava* L.) pulp, isolation and characterisation of the two main, 233
- Cellulose sulfation in an N₂O₄-N,N-dimethylformamide-cellulose system, studies on the regioselectivity of, 245
- 5β-Cholestane-3α,7α,12α,25-tetrol and 24-nor-5β-cholestane-3α,7α,12α,25-tetrol, regioselective *O*-glucuronidation of,: bile alcohol glucuronides, 133
- Conformation and synthesis of 1,2-anhydro-3,4,6-tri-O-benzyl-β-D-talopyranose, 295
- Conformational analysis, synthesis, and the glycosidic coupling reaction of substituted 2,7dioxabicyclo[4.1.0]heptanes: 1,2-anhydro-3,4di-O-benzyl-β-L- and D-rhamnopyranoses, 107
- Crystal and molecular structure of the trisaccharide erlose as the monohydrate, 39
- Curdlan from culture media containing ¹³C-labeled glucose as the carbon source, biosynthesis of, 153
- Cyclophosphamide analogs from aminotrideoxysugars, 313
- 3-Deoxy-3-fluoro derivatives of 2-acetamido-2deoxy-p-hexopyranoses, synthesis of, 85
- Disaccharide derivatives of the Shigella flexneri Y polysaccharide antigen, the synthesis of chemically modified, 161
- Erlose as the monohydrate, the crystal and molecular structure of the trisaccharide, 39
- Fluoro and 5-deoxy-5,5-difluoro derivatives of arbekacin and its analogs, and study of structure-toxicity relationships, synthesis of low-toxicity, 5-deoxy-5-, 307

- 3-Fluoro, 3-deoxy-, derivatives of 2-acetamido-2-deoxy-p-hexopyranoses, synthesis of, 85
- Fructoglucan from the thermal polymerization of sucrose, a novel, 183
- *O*-β-D-Galactopyranosyl-(1 → 4)-β-D-glucopyranoside, allyl, synthesis of derivatives of, 287
- Galactose derivatives, syntheses and insulin-like activity of phosphorylated, 119
- O-Galacturonoyl derivatives of carbohydrates, the preparation and susceptibility to hydrolysis of novel, 95
- Gelation of pectins with different degrees of methylation, influence of pH, ionic strength, and temperature, 219
- p-Gluconic acid hydrochloride, preparation of 2-amino-2-deoxy-3,4,5,6-tetra-*O*-methyl-, an intermediate in the preparation of polypeptide-type polyamides, 301
- Glucuronan produced by a *Rhizobium meliloti* M5N1 mutant strain, structural characterization and rheological properties of an extracellular, 71
- Glucuronides, bile alcohol: regioselective *O*-glucuronidation of 5β -cholestane- 3α , 7α , 12α , 25-tetrol and 24-nor- 5β -cholestane- 3α , 7α , 12α , 25-tetrol, 133
- Glycolipid (SL-IV) from *Mycobacterium tuber*culosis, the structure of an antigenic, 1
- Glycopyranosides, anomerization and transglycosylation reactions of permethylated methyl p-, 197
- Glycosidic coupling reaction, synthesis, conformational analysis of substituted 2,7-dioxabi-cyclo[4.1.0]heptanes: 1,2-anhydro-3,4-di-*O*-benzyl-β-t.- and D-rhamnopyranoses, 107
- Guava (*Psidium guajava* L.) pulp, isolation and characterisation of the two main cell-wall types from, 233
- D-Hexopyranoses, 2-acetamido-2-deoxy-, synthesis of 3-deoxy-3-fluoro derivatives of, 85
- Hydrolysis of novel *O*-galacturonoyl derivatives of carbohydrates, the preparation and susceptibility to, 95
- Hydroxycinnamoylated methyl α -1.-arabinofuranosyl-(1 \rightarrow 2)- and (1 \rightarrow 3)- β -D-xylopyranosides, synthesis and spectroscopic characterization of, 23
- Insulin-like activity of phosphorylated galactose derivatives, 119
- Isolation and characterisation of the two main cell-wall types from guava (*Psidium guajava* L.) pulp, 233

- Labeled glucose as the carbon source, biosynthesis of curdlan from culture media containing ¹³C-, 153
- Maize starches, structures of B90 (sugary) and W64A (normal), 265
- Maize endosperm, branching of amylose by the branching isoenzymes of, 253
- Mannan, cell-wall, of the siphonous green algae, *Codium latum*, studies on, 207
- Mycobacterium tuberculosis, the structure of an antigenic glycolipid (SL-IV) from. 1
- NMR-pattern-recognition methods, the application of, to the classification of reduced, peracetylated oligosaccharide residues, 57
- 24-Nor-5β-cholestane-3α,7α,12α,25-tetrol and 5β-cholestane-3α,7α,12α,25-tetrol, regioselective *O*-glucuronidation of: bile alcohol glucuronides, 133
- (1-Octyl)-p-talonamide and a consideration of its hydrogen-bonding scheme, the X-ray crystal structure of *N*-, 47
- Oligosaccharide residues, the application of NMR-pattern-recognition methods to the classification of reduced, peracetylated, 57
- Oligosaccharide synthesis, synthesis of standardized intermediates for, 287
- Pasteurella haemolytica serotype A1, characterization of the O-polysaccharide of, 277
- Pattern-recognition methods, NMR, the application of, to the classification of reduced, peracetylated oligosaccharide residues, 57
- Pectins with different degrees of methylation, influence of pH, ionic strength, and temperature on the gelation of, 219
- Phase diagrams of pectin-calcium systems, influence of pH, ionic strength, and temperature on the gelation of pectins with different degrees of methylation, 219
- Phosphorylated galactose derivatives, syntheses and insulin-like activity of, 119
- Polymerization and copolymerization with styrene. Synthesis of 4-O- and 6-O-monoacryloyl derivatives of sucrose by selective hydrolysis of 4.6-O-(1-ethoxy-2-propenylidene)sucrose, 143
- Polymerization of sucrose, a novel fructoglucan from the thermal, 183
- Polypeptide-type polyamides, 2-amino-2-deoxy-3,4,5,6-tetra-O-methyl-p-gluconic acid hydrochloride as an intermediate in the preparation of, 301

- O-Polysaccharide of Pasteurella haemolytica serotype A1, characterization of the, 277
- Rhamnopyranoses, 1,2-anhydro-3,4-di-O-benzylβ-L- and D-: synthesis, conformational analysis, and glycosidic coupling reaction of substituted 2,7-dioxabicyclo[4.1.0]heptanes, 107
- Rhizobium meliloti M5N1 mutant strain, structural characterization and rheological properties of an extracellular glucuronan produced by a, 71
- Shigella flexneri Y polysaccharide antigen, the synthesis of chemically modified disaccharide derivatives of the, 161
- Starches, structures of B90 (sugary) and W64A (normal) maize, 265
- Structural characterization and rheological properties of an extracellular glucuronan produced by a *Rhizobium meliloti* M5N1 mutant strain, 71
- Structure of an antigenic glycolipid (SL-IV) from Mycobacterium tuberculosis, 1
- Sucrose, a novel fructoglucan from the thermal polymerization of, 183
- Sucrose, synthesis of 4-O- and 6-O-monoacryloyl derivatives of, by selective hydrolysis of 4,6-O-(1-ethoxy-2-propenylidene)sucrose. Polymerization and copolymerization with styrene, 143
- Sulfation in an N₂O₄-N,N-dimethylformamidecellulose system, studies on the regioselectivity of cellulose, 245

- Synthesis, conformational analysis, and the glycosidic coupling reaction of substituted 2,7dioxabicyclo[4.1.0]heptanes: 1,2-anhydro-3,4di-*O*-benzyl-β-1.- and D-rhamnopyranoses, 107
- Synthesis of low-toxicity, 5-deoxy-5-fluoro and 5-deoxy-5,5-difluoro derivatives of arbekacin and its analogs, and study of structure-toxicity relationships, 307
- Synthesis and conformation of 1,2-anhydro-3,4,6-tri-*O*-benzyl-β-D-talopyranose, 295
- Synthesis of cyclophosphamide analogs, 313
- Synthesis and spectroscopic characterization of hydroxycinnamoylated methyl α -L-arabinofuranosyl- $(1 \rightarrow 2)$ and $(1 \rightarrow 3)$ - β -D-xylopyranosides, 23
- Talonamide and a consideration of its hydrogen-bonding scheme, the X-ray crystal structure of N-(1-octyl)-D-, 47
- β-D-Talopyranose, 1,2-anhydro-3,4,6-tri-O-benzyl-, synthesis and conformation of, 295
- Transglycosylation reactions of permethylated methyl p-glycopyranosides, anomerization and, 197
- X-ray crystal structure of N-(1-octyl)-D-talonamide and a consideration of its hydrogenbonding scheme, 47
- Xylopyranosides, synthesis and spectroscopic characterization of hydroxycinnamoylated methyl α -1-arabinofuranosyl- $(1 \rightarrow 3)$ - β -p-23