SUBJECT INDEX

- 4-O-(2-Acetamido-2-deoxy-β-D-glucopyranosyl) derivatives of muramic acid δ-lactam structures, synthesis and conformational analysis, 131
- O-Acetyl group, determination of the position of the, in a β -(1 \rightarrow 4)-mannan (acemannan) from *Aloe barbardensis* Miller, 317
- O-Acetyl group in xanthan gum, location of a second, by the reductive-cleavage method, 321
- Assay of alginate lyases, preparation of endlabelled fluorescent polyguluronate and polymannuronate for the, 237
- Borate ions, calorimetric study of the interactions of D-glucose, D-fructose, sucrose, and poly(vinyl alcohol) with. 279
- Calorimetric study of the interactions of p-glucose, p-fructose, sucrose, and poly(vinyl alcohol) with borate ions, 279
- Carbohydrate interaction with monovalent ions.

 The effects of Li⁺, Na⁺, K⁺, NH₄⁺, Rb⁺, and Cs⁺ on the solid state and solution structures of p-glucono-1,5-lactone and p-gluconic acid, 25
- Carboxylic acids, synthesis of glucuronides of α, β -unsaturated, 81
- Cellulose acetate butyrate, ¹³C NMR determination of the distribution of two ester substituents in, 285
- Celluloses from *Valonia* and tunicin, second-derivative FTIR spectra of native, 47
- Chemical synthesis of the trisaccharide and the terminal di- and mono-saccharide units of the major serologically active glycolipid from *Mycobacterium leprae*, 99
- ¹³C NMR determination of the distribution of two ester substituents in cellulose acetate butvrate, 285
- Complex formation between polyols and rare earth cations: the crystal structure of galactitol · 2PrCl₃ · 14H₂O, 1

- Conformational analysis and synthesis of muramic acid δ -lactam structures and their 4-O-(2-acetamido-2-deoxy- β -D-glucopyranosyl) derivatives, 131
- Copper(II) hydroxide, formation of complexes with *rac-trans*-cyclohexane-1,2-diol, erythritol, and methyl α-p-mannopyranoside of, 9
- tol, and methyl α -D-mannopyranoside of, 9 Cord factors, "mirror coryno", synthesis, 117
- COSY and double-quantum filtered gradientselective COSY experiments, application to 2-deoxy-p-arabino-hexose of gradient-selective, 267
- Crystal and molecular structure of β-D-fructofuranosyl α-D-xylopyranoside hemihydrate, 63
- Crystal and molecular structure of 2,3,4-tri-*O*-acetyl-1,5-anhydro-6,7-dideoxy-7-*S*-methyl-6-nitro-7-thio-L-*glycero*-L-*gluco*-heptitol, 273
- Crystallographic structure determination of methyl α-D-galactopyranoside 2,6-bis(sodium sulfate) · 2H₂O, synthesis and X-ray, 89
- Crystallographic structures of methyl 2-O-methyl-α-D-glucopyranoside and methyl 4,6-O-(S)-benzylidene-2-O-methyl-α-D-galacto-pyranoside, the X-ray, 261
- Cycloinulo-oligosaccharides, complexing with metal ions, 245
- Cyclomaltoheptaose (β-cyclodextrin) and its methylated derivatives, inclusion complexes with the main components of the pheromone of the olive fruit fly, 37
- Deacylation on the glucosyl moiety of octa-Oacetylsucrose by enzymic hydrolysis, selective, 327
- 2-Deoxy-D-arabino-hexose, application of gradient-selective COSY and double-quantum filtered gradient-selective COSY experiments to, 267
- 4-Deoxy-4-fluoro-D-galactopyranosyl derivatives, an improved synthesis of, 295
- 6-O-Desulfation of polysaccharide sulfates with N,O-bis(trimethylsilyl)acetamide, specific, 209

- Dextran, an investigation of the structure of periodate-oxidised, 189
- Distribution of two ester substituents in cellulose acetate butyrate, ¹³C NMR determination of the, 285
- Encephalartos friderici-guilielmi, studies of the structure of the gum exudate of, 217
- End-labelled fluorescent polyguluronate and polymannuronate for the assay of alginate lyases, 237
- Ethylenediamine and copper(II) hydroxide, formation of complexes with *rac-trans* cyclohexane-1,2-diol, erythritol, and methyl α -D-mannopyranoside of, 9
- Flax fibre, isolation and partial characterisation of the non-cellulosic polysaccharides of, 227
- 4-Fluoro-p-galactopyranosyl, 4-deoxy-, derivatives, an improved synthesis of, 295
- β-D-Fructofuranosyl α-D-fructofuranosyl α-Dxylopyranoside hemihydrate, crystal and molecular structure of, 63
- FTIR spectra of native celluloses from *Valonia* and tunicin, second-derivative, 47
- α-D-Fucopyranose, 1,2,3,4-tetra-O-acetyl-, synthesis from D-galactose of, 291
- Galactitol · 2PrCl₃ · 14H₂O, the crystal structure of, 1
- α-D-Galactopyranoside 2,6-bis(sodium sulfate) · 2H₂O, synthesis and X-ray crystallographic structure determination of methyl, 89
- D-Galactopyranosyl, 4-deoxy-4-fluoro-, derivatives, an improved synthesis of, 295
- D-Galactose, synthesis of 1,2,3,4-tetra-O-acetyl- α -D-fucopyranose from, 291
- p-Glucono-1,5-lactone and p-gluconic acid, carbohydrate interaction with monovalent ions. The effects of Li⁺, Na⁺, K⁺, NH₄⁺, Rb⁺, and Cs⁺ on the solid state and solution structures of, 25
- β-D-Glucopyranoside, phenyl O-(tetra-O-acetyl-β-D-galactopyranosyl)-(1 → 3)-4,6-di-O-acetyl-2-deoxy-2-phthalimido-1-thio-, a convenient synthesis of lacto-N-biose I [β-D-Gal p-(1 → 3)-β-D-Glc p NAc] linked oligosaccharides from, 165
- D-Glucose, D-fructose, sucrose, and poly(vinyl alcohol), calorimetric study of the interactions with borate ions. 279
- Glucuronides of α, β -unsaturated carboxylic acids, synthesis of, 81
- Glycolipid from *Mycobacterium leprae*, a new approach to the chemical synthesis of the trisaccharide and the terminal di- and

- mono-saccharide units of the major serologically active, 99
- Glycopeptidolipid of *Mycobacterium avium* serotype 4, iodonium ion-assisted synthesis of a haptenic tetrasaccharide fragment corresponding to the inner cell-wall, 153
- Gradient-selective COSY and double-quantum filtered gradient-selective COSY experiments, application to 2-deoxy-p-arabino-hexose, 267
- Gum exudate of *Encephalartos friderici-guilielmi*, studies of the structure of the, 217
- Heparin, structure elucidation of a novel acidic tetrasaccharide and hexasaccharide derived from chemically modified, 249
- Heptitol, crystal and molecular structure of 2,3,4-tri-*O*-acetyl-1.5-anhydro-6,7-dideoxy-7-S-methyl-6-nitro-7-thio-t-glycero-t-gluco-, 273
- 4-Homopyrazofurin and an acyclic analogue, 71
- Inclusion complexes of cyclomaltoheptaose (β-cyclodextrin) and its methylated derivatives with the main components of the pheromone of the olive fruit fly, 37
- Inulo-oligosaccharides, complexing with metal ions of cyclo-, 245
- Iodonium ion-assisted synthesis of a haptenic tetrasaccharide fragment corresponding to the inner cell-wall glycopeptidolipid of Mycobacterium avium serotype 4, 153
- Lacto-N-biose 1 [β-D-Gal p-(1 → 3)-β-D-Glc p-NAc] linked oligosaccharides from phenyl O-(tetra-O-acetyl-β-D-galacto-pyranosyl)-(1 → 3)-4,6-di-O-acetyl-2-deoxy-2-phthal-imido-1-thio-β-D-glucopyranoside. a convenient synthesis of, 165
- Lipopolysaccharide from *Xanthomonas cum*pestris NCPPB 45, structure of the O-specific polysaccharide of the, 309
- Lipopolysaccharide from *Yersinia kristensii* O:25.35, structure of the O-specific polysaccharide of the, 201
- Lysosphingolipids of human brain (plasmalopsychosines A and B), synthesis, 301
- β -(1 \rightarrow 4)-Mannan (acemannan), determination of the position of the *O*-acetyl group in a, from *Aloe barbardensis* Miller, 317
- D-Mannitol, 2,5-anhydro-1-*O*-(*p*-tolylsulfonyl)-, crystal structure of, 55
- Methyl 2-O-methyl-α-p-glucopyranoside and methyl 4,6-O-(S)-benzylidene-2-O-methyl-α-p-galactopyranoside, X-ray crystallographic structures of, 261

- Methyl α-D-galactopyranoside 2,6-bis(sodium sulfate) · 2H₂O, synthesis and X-ray crystallographic structure determination of, 89
- Mirror coryno cord factors, synthesis, 117
- Molecular and crystal structure of 2,3,4-tri-O-acetyl-1,5-anhydro-6,7-dideoxy-7-S-methyl-6-nitro-7-thio-L-glycero-L-gluco-heptitol, 273
- Monovalent ions. The effects of Li⁺, Na⁺, K⁺, NH₄⁺, Rb⁺, and Cs⁺ on the solid state and solution structures of p-glucono-1,5-lactone and p-gluconic acid, carbohydrate interaction with, 25
- Muramic acid δ -lactam structures and their 4-O-(2-acetamido-2-deoxy- β -D-glucopyranosyl) derivatives, synthesis and conformational analysis, 131
- Non-cellulosic polysaccharides of flax fibre, isolation and partial characterisation, 227
- Octa-O-acetylsucrose, selective formation of 2,1',3',4',6'-penta-O-acetylsucrose by enzymic hydrolysis of, 327
- Periodate-oxidised dextran, an investigation of the structure of, 189
- Pheromone of the olive fruit fly, inclusion complexes of cyclomaltoheptaose (β-cyclodextrin) and its methylated derivatives with the main components of the, 37
- Plasmalopsychosines A and B, two novel lysosphingolipids found in human brain, synthesis, 301
- Polyguluronate and polymannuronate, preparation of end-labelled fluorescent, for the assay of alginate lyases, 237
- Polyols (*rac-trans*-cyclohexane-1,2-diol, erythritol, and methyl α-D-mannopyranoside), formation of complexes of ethylenediamine and copper(II) hydroxide with, 9
- Polysaccharide gum exudate of *Encephalartos* friderici-guilielmi, studies of the structure of the, 217
- Polysaccharide of Salmonella arizonae O45, structure of the O-specific, 177
- Polysaccharide sulfates, specific 6-O-desulfation with N.O-bis(trimethylsilyl)acetamide, 209
- Polysaccharide of *Xanthomonas campestris* NCPPB 45 lipopolysaccharide, structure of the O-specific, 309
- Polysaccharide of the lipopolysaccharide from *Yersinia kristensenii* O:25.35, structure of the O-specific, 201
- Polysaccharides of flax fibre, isolation and partial characterisation of non-cellulosic, 227
- Pyrazofurin, 4-homo-, and an acyclic analogue,

- Rare earth cations, complex formation with polyols, 1
- Reductive-cleavage method, location of a second O-acetyl group in xanthan gum by the, 321
- Regioselective desulfation of polysaccharide sulfates with N,O-bis(trimethylsilyl)acetamide, 209
- Salmonella arizonae O45, structure of the Ospecific polysaccharide of, 177
- O-Specific polysaccharide of Salmonella arizonae O45, structure of, 177
- Structure of β -D-fructofuranosyl α -D-xylopy-ranoside hemihydrate, crystal and molecular, 63
- Structure of periodate-oxidised dextran, an investigation of the, 189
- Sucrose, selective formation of 2,1',3',4'6'penta-O-acetyl-, by enzymic hydrolysis of octa-O-acetylsucrose, 327
- Tetrasaccharide fragment corresponding to the inner cell-wall glycopeptidolipid of *Mycobacterium avium* serotype 4, iodonium ion-assisted synthesis of a haptenic, 153
- 1,2,3,4-Tetra-O-acetyl-α-D-fucopyranose, synthesis from D-galactose of, 291
- Trisaccharide and the terminal di- and monosaccharide units of the major serologically active glycolipid from *Mycobacterium leprae*, a new approach to the chemical synthesis of the, 99
- α,β -Unsaturated carboxylic acids, synthesis of glucuronides of, 81
- Valonia and tunicin, spectra of native celluloses from, 47
- Xanthan gum, location of a second O-acetyl group in, by the reductive-cleavage method, 321
- Xanthomonas campestris NCPPB 45 lipopolysaccharide, structure of the O-specific polysaccharide of, 309
- X-ray crystallographic structures of methyl 2-Omethyl-α-D-glucopyranoside and methyl 4,6-O-(S)-benzylidene-2-O-methyl-α-D-galactopyranoside, 261
- Yersinia kristensenii O:25.35, structure of the O-specific polysaccharide of the lipopolysaccharide from, 201