

SUBJECT INDEX

- N*-Acetylglucosaminyltransferase-V: Critical role of the 4"-hydroxyl group in β -D-Glc p NAc-(1 \rightarrow 2)- α -D-Man p -Glc p -OR, acceptor-substrate recognition by, 139
- N*-Acetylglucosaminyltransferase-V (GnT-V), synthesis of potential inhibitors of, 29
- N*-Acetylglucosamine-linked oligosaccharides, synthesis from phenyl 3,6,2',3',4',6'-2-deoxy-2-phthalimido-1-thio- β -lactopyranoside of, 385
- Acyclic forms of aldoses using molybdate complex formation in aqueous solution, 293
- Acylation of butyl α -D-glucopyranoside, regio-specific enzymic, 407
- Agar-type sulfated galactan of the red seaweed *Laurencia gemmifera*, partial methanolysis of the, 191
- Alginate, influence of the structure of on the chemotactic activity of macrophages and on antitumor activity, 211
- Amylopectins of waxy, normal, amylose-extender, and wx:ae genotypes and of the phytoglycogen of maize, structures of the, 307
- O-Antigen polysaccharide, structural studies of the *Vibrio mimicus* W-26768, 131
- α -L-Arabinosidase and endo- α -L-arabinases for use in the structural analysis of pectic polysaccharides, the purification of commercially available, 373
- 2-Azidoethyl α -glycosides, a practical synthesis using 2-pyridyl 1-thioglycosides, 393
- Bis(polyhydroxyalkyl)amines and their *N*-carboxymethyl derivatives, formation of borate esters and sequestration of metal ions studied by ^{11}B and ^{13}C NMR spectroscopy, 259
- tert*-Butoxycarbonylmethylzinc bromide, synthesis of C-glycosyl compounds by the reaction of acetylated glycals with, 183
- Butyl α -D-glucopyranoside, regiospecific enzymic acylation of, 407
- Capsular polysaccharide preparations from *Streptococcus pneumoniae*, molecular size analysis, 115
- N*-Carboxymethyl derivatives of bis(polyhydroxyalkyl)amines, formation of borate esters and sequestration of metal ions studied by ^{11}B and ^{13}C NMR spectroscopy, 259
- Cell-adhesion molecules, neural, carbohydrate epitopes of; synthesis of sulfated glucuronyl glycosphingolipids, 43
- Celluloses with high degrees of molar substitution, a critical evaluation of the structure of *O*-(2-hydroxyethyl)-, 99
- Chemotactic activity of macrophages, influence of the structure of alginate on, and on antitumor activity, 211
- Chitosan dodecamer, stereocontrolled synthesis of, C1
- Chondroitin sulfate related disaccharides, influence of sulfate and carboxylate groups on the conformation of, 225
- Cobaloximes, synthesis and a trifluoroacetic acid-induced fragmentation of some sugar, 177
- Conformation of chondroitin sulfate related disaccharides, influence of sulfate and carboxylate groups on the, 225
- Cyclomaltoheptaose (β -cyclodextrin), stereochemistry and dynamics of the inclusion complex of (*S*)-(+)-fenoprofen with, 1
- Disaccharides, influence of sulfate and carboxylate groups on the conformation of chondroitin sulfate related, 225
- Dodecamer, chitosan, stereocontrolled synthesis of, C1
- Endo- α -L-arabinases and α -L-arabinosidase for use in the structural analysis of pectic polysaccharides, the purification of commercially available, 373

- Endo-glycanase-generated oligoglycosyl side chains of rhamnogalacturonan I, structural characterization of, 359
- Enzymic acylation of butyl α -D-glucopyranoside, regiospecific, 407
- Fragmentation of some sugar cobaloximes, synthesis and a trifluoroacetic acid-induced, 177
- Fructo-oligosaccharides from *Urginea maritima*, 91
- Fucopyranoside, methyl α -L-, structural analysis by X-ray crystallography, NMR spectroscopy, and molecular mechanics calculations, 217
- Galactan of the red seaweed, *Laurencia gemmifera*, partial methanolysis of the agar-type sulfated, 191
- α -Galactosyl epitopes on partially hydrolyzed blood group B substance, a monoclonal IgM κ from a blood group B individual with specificity for, 345
- Glucuronoxylan isolated from sunflower hulls, structural studies of the main, 323
- α -Glycosides, a practical synthesis of 2-azidoethyl, using 2-pyridyl 1-thioglycosides, 393
- Glycosphingolipids, synthesis of sulfated glucuronyl: Carbohydrate epitopes of neural cell-adhesion molecules, 43
- C-Glycosyl compounds, synthesis by the reaction of acetylated glycals with *tert*-butoxycarbonylmethylzinc bromide, 183
- Hemicelluloses from sunflower hulls, isolation and characterization of, 323
- Heptopyranosyl residues, synthesis and NMR spectroscopic investigation of oligosaccharides containing Kdo and L-glycero-D-manno-, 273
- O-(2-Hydroxyethyl) celluloses with high degrees of molar substitution, a critical evaluation of the structure of, 99
- Inclusion complex of (S)-(+)-fenoprofen with cyclomaltoheptaose (β -cyclodextrin), stereochemistry and dynamics of the, 1
- Isolation and characterisation of a rhamnogalacturonan II from red wine, 333
- Isopropylidenation of L-threo- and D-erythro-trihydroxybutylquinoxalines. A novel approach to the synthesis of furo[2,3-b]-quinoxalines, 399
- Isopropylidene- α - and - β -D-galactopyranosides, structure elucidation by NMR and X-ray analysis of methyl 3,4-O-, 165
- Kdo and L-glycero-D-manno-heptopyranosyl residues, synthesis and NMR spectroscopic investigation of oligosaccharides containing, 273
- Linked oligosaccharides, synthesis from phenyl 3,6,2',3',4',6'-hexa-O-acetyl-2-deoxy-2-phthalimido-1-thio- β -lactopyranoside of, [β -D-Galp-(1 \rightarrow 4)- β -D-Glc pNAc]-, 385
- Maize, structure of the amylopectins of waxy, normal, amylose-extender, and wx:ae genotypes and of the phytylglycogen of, 307
- β -D-Mannopyranose, 2,3,4-tri-O-acetyl-1,6-anhydro-, an artifact produced during carbohydrate analysis. A total synthesis of 2,3,5-tri-O-acetyl-1,6-anhydro- β -D-mannofuranose, 11
- Methyl α -L-fucopyranoside, structural analysis by X-ray crystallography, NMR spectroscopy, and molecular mechanics calculations, 217
- Methyl 3,4-O-isopropylidene- α - and - β -D-galactopyranosides, structure elucidation by NMR and X-ray analysis, 165
- Molybdate complexes of aldoses and their application to the determination of the proportion of acyclic forms in aqueous solution, 293
- Monoclonal IgM κ from a blood group B individual with specificity for α -galactosyl epitopes on partially hydrolyzed blood group B substance, 345
- Nephritogenoside and related compounds, synthesis of, 79
- 4-Nitrophenyl O-(2-acetamido-2-deoxy- β -D-glucopyranosyl)-(1 \rightarrow 2)-O-(6-O-methyl- α -D-mannopyranosyl)-(1 \rightarrow 6)- β -D-glucopyranoside and its 4,6'-di-O-methyl analog, synthesis, 29
- 13 C NMR spectroscopy of acyclic molybdate complexes of aldoses, 293
- NMR and X-ray analysis, structure elucidation of methyl 3,4-O-isopropylidene- α - and - β -D-galactopyranosides by, 165
- NMR spectroscopy of nystose, 379
- Nystose, NMR spectroscopy of, 379
- Oligosaccharides containing Kdo and L-glycero-D-manno-heptopyranosyl residues, synthesis and NMR spectroscopic investigation, 273
- Oligosaccharides from *Urginea maritima*, fructose, 91
- Partial methanolysis of the agar-type sulfated galactan of the red seaweed *Laurencia gemmifera*, 191
- Pectic polysaccharides, the purification of com-

- mercially available endo- α -L-arabinases and α -L-arabinosidase for use in the structural analysis of, 373
- Phenyl 3,6,2',3',4',6'-hexa-*O*-acetyl-2-deoxy-2-phthalimido-1-thio- β -lactopyranoside, synthesis of *N*-acetylglucosamine-linked oligosaccharides from, 385
- Polysaccharide, structural studies of the *Vibrio mimicus* W-26768 O-antigen, 131
- Pseudomonas fluorescens* biovar strain A IMV 1152, structure of the O-specific polysaccharide of, 205
- Pseudomonas syringae* pv. *tomato* 140(R), structure of the O-specific polysaccharide of, 199
- Quinoxalines, furo[2,3-*b*], a novel approach to the synthesis of. Isopropylidenation of L-*threo*- and D-*erythro*-trihydroxybutylquinoxalines, 399
- Red wine, isolation and characterisation of a rhamnogalacturonan II from, 333
- Rhamnogalacturonan I, structural characterisation of endo-glycanase-generated oligoglycosyl side chains of, 359
- Rhamnogalacturonan II, isolation and characterisation from red wine, 333
- Sequestration of metal ions by bis(polyhydroxyalkyl)amines and their *N*-carboxymethyl derivatives, formation of borate esters and, studied by ^{11}B and ^{13}C NMR spectroscopy, 259
- Somatic antigens of pseudomonads: structure of the O-specific polysaccharide of *Pseudomonas fluorescens* biovar A strain IMV 1152, 205
- Somatic antigens of pseudomonads: structure of the O-specific polysaccharide of *Pseudomonas syringae* pv. *tomato* 140(R), 199
- Spectrum of nystose, complete assignment of the ^1H NMR, 379
- Starches of mature maize seeds, structures of the amylopectins isolated from the normal and amylose-extender, 307
- Stereochemistry and dynamics of the inclusion complex of (*S*)-(+)-fenoprofen with cyclomaltoheptaose (β -cyclodextrin), 1
- Streptococcus pneumoniae*, molecular size analysis of capsular polysaccharide preparations from, 115
- Structural analysis of methyl α -L-fucopyranoside by X-ray crystallography, NMR spectroscopy, and molecular mechanics calculations, 217
- Sugar cobaloximes, synthesis and a trifluoroacetic acid-induced fragmentation, 177
- Sunflower hulls, isolation and characterisation of hemicelluloses from, 323
- Synthesis, stereocontrolled, of chitosan dodecamer, C1
- 1-Thioglycosides, a practical synthesis of 2-azidoethyl α -glycosides using 2-pyridyl, 393
- Urginea maritima* (red squill), fructo-oligosaccharides from, 91
- Vibrio mimicus* W-26768 O-antigen polysaccharide, structural studies, 131