

CONTENTS

Stereochemistry and dynamics of the inclusion complex of (<i>S</i>)-(+)-fenoprofen with cyclomaltoheptaose (β -cyclodextrin) G. Uccello-Barretta, C. Chiavacci, C. Bertucci and P. Salvadori (Pisa, Italy)	1
2,3,4-Tri- <i>O</i> -acetyl-1,6-anhydro- β -D-mannopyranose, an artifact produced during carbohydrate analysis. A total synthesis of 2,3,5-tri- <i>O</i> -acetyl-1,6-anhydro- β -D-mannofuranose S. Manna, B.H. McAnalley (Dallas, TX, USA) and H.L. Ammon (College Park, MD, USA)	11
Synthesis of 4-nitrophenyl <i>O</i> -(2-acetamido-2-deoxy- β -D-glucopyranosyl)-(1 $\rightarrow$ 2)- <i>O</i> -(6- <i>O</i> -methyl- α -D-mannopyranosyl)-(1 $\rightarrow$ 6)- β -D-glucopyranoside and its 4',6'-di- <i>O</i> -methyl analog. Potential inhibitors of <i>N</i> -acetylglucosaminyltransferase V (GnT-V) S.H. Khan and K.L. Matta (Buffalo, NY, USA)	29
Synthesis of sulfated glucuronyl glycosphingolipids; carbohydrate epitopes of neural cell-adhesion molecules T. Nakano, Y. Ito and T. Ogawa (Saitama, Japan)	43
Microbial preparation of α, α' -[1,1'- ¹³ C]trehalose N. Asano, K. Matsui (Ishikawa, Japan), S. Takeda (Ibaraki, Japan) and Y. Kono (Tokyo, Japan)	71
Syntheses of nephritogenoside and related compounds T. Takeda, K. Kojima and Y. Ogihara (Nagoya, Japan)	79
Fructo-oligosaccharides from <i>Urginea maritima</i> W. Praznik and T. Spies (Wien, Austria)	91
Structure of <i>O</i> -(2-hydroxyethyl)celluloses with high degrees of molar substitution: a critical evaluation P.W. Arisz, J.A. Lomax and J.J. Boon (Amsterdam, Netherlands)	99
Molecular size analysis of capsular polysaccharide preparations from <i>Streptococcus pneumoniae</i> B. Bednar and J.P. Hennessey, Jr. (West Point, PA, USA)	115
Structural studies of the <i>Vibrio mimicus</i> W-26768 O-antigen polysaccharide L. Kenne (Uppsala, Sweden), B. Lindberg, M.M. Rahman (Stockholm, Sweden) and M. Mosihuzzaman (Dhaka, Bangladesh)	131
Acceptor–substrate recognition by <i>N</i> -acetylglucosaminyltransferase-V: Critical role of the 4''-hydroxyl group in β -D-Glc pNAc-(1 $\rightarrow$ 2)- α -D-Man p(1 $\rightarrow$ 6)- β -D-Glc p-OR O. Kanie, S.C. Crawley, M.M. Palcic and O. Hindsgaul (Edmonton, AB, Canada)	139
<i>Notes</i>	
Structure elucidation of methyl 3,4- <i>O</i> -isopropylidene- α - and - β -D-galactopyranosides by NMR and X-ray analysis P.L. Barili, G. Catelani (Pisa, Italy), G. Fabrizi (L'Aquila, Italy) and D. Lamba (Roma, Italy)	165

Synthesis of some sugar cobaloximes and a trifluoroacetic acid-induced fragmentation R.J. Anderson, B.T. Golding and N.A. Hughes (Newcastle upon Tyne, United Kingdom)	177
Synthesis of C-glycosyl compounds: the reaction of acetylated glycols with <i>tert</i> -butoxycarbonyl-methylzinc bromide F. Orsini and F. Pelizzoni (Milano, Italy)	183
Partial methanolysis of the agar-type sulfated galactan of the red seaweed <i>Laurencia gemmifera</i> O. Valiente, L.E. Fernandez, R.M. Perez and G. Marquina (Havana City, Cuba)	191
Somatic antigens of pseudomonads: structure of the O-specific polysaccharide of <i>Pseudomonas syringae</i> pv. <i>tomato</i> 140(R) Y.A. Knirel, A.S. Shashkov, N.A. Paramonov (Moscow, Russian Federation), G.M. Zdorovenko, L.P. Solyanic and L.M. Yakovleva (Kiev, Ukraine)	199
Somatic antigens of pseudomonads: structure of the O-specific polysaccharide of <i>Pseudomonas fluorescens</i> biovar A strain IMV 1152 Y.A. Knirel, N.A. Paramonov, A.S. Shashkov, N.K. Kochetkov (Moscow, Russian Federation), G.M. Zdorovenko, S.N. Veremeychenko and I.Y. Zakharova (Kiev, Ukraine)	205
An influence of the structure of alginate on the chemotactic activity of macrophages and the antitumor activity M. Fujihara and T. Nagumo (Kanagawa, Japan)	211
<i>Preliminary communication</i>	
Stereocontrolled synthesis of chitosan dodecamer H. Kuyama, Y. Nakahara, T. Nukada, Y. Ito, Y. Nakahara and T. Ogawa (Saitama, Japan)	C1
<i>Papers</i>	
Structural analysis of methyl α -L-fucopyranoside by X-ray crystallography, NMR spectroscopy, and molecular mechanics calculations D. Lamba, A.L. Segre (Rome, Italy), G. Fabrizi (L'Aquila, Italy) and B. Matsuhiro (Santiago, Chile)	217
Influence of sulfate and carboxylate groups on the conformation of chondroitin sulfate related disaccharides M. Zsiška and B. Meyer (Athens, GA, USA)	225
Formation of borate esters from, and sequestration of metal ions by, bis(polyhydroxyalkyl)amines and their <i>N</i> -carboxymethyl derivatives studied by ^{11}B and ^{13}C NMR spectroscopy J. Van Haveren, H. Lammers, J.A. Peters (Delft, Netherlands), J.G. Batelaan (Arnhem, Netherlands) and H. Van Bekkum (Delft, Netherlands)	259
Synthesis and NMR spectroscopic investigation of oligosaccharides containing Kdo and L-glycero-D-manno-heptopyranosyl residues A. Hofinger, P. Kosma, R. Christian (Vienna, Austria), K. Bock (Valby, Denmark) and H. Brade (Borstel, Germany)	273
Acyclic molybdate complexes of aldoses in the <i>arabino</i> and <i>xylo</i> series and their application to the determination of the proportion of acyclic forms in aqueous solution J.-P. Sauvage, S. Chapelle, A.-M. Dona and J.-F. Verchère (Mont Saint Aignan, France)	293

Structures of the amylopectins of waxy, normal, amylose-extender, and wx:ae genotypes and of the phytylglycogen of maize S.-H. Yun and N.K. Matheson (Sydney, NSW, Australia)	307
Isolation and characterisation of hemicelluloses from sunflower hulls A. Bazus, L. Rigal, A. Gaset (Toulouse, France), T. Fontaine, J.-M. Wieruszeski and B. Fournet (Villeneuve d'Ascq, France)	323
Isolation and characterisation of a rhamnogalacturonan II from red wine T. Doco and J.-M. Brillouet (Montpellier, France)	333
A monoclonal IgM κ from a blood group B individual with specificity for α -galactosyl epitopes on partially hydrolyzed blood group B substance K.G. Nickerson, J. Liao and E.A. Kabat (New York, NY, USA)	345
Structural characterization of endo-glycanase-generated oligoglycosyl side chains of rhamnogalacturonan I P. Lerouge, M.A. O'Neill, A.G. Darvill and P. Albersheim (Athens, GA, USA)	359
<i>Notes</i>	
The purification of commercially available endo- α -L-arabinanases and α -L-arabinosidase for use in the structural analysis of pectic polysaccharides P. Lerouge, M.A. O'Neill, A.G. Darvill and P. Albersheim (Athens, GA, USA)	373
NMR spectroscopy of nystose J.W. Timmermans, P. De Waard, H. Tournois (Wageningen, Netherlands), B.R. Leeftang and J.F.G. Vliegthart (Utrecht, Netherlands)	379
A convenient synthesis of <i>N</i> -acetyllactosamine-linked oligosaccharides from phenyl 3,6,2',3',4',6'-hexa- <i>O</i> -acetyl-2-deoxy-2-phthalimido-1-thio- β -lactopyranoside R.K. Jain, C.F. Piskorz and K.L. Matta (New York, USA)	385
A practical synthesis of 2-azidoethyl α -glycosides: useful spacer-arm glycosides for the synthesis of neoglycoconjugates G.V.M. Sharma and P.R. Krishna (Hyderabad, India)	393
Isopropylidenation of <i>L</i> -threo- and <i>D</i> -erythro-trihydroxybutylquinoxalinones. A novel approach to the synthesis of furo[2,3- <i>b</i>]quinoxalines N. Rashed, H.A. Hamid and E.S.H. El Ashry (Alexandria, Egypt)	399
Regiospecific enzymic acylation of butyl α -D-glucopyranoside J. Fabre, D. Betbeder, F. Paul, P. Monsan and J. Perie (Toulouse, France)	407
<i>Erratum</i>	C9
<i>Announcement</i>	C11
<i>Author index</i>	C13
<i>Subject index</i>	C15
<i>Contents</i>	C19