

CONTENTS

Structures of complexes of cobalt(III) and glucosamine. Applications of molecular mechanics and NMR spectroscopy S. Bunel, C. Ibarra, E. Moraga (Santiago, Chile), A. Blaskó and C.A. Bunton (Santa Barbara, CA, USA)	1
Reduction of potassium chromate by D-fructose, D-galactose, D-mannose, D-glucose, and L-sorbose C.P. Rao and S.P. Kaiwar (Bombay, India)	15
Pyrolysis of some ¹³ C-labeled glucans: A mechanistic study G.R. Ponder and G.N. Richards (Missoula, MT, USA)	27
NMR spectroscopy and conformational analysis of 3-deoxy-3-C-(hydroxymethyl)-1,2:5,6-di-O-isopropylidene- α -D-allofuranose D.C. Lankin, S.T. Nugent and S.N. Rao (Skokie, IL, USA)	49
Synthesis of allyl O-[sodium (α -D-glycero-D-talo-2-octulopyranosyl)onate]-(2 $\rightarrow$ 6)-2-acetamido-2-deoxy- β -D-glucopyranoside, a core constituent of the lipopolysaccharide from <i>Acinetobacter calcoaceticus</i> NCTC 10305 J. Gass, M. Strobl, A. Loibner, P. Kosma (Wien, Austria) and U. Zähringer (Borstel, Germany)	69
Glycosylation by sugar 1,2-O-(1-cyanobenzylidene) derivatives: influence of glycosyl-donor structure and promoter N.K. Kochetkov, V.I. Betaneli, I.A. Kryazhevskikh and A.Y. Ott (Moscow, Russian Federation)	85
Structure and properties of apple and sugar-beet pectins extracted by chelating agents C.M.G.C. Renard and J.-F. Thibault (Nantes, France)	99
Inhibition of high-molecular-weight-(1 $\rightarrow$ 3)- β -D-glucan-dependent activation of a limulus coagulation factor G by laminaran oligosaccharides and curdlan degradation products S. Tanaka, J. Aketagawa, S. Takahashi, Y. Shibata (Tokyo, Japan), Y. Tsumuraya and Y. Hashimoto (Urawa, Japan)	115
Immobilisation of levansucrase on calcium phosphate gel strongly increases its polymerase activity R. Chambert and M.-F. Petit-Glatron (Paris, France)	129
Essential amino acids involved in glucan-dependent aggregation of <i>Streptococcus sobrinus</i> J.S. Singh, K.G. Taylor and R.J. Doyle (Louisville, KY, USA)	137
Use of the "core-2"-N-acetylglucosaminyltransferase in the chemical-enzymatic synthesis of a sialyl-Le ^X -containing hexasaccharide found on O-linked glycoproteins R. Oehrlein, O. Hindsgaul and M.M. Palcic (Edmonton, AB, Canada)	149
Synthesis and antifungal activity of medicagenic acid saponins on plant pathogens: modification of the saccharide moiety and the 23 α substitution U. Zehavi, O. Ziv-Fecht, M. Levy, M. Naim (Rehovot, Israel), R. Evron and I. Polacheck (Jerusalem, Israel)	161

Notes

Syntheses of oligosaccharides having the β -D-Glc p NAc-(1 $\rightarrow$ 4)-D-Glc- structure W. Klaffke, C.D. Warren and R.W. Jeanloz (Charlestown, MA, USA)	171
A convenient method for the introduction of nitrogen and sulfur at C-4 on a sialic acid analogue M. Von Itzstein, B. Jin, W.-Y. Wu (Parkville, Vic., Australia) and M. Chandler (Greenford, UK)	181
Synthesis of 1,5-anhydroxylitol and 1,5-anhydro-D-arabinitol 2,3,4-tris(phosphates) H. Regeling, B. Zwanenburg, G.J.F. Chittenden (Nijmegen, Netherlands) and N. Rehnberg (Perstorp, Sweden)	187
Calculation of the optical rotation of some anhydro sugars in aqueous solution E.S. Stevens (Binghamton, NY, USA)	191
Etude cristallographique des β -D-glucopyranosyl et β -D-mannopyranosyl-benzènes acétylés, analogues de nucléosides pyrimidiques S. El Bahij, O. Abbes, A. Neuman and H. Gillier-Pandraud (Bobigny, France)	197
FABMS/derivatisation strategies for the analysis of heparin-derived oligosaccharides K.-H. Khoo, H.R. Morris, R.A. McDowell, A. Dell (London, United Kingdom), A.D.M. Maccarana and U. Lindahl (Uppsala, Sweden)	205
A small-angle X-ray scattering study of the absorption of water into the starch granule R.E. Cameron and A.M. Donald (Cambridge, United Kingdom)	225
Electrosyntheses of disaccharides from phenyl or ethyl 1-thioglycosides J.-M. Mallet, G. Meyer, F. Yvelin, A. Jutand, C. Amatore and P. Sinaÿ (Paris, France) . .	237
Silylmethylene radical cyclization. A stereoselective approach to branched sugars V. Pedretti, J.-M. Mallet and P. Sinaÿ (Paris, France)	247
Synthesis of a tetrasaccharide donor corresponding to the O-specific polysaccharide of <i>Shigella dysenteriae</i> type 1 V. Pozsgay, C.P.J. Glaudemans, J.B. Robbins and R. Schneerson (Bethesda, MD, USA)	259
Reaction of organocuprate reagents with protected 1,2-anhydro sugars. Stereocontrolled synthesis of 2-deoxy-C-glycosyl compounds V. Bellosta and S. Czernecki (Paris, France)	275
Synthesis and antileukemic activity of certain D-fucopyranosyl nucleosides L.M. Lerner, G. Mennitt, E. Gaetjens and B. Sheid (Brooklyn, New York, USA)	285
Total synthesis of the carbohydrate–protein linkage region common to several mammalian proteoglycans S. Rio, J.-M. Beau and J.-C. Jacquinet (Orléans, France)	295
A convenient synthesis of β -D-galactosyl disaccharide derivatives using the β -D-galactosidase from <i>Bacillus circulans</i> T. Usui, S. Kubota and H. Ohi (Shizuoka, Japan)	315
Structural investigation of the capsular polysaccharide produced by a novel <i>Klebsiella</i> serotype (SK1). Location of O-acetyl substituents using NMR and MS techniques P. Cescutti, N. Ravenscroft, S. Ng (Vancouver, Canada), Z. Lam (Wilmington, Delaware, USA) and G.G.S. Dutton (Vancouver, Canada)	325

Pyrolysis of inulin, glucose, and fructose G.R. Ponder and G.N. Richards (Missoula, Montana, USA)	341
--	-----

Notes

Structure and conformational features of an alkali- and water-soluble galactofuranan from the cell walls of <i>Eupenicillium crustaceum</i> J.A. Leal, A. Prieto, B. Gómez-Miranda, J. Jiménez-Barbero and M. Bernabé (Madrid, Spain)	361
--	-----

Comparison of the activity of two chondroitin AC lyases on dermatan sulfate K. Gu, J. Liu, A. Pervin and R.J. Linhardt (Iowa City, IA, USA)	369
--	-----

<i>Author index</i>	C1
-------------------------------	----

<i>Subject index</i>	C3
--------------------------------	----

<i>Contents</i>	C7
---------------------------	----