## SUBJECT INDEX

- 2-Acetamido-2-deoxy-5-O-(3-deoxy-β-manno-octulopyranosyl)-β-D-galactopyranosyl repeating unit, a polysaccharide produced by a mucoid strain of Moraxella nonliquefaciens with a, 129
- Acetan, an exopolysaccharide elaborated by Acetobacter xylinum, structural studies, 303
- Acetobacter xylinum, structural studies of an exopolysaccharide acetan elaborated by, 303
- N-Acetylglucosaminyltransferase-V, recognition of the acceptor β-D-Glc pNAc-(1 → 2)-α-D-Man p-(1 → 6)-β-D-Glc p-OR by: none of the hydroxyl groups on the Glc residue are important, 323
- β-D-Allopyranose, O-β-D-hexapyranosyl-(1 → 4)-, 1,2,3,6,2',3',4',6'-octa-O-benzoyl-, synthesis and NMR data of, 145
- Amylose in lintnerised waxy and non-waxy barley starches, resistance to acid hydrolysis of lipid-complexed and lipid-free, 289
- 8-Anilino-1-naphthalenesulfonate, interaction of, with 2,6-di-O-methylcyclomaltoheptaose, 43
- Antigen of Shigella dysenteriae type 1, O-specific antigen, glycosyl-donor forms of fragments of, 219
- Antigenic polysaccharide of Eubacterium saburreum strain T19, structure of, 105
- Calonyctin A, a plant growth regulator, structure of, 259
- Capsular polysaccharide (S-21) from Klebsiella pneumoniae ATCC 31314 structural studies, 311
- Cellobioside, conformational analysis of methyl β-, by ROESY NMR spectroscopy and MD simulations in combination with the CROS-REL method, 21
- Conformational analysis of methyl β-cellobioside by ROESY NMR spectroscopy and MD simulations in combination with the CROS-REL method, 21

- Convergent synthesis of an elusive hexasaccharide corresponding to the cell-wall polysaccharide of the β-hemolytic Streptococcus Group A, 245
- Cord factors, mirror, synthesis of protected, 347 Corynomycolates, 6-mono- and 6,6'-di-, of trehalose from *Corynebacterium matruchotii*, structural characterization of, 151
- Cyclodehalogenation of dideoxy-diiodohexopyranoses to cyclopropyl derivatives, 233
- Cyclodextrins, an equilibrium study of p-Methyl Red inclusion complexes with  $\alpha$  and  $\beta$ -, 165
- Cyclomaltoheptaose, 2,6-di-O-methyl, interaction of 8-anilino-1-naphthalenefulfonate with, 43
- 4,6-Cyclopropyl-4,6-dideoxy-hexopyranoses by palladium-mediated cyclodehalogenation, 233
- Degradation during sodium hydroxide/methyl iodide-mediated carbohydrate methylation in dimethyl sulfoxide, avoiding oxidative, 1
- Dextransucrase inhibition at high sucrose concentrations, interpretation of, 97
- Erwinia chrysanthemi, structure of an extracellular polysaccharide produced by, 271
- Eubacterium saburreum strain T19, structure of antigenic polysaccharide of, 105
- Exopolysaccharide elaborated by Acetobacter xylinum, structural studies of acetan, 303
- Extracellular polysaccharide produced by Erwinia chrysanthemi, structure of an, 271
- α-L-Fuc p-(1  $\rightarrow$  2)- $\beta$ -D-Gal p-(1  $\rightarrow$  4)-[ $\alpha$ -L-Fuc p-(1  $\rightarrow$  3)]- $\beta$ -D-Glc pNAcO(CH<sub>2</sub>)<sub>8</sub>CO<sub>2</sub>Et, synthesis of, 193
- O-β-D-Galactopyranosyl-(1 → 4)-β-D-allopyranose, 1,2,3,6,2',3',4',6'-octa-O-benzoyl-, synthesis and NMR data of, 145

- β-(1 → 4)-D-Galactosyltransferase, chemical synthesis and kinetic characterization of UDP-2-deoxy-D-lyxo-hexose ("UDP-2-deoxy-D-galactose"), a donor-substrate for, 137
- o-β-D-Glucopyranosyl-(1 → 4)-β-D-allopyranose, 1,2,3,6,2',3',4',6'-octa-O-benzoyl-, synthesis and NMR data of, 145
- p-Glucose derivatives suitable for the study of natural hydrogen isotope fractionation, the search for, 57
- D-Glucuronic acid 2-O-sulphated in rat liver heparan sulphate, 361
- Glycopeptidolipid antigen of *Mycobacterium* avium serovar 20, synthesis of a spacer armed tetrasaccharide, 65
- Glycosyl donors (di- and tri-saccharide) for the synthesis of fragments of the O-specific antigen of *Shigella dysenteriae* type 1, 219

## Heparan sulphate, 361

- Heptose, identification of oligosaccharides consisting of D-glucuronic acid and L-glycero-D-manno- and D-glycero-D-manno-, isolated from the lipopolysaccharide of Vibrio haemolyticus O2, 353
- Hexasaccharide corresponding to the cell-wall polysaccharide of the β-hemolytic *Strepto-coccus* Group A, convergent synthesis of an elusive, 245
- Hyaluronate, NMR studies of oligosaccharides derived from, 113
- Hydrogen isotope fractionation, the search for p-glucose derivatives suitable for the study of natural, 57
- Inhibition at high sucrose concentrations, interpretation of dextransucrase, 97
- Interpretation of dextransucrase inhibition at high sucrose concentrations, 97
- Isotope fractionation, the search for p-glucose derivatives suitable for the study of natural hydrogen, 57
- 1,1,1-Kestopentaose {[β-D-Fru f-(2→1)]<sub>4</sub>-(2 ↔ 1)-α-D-Glcp} and nystose {[β-D-Fru f-(2→1)]<sub>3</sub>-(2 ↔ 1)-α-D-Glcp}, proton and carbon NMR chemical-shift assignments for, from two-dimensional NMR spectral measurements, 11
- Klebsiella pneumoniae ATCC 31314, structural studies of the capsular polysaccharide (S-21) from, 311
- $\beta$ -Lactosyl clusters, synthesis of, 175 Laminara-oligosaccharides of dp 3-8, synthesis of the methyl  $\beta$ -glycosides, 81

- Lewis-y tetrasaccharide, ethoxycarbonyloctanyl glycoside, synthesis of, 193
- Lintnerised waxy and non-waxy barley starches, resistance to acid hydrolysis of lipid-complexes and lipid-free amylose in, 289
- Lipopolysaccharide of Salmonella minnesota strain R5 (rough mutant chemotype RcP<sup>-</sup>), isolation and structural analysis of the tetrasaccharide from the core region, 159
- Lipopolysaccharide of Vibrio parahaemolyticus O2, identification of oligosaccharides consisting of D-glucuronic acid and L-glycero-D-manno- and D-glycero-D-manno-heptose, 353
- L-Lysine,  $\beta$ -lactosyl-, synthesis of, 175
- L-Lysyl-L-lysine, β-lactosyl, synthesis of, 175
- Methylation of carbohydrates in dimethyl sulfoxide, avoiding oxidative degradation during sodium hydroxide/methyl iodide-mediated,
- Methyl β-cellobioside, conformational analysis by ROESY NMR spectroscopy and MD simulations in combination with the CROSREL method. 21
- Methyl  $\beta$ -glycosides of the laminara-oligosaccharides of dp 3-8, synthesis, 81
- p-Methyl Red, an equilibrium study of inclusion complexes of  $\alpha$  and  $\beta$ -cyclodextrins with, 165
- p-Methyl Red inclusion complexes with  $\alpha$  and  $\beta$ -cyclodextrins, an equilibrium study of, 165
- Mirror cord factors [dimycolyl esters of an  $\alpha,\alpha$ (1  $\leftrightarrow$  1)-bisheptosiduronic acid], synthesis of protected, 347
- Moraxella nonliquefaciens, a polysaccharide with a 2-acetamido-2-deoxy-5-O-(3-deoxy-β-D-manno-octulopyranosyl)-β-D-galactopyranosyl repeating unit produced by a mucoid strain of, 129
- NMR spectra of phytoalexin elicitor-active oligoglucosides, complete assignment of the <sup>1</sup>H, 333
- NMR spectral measurements, proton and carbon NMR chemical-shift assignments for nystose  $\{[\beta-D-Fruf-(2\to 1)]_3-(2\leftrightarrow 1)-\alpha-D-Glcp\}$  and 1,1,1-kestopentaose  $\{[\beta-D-Fruf-(2\to 1)]_4-(2\leftrightarrow 1)-\alpha-D-Glcp\}$  from two-dimensional, 11
- NMR studies of oligosaccharides derived from hyaluronate, 113
- Nystose { $[\beta\text{-D-Fru}f-(2 \rightarrow 1)]_3$ - $(2 \leftrightarrow 1)$ - $\alpha$ -D-Glc p} and 1,1,1-kestopentaose { $[\beta\text{-D-Fru}f-(2 \rightarrow 1)]_4$ - $(2 \leftrightarrow 1)$ - $\alpha$ -D-Glc p}, proton and carbon NMR chemical-shift assignments for, from two-dimensional NMR measurements, 11

- Oligosaccharides consisting of D-glucuronic acid and L-glycero-D-manno- and D-glycero-Dmanno-heptose isolated from Vibrio parahaemolyticus O2 lipopolysaccharide, identification, 353
- Oligosaccharides derived from hyaluronate, NMR studies of, 113
- Oxidative degradation during sodium hydroxide/methyl iodide-mediated carbohydrate methylation in dimethyl sulfoxide, avoiding, 1
- Palladium-mediated cyclodehalogenation, 233 Phytoalexin elicitor-active oligoglucosides, complete assignment of the <sup>1</sup>H NMR spectra of, 333
- Plant growth regulator calonyctin A, structure, 259
- Polysaccharide, antigenic, of Eubacterium saburreum strain T19, structure of, 105
- Polysaccharide (S-21) from Klebsiella pneumoniae ATCC 31314, structural studies of the capsular, 311
- Polysaccharide of the  $\beta$ -hemolytic Streptococcus Group A, convergent synthesis of an elusive hexasaccharide corresponding to the cellwall, 245
- Polysaccharide produced by a mucoid strain of Moraxella nonliquefaciens with a 2-acetamido-2-deoxy-5-O-(3-deoxy-β-D-manno octulopyranosyl) -β-D-galactopyranosyl repeating unit, 129

Rat liver heparan sulphate, 361

Salmonella minnesota strain R5 (rough mutant chemotype RcP<sup>-</sup>), isolation and structural

- analysis of the tetrasaccharide from the core region of the lipopolysaccharide of, 159
- Shigella dysenteriae type 1 O-specific antigen, glycosyl-donor forms of fragments of, 219
- Starches, resistance to acid hydrolysis of lipidcomplexed and lipid-free amylose in lintnerised waxy and non-waxy barley, 289
- Structure of an extracellular polysaccharide produced by *Erwinia chrysanthemi*, 271
- Synthesis, chemical, and kinetic characterization of UDP-2-deoxy-D-lyxo-hexose ("UDP-2-deoxy-D-galactose"), a donor-substrate for  $\beta$ -(1  $\rightarrow$  4)-D-galactosyltransferase, 137
- Tetrasaccharide from the core region of the lipopolysaccharide of Salmonella minnesota strain R5 (rough mutant chemotype RcP<sup>-</sup>1) isolation and structural analysis, 159
- Tetrasaccharide glycopeptidolipid antigen of Mycobacterium avium serovar 20, synthesis of a spacer armed, 65
- Tetrasaccharide, Lewis-y, ethoxycarbonyloctanyl glycoside, synthesis of, 193
- Trehalose 6-mono- and 6,6'di-corynomycolates from *Corynebacterium matruchotii*, structural characterization of, 151
- p-Trifluoroacetamido 6-deoxy-2-O-{3-O-{2-O-methyl-3-O-{2-O- $\alpha$ -D-rhamnopyranosyl}- $\alpha$ -L-fuclpyranosyl}- $\alpha$ -L-rhamnopyranosyl}- $\alpha$ -L-talopyranoside, synthesis of, 65
- UDP-2-deoxy-D-lyxo-hexose ("UDP-2-deoxy-D-galactose"), a donor-substrate for  $\beta$ -(1  $\rightarrow$  4)-D-galactosyltransferase, chemical synthesis and kinetic characterization of, 137