

## CONTENTS

### *Special issue: Mechanism of enzymic glycoside hydrolysis and of glycosyl transfer*

#### *Foreword*

|                                                                                                                                                                                                                                                                                                                                                                                         |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Mechanism of enzymic glycoside hydrolysis and of glycosyl transfer by glycosidases and glycosyl-transferases<br>G. Legler (Köln, Germany) . . . . .                                                                                                                                                                                                                                     | vii |
| Synthesis and evaluation of diastereoisomeric alkylating pseudo-disaccharides as potential affinity reagents for trehalase<br>E. Bar-Guilloux (Caen, France), J. Defaye (Grenoble, France), J. Lehmann (Freiburg, Germany), R. Nardin (Grenoble, France), D. Robic (Paris, France) and K. Urbahns (Freiburg, Germany) . . . . .                                                         | 1   |
| $\beta$ -Galactosidases of <i>Escherichia coli</i> with substitutions for Glu-461 can be activated by nucleophiles and can form $\beta$ -D-galactosyl adducts<br>R.E. Huber and P.T. Chivers (Calgary, AB, Canada) . . . . .                                                                                                                                                            | 9   |
| Synthese von 2-Acetamido-1,4-imino-1,2,4-tridesoxy-D-galaktitol und kompetitive Inhibition der humanen lysosomalen $\beta$ -Hexosaminidase A<br>B. Liessem, A. Giannis, K. Sandhoff and M. Nieger (Bonn, Deutschland) . . . . .                                                                                                                                                         | 19  |
| Competitive inhibition of glycoside hydrolases by 1,3-diamino-1,3-dideoxy-tetritols and their cyclic carbonic and thiocarbonic amides<br>R. Jiricek, J. Lehmann, B. Rob and M. Scheuring (Freiburg, Germany) . . . . .                                                                                                                                                                  | 31  |
| Hydrolysis of $\alpha$ - and $\beta$ -D-glucosyl fluoride by individual glucosidases: new evidence for separately controlled "plastic" and "conserved" phases in glycosylase catalysis<br>H. Matsui, Y. Tanaka, C.F. Brewer, J.S. Blanchard and E.J. Hehre (Bronx, NY, USA) . . . . .                                                                                                   | 45  |
| Transglycosylation reaction of maltotriose-forming amylase from <i>Streptomyces griseus</i><br>T. Usui, T. Murata, Y. Yabuuchi and K. Ogawa (Shizuoka, Japan) . . . . .                                                                                                                                                                                                                 | 57  |
| 2,5-Dideoxy-2,5-imino-D-mannitol and -D-glucitol. Two-step bio-organic syntheses from 5-azido-5-deoxy-D-glucofuranose and -L-idofuranose; evaluation as glucosidase inhibitors and application in affinity purification and characterisation of invertase from yeast<br>G. Legler, A. Korth (Köln, Germany), A. Berger, C. Ekhardt, G. Gradnig and A.E. Stütz (Graz, Austria) . . . . . | 67  |
| Hydrolysis of glycosylpyridinium ions by anomeric-configuration-inverting glycosidases<br>B. Padmaperuma and M.L. Sinnott (Chicago, IL, USA) . . . . .                                                                                                                                                                                                                                  | 79  |
| Substrate recognition by amyloglucosidase: evaluation of conformationally biased isomaltosides<br>M.M. Palcic (Edmonton, AB, Canada), T. Skrydstrup, K. Bock, N. Le and R.U. Lemieux (Copenhagen, Denmark) . . . . .                                                                                                                                                                    | 87  |

|                                                                                                                                                                                                                                                                                                                              |     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <i>N</i> -Substituted ( $\beta$ -D-galactopyranosylmethyl)amines as reversible inhibitors of $\beta$ -D-galactosidase<br>J.N. BeMiller (West Lafayette, IN, USA), R.J. Gilson, R.W. Myers, M.M. Santoro<br>(Carbondale, IL, USA) and M.P. Yadav (West Lafayette, IN, USA) .....                                              | 93  |
| Suicide-substrate inactivation of $\beta$ -galactosidase by diazomethyl $\beta$ -D-galactopyranosyl ketone<br>J.N. BeMiller (West Lafayette, IN, USA), R.J. Gilson, R.W. Myers and M.M. Santoro<br>(Carbondale, IL, USA) .....                                                                                               | 101 |
| Configurationally selective transition state analogue inhibitors of glycosidases. A study with<br>nojiritetrazoles, a new class of glycosidase inhibitors<br>P. Ermert, A. Vasella (Zürich, Switzerland), M. Weber, K. Rupitz and S.G. Withers<br>(Vancouver, BC, Canada) .....                                              | 113 |
| Chemoenzymic synthesis of sialylated and fucosylated oligosaccharides having an <i>N</i> -acetylacto-<br>saminy core<br>M.A. Kashem, K.B. Wlasichuk, J.M. Gregson and A.P. Venot (Edmonton, AB, Canada) .....                                                                                                                | 129 |
| Use of human-milk fucosyltransferase in the chemoenzymic synthesis of analogues of the sialyl<br>Lewis <sup>x</sup> and sialyl Lewis <sup>a</sup> tetrasaccharides modified at the C-2 position of the reducing<br>unit<br>P.V. Nikrad, M.A. Kashem, K.B. Wlasichuk, G. Alton and A.P. Venot (Edmonton, AB,<br>Canada) ..... | 145 |
| Aminosubstituted $\alpha$ -D-glucosylmethylbenzenes (benzyl $\alpha$ -C-glucosides) and an <i>N</i> -(C- $\alpha$ -D-gluco-<br>sylmethyl)aniline (anilinomethyl $\alpha$ -C-glucoside); novel $\alpha$ -D-glucosidase inhibitors<br>H. Dietrich and R.R. Schmidt (Konstanz, Germany) .....                                   | 161 |
| <i>Notes</i>                                                                                                                                                                                                                                                                                                                 |     |
| Chemical modification of the sugar moiety of methyl acarviosin: synthesis and inhibitory activity<br>of eight analogues containing a 1,6-anhydro bridge<br>S. Ogawa and D. Aso (Yokohama, Japan) .....                                                                                                                       | 177 |
| Synthesis and inhibition studies of C-(D-glycopyranosyl)methylamines<br>W. Lai and O.R. Martin (Binghamton, NY, USA) .....                                                                                                                                                                                                   | 185 |
| <i>N</i> -Bromoacetyl-glycopyranosylamines as affinity labels for a $\beta$ -glucosidase and a cellulase<br>T.S. Black, L. Kiss, D. Tull and S.G. Withers (Vancouver, BC, Canada) .....                                                                                                                                      | 195 |
| <i>End of Special issue</i>                                                                                                                                                                                                                                                                                                  |     |
| <i>Regular papers</i>                                                                                                                                                                                                                                                                                                        |     |
| NMR studies of molybdate complexes of D-allose, D-altrose, D-gulose, and D-idose<br>M. Matulová and V. Bílik (Bratislava, Slovakia) .....                                                                                                                                                                                    | 203 |
| Synthesis of 2,3-di- <i>O</i> -glycosyl derivatives of methyl $\alpha$ - and $\beta$ -D-glycopyranoside<br>N.E. Nifant'ev, V.Y. Amochaeva, A.S. Shashkov and N.K. Kochetkov (Moscow, Russian<br>Federation) .....                                                                                                            | 211 |
| Wittig reaction of unprotected D-aldopentoses with stabilized ylides: metal-ion effects<br>D. Horton and D. Koh (Columbus, OH, USA) .....                                                                                                                                                                                    | 231 |

|                                                                                                                                                                                                                                                                                                                                                                                                   |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Stereocontrol in Diels–Alder cycloaddition to unsaturated sugars: reactivities of acyclic seven-carbon <i>trans</i> dienophiles derived from aldopentoses<br>D. Horton and D. Koh (Columbus, OH, USA) . . . . .                                                                                                                                                                                   | 249 |
| Stereocontrol in Diels–Alder cycloaddition to unsaturated sugars: reactivities of <i>cis</i> -dienophiles with cyclopentadiene<br>D. Horton, D. Koh and Y. Takagi (Columbus, OH, USA) . . . . .                                                                                                                                                                                                   | 261 |
| Studies of O-specific polysaccharide chains of <i>Pseudomonas solanacearum</i> lipopolysaccharides consisting of structurally different repeating units<br>N.A. Kocharova, Y.A. Knirel, A.S. Shashkov, N.E. Nifant'ev, N.K. Kochetkov (Moscow, Russian Federation) L.D. Varbanets, N.V. Moskalenko, O.S. Brovanskaya, V.A. Muras (Kiev, Ukraine) and J.M. Young (Auckland, New Zealand) . . . . . | 275 |
| Chemical structure and conformational features of cell-wall polysaccharides isolated from <i>Aphanoascus mephitalus</i> and related species<br>J. Jiménez-Barbero, M. Bernabé, J.A. Leal, A. Prieto and B. Gómez-Miranda (Madrid, Spain) . . . . .                                                                                                                                                | 289 |
| High-performance gel-permeation chromatography of chitosan samples<br>M. Terbojevich, A. Cosani (Padova, Italy) B. Focher (Milano, Italy) and E. Marsano (Genova, Italy) . . . . .                                                                                                                                                                                                                | 301 |
| <i>Notes</i>                                                                                                                                                                                                                                                                                                                                                                                      |     |
| Synthesis of the 3-deoxy-3-C-(phosphonomethyl) analogue of 1D- <i>myo</i> -inositol 3-(dihydrogen-phosphate)<br>S.C. Johnson, F. Tagliaferri and D.C. Baker (Knoxville, TN, USA) . . . . .                                                                                                                                                                                                        | 315 |
| Reactions of 2-methyl-5-(D- <i>arabino</i> -tetrahydroxybutyl)-3-furoylhydrazine<br>M.M. El Sadek, N.B. Zagzoug and N.N. El Socary (Alexandria, Egypt) . . . . .                                                                                                                                                                                                                                  | 323 |
| Preparation of hexopyranose 2-tosylates and their facile conversion into 1,2-anhydro hexopyranoses by internal displacement<br>E. Wu and Q. Wu (Beijing, People's Republic of China) . . . . .                                                                                                                                                                                                    | 327 |
| Primary structure of the polysaccharide chain of virulent <i>Pseudomonas solanacearum</i> biotype II lipopolysaccharide<br>T. Bhattacharyya and S. Basu (Calcutta, India) . . . . .                                                                                                                                                                                                               | 335 |
| <i>Preliminary communication</i>                                                                                                                                                                                                                                                                                                                                                                  |     |
| A facile and regioselective synthesis of partially benzoylated 3',4'- <i>O</i> -isopropylidene- $\beta$ -lactosides as standardized key intermediates for sialyl Lewis X (sLe <sup>X</sup> ) analogues<br>M.A. Nashed and J.H. Musser (Alameda, CA, USA) . . . . .                                                                                                                                | C1  |
| <i>Erratum</i> . . . . .                                                                                                                                                                                                                                                                                                                                                                          | C5  |
| <i>Book review</i> . . . . .                                                                                                                                                                                                                                                                                                                                                                      | C7  |
| <i>Author index</i> . . . . .                                                                                                                                                                                                                                                                                                                                                                     | C9  |
| <i>Subject index</i> . . . . .                                                                                                                                                                                                                                                                                                                                                                    | C11 |