

SUBJECT INDEX

- 2-Acetamido-2-deoxy-D-glucopyranosyl residues, linkage positions in, improved procedure for analysis by the reductive-cleavage method, 115
- O*-[2-Acetamido-2-deoxy-6-*O*-stearoyl- and -6-*O*-(2-tetradecylhexadecanoyl)- β -D-glucopyranosyl]-(1 \rightarrow 4)-*N*-acetylnormuramoyl-L- α -aminobutanoyl-D-isoglutamine, lipophilic disaccharide analogues of MDP, synthesis of, 269
- Acyclic analogues of lipid A, synthesis of 4-phosphonoxybutyl and 3-phosphonoxypropyl glycosides of 2-amino-2-deoxy-D-glucose, 251
- Agrocye cylindracea*, structural features and hypoglycemic activities of two polysaccharides from a hot-water extract of, 81
- 2-Amino-2-deoxy sugars, preparation by stereoselective reduction of 2-hydroxyimino-hexopyranosides using LiBH₄-Me₃SiCl, 233
- Analysis by the reductive-cleavage method of a polysaccharide containing 2-acetamido-2,6-dideoxy-D- and -L-galactopyranosyl residues, 127
- 1,2-Anhydro-3,4,5-tri-*O*-benzyl- β -D-fructopyranose, synthesis of, 243
- Ballou, Professor Clinton Edward, biographical sketch, vii
- Blood-group A and B gene-specified glycosyltransferases, *O*-methyl, epimeric, and amino analogues of the acceptor for the, 33
- Bupleurum falcatum* L., antiulcer pectin from the roots of, structural studies of endopolygalacturonase-resistant fragments, 145
- Chemical and enzymatic synthesis of multivalent sialoglycopeptides, 285
- Core oligosaccharide component from *Hafnia alvei* strain 32 and 1192 lipopolysaccharides, structure of a, 327
- Crystal and molecular structure of erlose trihydrate, 203
- 3-Deoxy- and 4-deoxy- β -D-galactopyranoside, allyl, synthesis, 69
- Disaccharide analogues of MDP, synthesis of *O*-[2-acetamido-2-deoxy-6-*O*-stearoyl- and -6-*O*-(2-tetradecylhexadecanoyl)- β -D-glucopyranosyl]-(1 \rightarrow 4)-*N*-acetylnormuramoyl-L- α -aminobutanoyl-D-isoglutamine, 269
- Disaccharide glycosides, Gal(1 \rightarrow 2)- and Gal(1 \rightarrow 3)-linked, preparation, 69
- Dispirodioxanyl pseudo-oligosaccharides, synthesis by selective protonic activation of isomeric glycosylfructoses in anhydrous HF, 1
- Endopolygalacturonase-resistant fragments of an antiulcer pectin from the roots of *Bupleurum falcatum* L., 145
- Enzymatic and chemical synthesis of multivalent sialoglycopeptides, 285
- Erlose trihydrate, crystal and molecular structure of, 203
- Extracellular polysaccharide PS-P4 produced by *Sphingomonas paucimobilis* P4 (DSM 6418), structure and physical properties of the, 303
- Fructopyranose, synthesis of 1,2-anhydro-3,4,5-tri-*O*-benzyl- β -D-, 243
- 6- α -L-Fucosyltransferase (Fuc \rightarrow Asn-linked GlcNAc) of rat-liver Golgi membranes, specificity studies, 163
- D-Fructose dianhydrides, glycosylated, by action of anhydrous HF on glycosylfructoses, 1
- Fungal cell-wall polysaccharides from two strains of *Talaromyces flavus*, structural studies, 315
- α -D-Galactopyranosides, methyl *O*- α -L-rhamnopyranosyl-(1 \rightarrow 2)-, specifically deoxygenated at position 3, 4, or 6 of the galactose residue, synthesis, 213
- Gal(1 \rightarrow 2)- and Gal(1 \rightarrow 3)-linked disaccharide glycosides and allyl 3-deoxy- and 4-deoxy- β -D-galactopyranoside, synthesis, 69

- Glycamine formation via reductive amination of oligosaccharides with benzylamine: efficient coupling of oligosaccharides to protein, 175
- Glycosylfructoses, conversion into pseudo-oligosaccharides (di-D-fructose dianhydrides) by action of anhydrous HF, 1
- Glycosyltransferases, blood-group A and B gene-specified, O-methyl, epimeric, and amino analogues of the acceptor for the, 33
- Hafnia alvei* strain 32 and 1192 lipopolysaccharides, the structure of a core oligosaccharide component from, 327
- Hydrogen fluoride, anhydrous, protonic reactivity of sucrose in, 17
- 2-Hydroxyimino-hexopyranosides, stereoselective reduction using $\text{LiBH}_4\text{--Me}_3\text{SiCl}$, 233
- Hypoglycemic activities and structural features of two polysaccharides from a hot-water extract of *Agrocybe cylindracea*, 81
- Linkage positions in 2-acetamido-2-deoxy-D-glucopyranosyl residues, improved procedure for analysis by the reductive-cleavage method, 115
- Lipid A acyclic analogues, synthesis of 4-phosphonoxylbutyl and 3-phosphonoxylpropyl glycosides of 2-amino-2-deoxy-D-glucose, 251
- Lipopolysaccharides, the structure of a core oligosaccharide component from *Hafnia alvei* strain 32 and 1192, 327
- Maltodextrins and isomaltodextrins by thin-layer chromatography, separation and quantitative determination of nanogram quantities of, 187
- 1,2- α -D-Mannosidase from a *Bacillus* sp.: purification, characterization, and mode of action, 89
- Mycobacterium smegmatis* strains, new pyruvylated, glycosylated, fatty-acylated trehaloses from, and their implications for phage resistance in mycobacteria, 99
- Pectin, antiulcer, from the roots of *Bupleurum falcatum* L., structural studies of endopolygalacturonase-resistant fragments of an, 145
- 4-Phosphonoxylbutyl and 3-phosphonoxylpropyl glycosides of 2-amino-2-deoxy-D-glucose, synthesis of acyclic analogues of lipid A, 251
- Polysaccharide containing 2-acetamido-2,6-dideoxy-D- and -L-galactopyranosyl residues, analysis of a, by the reductive-cleavage method, 127
- Polysaccharide PS-P4 produced by *Sphingomonas paucimobilis* P4 (DSM 6418), structure and physical properties of the extracellular, 303
- Polysaccharides from two strains of *Talaromyces flavus*, structural studies of fungal cell-wall, 315
- Proteins, method for the formation of oligosaccharide glycamines for coupling to, 175
- Protonic reactivity of sucrose in anhydrous HF, 17
- Recognition of synthetic O-methyl, epimeric, and amino analogues of the acceptor α -L-Fucp-(1 \rightarrow 2)- β -D-Galp-OR by the blood-group A and B gene-specified glycosyltransferases, 33
- Reductive animation of oligosaccharides with benzylamine, yielding glycamines for coupling to proteins, 175
- Reductive-cleavage method, analysis of a polysaccharide containing 2-acetamido-2,6-dideoxy-D- and -L-galactopyranosyl residues by, 127
- Reductive-cleavage method, improved procedure for the analysis of linkage positions in 2-acetamido-2-deoxy-D-glucopyranosyl residues by the, 115
- O- α -L-Rhamnopyranosyl-(1 \rightarrow 2)- α -D-galactopyranosides, methyl, specifically deoxygenated at position 3, 4, or 6 of the galactose residue, synthesis, 213
- Separation and quantitative determination of nanogram quantities of maltodextrins and isomaltodextrins by thin-layer chromatography, 187
- Shigella dysenteriae* type 1, antigenic determinant of O-specific polysaccharide, synthesis, 213
- Sialoglycopeptides, chemical and enzymatic synthesis of multivalent, 285
- Sphingomonas paucimobilis* P4 (DSM 6418), structure and physical properties of the extracellular polysaccharide PS-P4 produced by, 303
- Stereoselective reduction of 2-hydroxyimino-hexopyranosides, studies using $\text{LiBH}_4\text{--Me}_3\text{SiCl}$, 233
- Structure of erlose trihydrate, crystal and molecular, 203
- Sucrose, protonic reactivity in anhydrous HF, 17
- Synthesis, chemical and enzymatic, of multivalent sialoglycopeptides, 285
- Synthesis of 1,2-anhydro-3,4,5-tri-O-benzyl- β -D-fructopyranose, 243
- Talaromyces flavus*, structural studies of fungal cell-wall polysaccharides from two strains of, 315

Thin-layer chromatography, separation and quantitative determination of nanogram quantities of maltodextrins and isomaltodextrins by, 187

Trehaloses, new pyruvylated, glycosylated, fatty-acylated, from *Mycobacterium smegmatis* strains and their implications for phage resistance in mycobacteria, 99