SUBJECT INDEX

- Acetobacter methanolicus MB 70, structure of the capsular polysaccharide and the O-side chain of the lipopolysaccharide from, 277
- Acetobacter methanolicus MB 135 (IMET 11402), structure of the capsular polysaccharide and the O-side-chain of the lipopolysaccharide from, 283
- Affinity chromatography of human serum amyloid P protein, synthesis and use of 5-aminopentyl 4,6-O-[(R)-1-carboxyethylidene]-β-D-galactopyranoside as a ligand for the, 167
- α -Agarase action on agarose, 69
- Agarose oligomers, NMR investigation, 69
- 2-C-Alkyl-2,3-dideoxy-α,β-L-glycero-tetrurono-1,4-lactones, synthesis, and evaluation as antitumor agents, 225
- 3-C-Alkyl-(or 3-C-phenyl-) 2,3-dideoxy-Derythro-pentono-1,4-lactones, a synthetic route to. 207
- 5-Aminopentyl 4,6-O-[(R)-1-carboxyethylidene]β-D-galactopyranoside, synthesis and use as a ligand for the affinity chromatography of human serum amyloid P protein, 167
- 5-Aminopentyl mono- to tri-saccharide haptens related to the species-specific glycopeptidolipids of Mycobacterium avium-intracellulare serovars 8 and 21, synthesis of 5aminopentyl, 151
- Amino sugars, interaction of copper(II) ions with 1,6-anhydro derivatives of, 19
- 1,6-Anhydro derivatives of amino sugars, interaction with copper(II) ions, 19
- Antigen from Klebsiella type 55, synthesis of a tetrasaccharide related to the repeating unit of the. 301
- Azasugars from the leaves of Morus bombycis, 235
- Bemisia, honeydew, bemisiose, an unusual trisaccharide in, 339
- Bemisiose, an unusual trisaccharide in *Bemisia* honeydew, 339

- Benzyl, phenylethyl apiosyl-glucosides, syntheses, 79
- Borate esters of mono- and di-saccharides, structure and (local) stability constants as studied by ¹¹B and ¹³C NMR spectroscopy,
- 1-Bromo-1-nitro-p-galacto(and p-manno)-hept-1-enitols and their 1,3-dipolar cycloaddition reactions with diazoalkanes, preparation of, 307
- Capsular polysaccharide and the O-side-chain of the lipopolysaccharide from *Acetobacter methanolicus* MB 135 (IMET 11402), structure of the, 283
- Capsular K96 polysaccharide (K96 antigen) from E. coli O77:K96:H⁻, structure and comparison with the K54 antigen from E. coli O6:K54:H10, 323
- 4,6-O-[(R)-1-Carboxyethylidene]-β-D-galactopyranoside, synthesis of 5-aminopentyl, and its use as a ligand for the affinity chromatography of human serum amyloid P protein, 167
- Citronellyl apiosyl-glucosides, syntheses, 79
- Conformational analysis of (±)-1,2:4,5-di-O-iso-propylidene-myo-inositol and (±)-1,2:5,6-di-O-isopropylidene-myo-inositol by crystal structure analysis, 13
- Conformational equilibria of 4-thiomaltose and nitrogen analogues of maltose in aqueous solutions. 51
- Copper(II) ions, interaction with 1,6-anhydro derivatives of amino sugars, 19
- Crystal structure of the 1:1 complex of heptakis(2,3,6-tri-O-methyl)cyclomaltoheptaose (permethylated β-cyclodextrin) with ethyl laurate, 39
- Crystal structures of (±)-1,2:4,5-di-O-isopropylidene-myo-inositol and (±)-1,2:5,6-di-O-isopropylidene-myo-inositol, 13

- Cyanides, synthesis and configurational assignment of pyranoid p-frucosyl and L-sorbosyl, 141
- Cycloaddition reactions with diazoalkanes, preparation of 1-bromo-1-nitro-p-galacto-(and p-manno)-hept-1-enitols and their 1,3-dipolar, 307
- Cyclomaltoheptaose, crystal structure of the 1:1 complex of ethyl laurate with heptakis(2,3,6-tri-O-methyl)-, 39
- 3-Deoxy-3-fluoro-D-fructose synthesis by hydroxymethylation of 2-deoxy 2-fluoro-D-arabinono-1,4-lactone, 195
- Escherichia coli O20:K83:H26, structural elucidation by high resolution NMR spectroscopy of the capsular polysaccharide produced by, 247
- Escherichia coli O77:K96:H⁻, structure of the capsular K96 polysaccharide (K96 antigen) and comparison with the K54 antigen from E. coli O6:K54:H10, 323
- Ethyl laurate, crystal structure of the 1:1 complex of heptakis(2,3,6-tri-O-methyl)cyclomaltoheptaose (permethylated β-cyclodextrin) with, 39
- Fructan isomers, separation by high performance anion exchange chromatography, 287
- D-Fructosyl and L-sorbosyl cyanides, synthesis and configurational assignment of pyranoid, 141
- 2(3H)-Furanones intermediates, synthesis of, 207
- Geranyl apiosyl-glucosides, syntheses, 79
- β -D-Glucan linkages, a *Phanerochaete chrysosporium* β -D-glucosidase/ β -D-xylosidase with specificity for $(1 \rightarrow 3)$ -, 265
- (1 → 3)-β-p-Glucan, yeast-derived, molecular weight analysis of a water-insoluble, by organic-phase size-exclusion chromatography, 293
- 2-S-α-D-Glucopyranosyl- and 2-S-β-D-glucopyranosyl-2-thio-D-glucopyranose, a convenient synthesis of, 185
- β-D-Glucosidase/β-D-xylosidase with specificity for (1 → 3)-β-D-glucan linkages, from *Phanerochaete chrysosporium*, 265
- Glycopeptidolipid from Mycobacterium avium serovariant 8, pyruvic acid-containing trisac-charide unit of the species-specific, chemical synthesis, 111

- Glycopeptidolipids of *Mycobacterium avium-in-tracellulare* serovars 8 and 21, synthesis of 5-aminopentyl mono- to tri-saccharide haptens related to the species-specific, 151
- Hept-1-enitols and their 1,3-dipolar cycloaddition reactions with diazoalkanes, preparation of 1-bromo-1-nitro-p-galacto(and p-manno)-, 307
- High performance anion exchange chromatography, separation of fructan isomers by, 287
- Honeydew, bemisiose, an unusual trisaccharide in *Bemisia*, 339
- Hydroxymethylation of aldonolactones and a chemical synthesis of 3-deoxy-3-fluoro-D-fructose, 195
- β-L-Idopyranuronate, methyl 1,2,3,4-tetra-O-acetyl-, efficient synthesis, 299
- myo-Inositol, crystal structures and conformational analysis of (±)-1,2:4,5- and (±)-1,2:5,6-di-O-isopropylidene-, 13
- Ketohexoses synthesis from pentonolactones, 195
- Ketoses synthesis from aldonolactones, 195
 Klebsiella pneumoniae ATCC 316 46, structure
 of the polysaccharide S-156 elaborated by,
 317
- Klebsiella type 55, synthesis of a tetrasaccharide related to the repeating unit of the antigen from, 301
- Kojibiose and 2-thiosophorose, a convenient synthesis for 2-thio-, 185
- K96 polysaccharide (K96 antigen) from E. coli O77:K96:H⁻, structure of the capsular, and comparison with the K54 antigen from E. coli O6:K54:H10, 323
- α-Laminarabioside, methyl hepta-O-acetyl-, molecular and crystal structure of, 29
- Lipopolysaccharide from Acetobacter methanolicus MB 70, structure of the capsular polysaccharide and the O-side chain of the, 277
- Lipopolysaccharide from Acetobacter methanolicus MB 135 (IMET 11402), structure of the capsular polysaccharide and the O-side-chain of the, 283
- Methyl 1,2,3,4-tetra-O-acetyl-β-L-idopyranuronate, efficient synthesis, 299
- 3-O-Methyl-p-mannose, synthesis of tetrasaccharides containing, as model compounds for xylose-containing carbohydrate chains from N-glycoproteins, 121

- Molecular weight analysis of a water-insoluble, yeast-derived $(1 \rightarrow 3)$ - β -D-glucan by organic-phase size-exclusion chromatography, 293
- Mono- to tri-saccharide haptens related to the species-specific glycopeptidolipids of Mycobacterium avium-intracellulare serovars 8 and 21, synthesis of 5-aminopentyl, 151
- Mono- and di-saccharides, structure and (local) stability constants of borate esters as studied by ¹¹B and ¹³C NMR spectroscopy, 1
- Morus bombycis, azasugars from the leaves of,
- Mycobacterium avium serovariant 8, pyruvic acid-containing trisaccharide unit of the species-specific, chemical synthesis, glycopeptidolipid from, 111
- Neryl apiosyl-glucosides, syntheses, 79
- Nitrogen analogues and 4-thiomaltose, conformational equilibria in aqueous solution, 51
- NMR spectroscopic investigation of agarose oligomers produced by an α -agarase, 69
- Oligosaccharides resulting from bacteriophage degradation of the capsular polysaccharide and the O-side chain of the lipopolysaccharide from Acetobacter methanolicus MB 70, 277
- Phanerochaete chrysosporium β -D-glucosidase/ β -D-xylosidase with specificity for $(1 \rightarrow 3)$ - β -D-glucan linkages, 265
- Polysaccharide K96 (K96 antigen) from E. coli O77:K96:H⁻, structure of the capsular, and comparison with the K54 antigen from E. coli O6:K54:H10, 323
- Polysaccharide S-156 elaborated by *Klebsiella* pneumoniae ATCC 316 46, structure of the, 317
- Polysaccharide of Salmonella arizonae O62, structure of the O-specific, 101
- Polysaccharide produced by E. coli O20:K83: H26, structural elucidation by high resolution NMR spectroscopy of the capsular, 247
- Polysaccharide produced by *Proteus vulgaris* (ATCC 49990), the structure of the, 257
- Proteus vulgaris (ATCC 49990), the structure of the polysaccharide produced by, 257
- Pyranoid D-fructosyl and L-sorbosyl cyanides, synthesis and configurational assignment of, 141
- Pyruvic acid-containing trisaccharide unit of the species-specific glycopeptidolipid from *My-cobacterium avium* serovariant 8, chemical synthesis, 111

- Salmonella arizonae O62, structure of the Ospecific polysaccharide of, 101
- Structural elucidation of the capsular polysaccharide expressed by *E. coli* O20:K83:H26 by high resolution NMR spectroscopy, 247
- Structure and (local) stability constants of borate esters of mono- and di-saccharides as studied by ¹¹B and ¹³C NMR spectroscopy, ¹
- Structure of oligosaccharides produced by the action of an α -agarase on agarose, 69
- Structure of the polysaccharide S-156 elaborated by *Klebsiella pneumoniae* ATCC 316 46, 317
- Structure of the O-specific polysaccharide of Salmonella arizonae O62, 101
- Structure, molecular and crystal, of methyl hepta-O-acetyl-α-laminarabioside, 29
- Synthesis of some 2-C-alkyl-2,3-dideoxy-α,β-Lglycero-tetrurono-1,4-lactones. Evaluation as antitumor agents, 225
- Synthetic route to 3-C-alkyl-(or 3-C-phenyl) 1,3-dideoxy-p-erythro-pentono-1,4-lactones: intermediates in the synthesis of 2(3H)-furanoses, 207
- Terpinevl apiosyl-glucosides, syntheses, 79
- Tetrasaccharide related to the repeating unit of the antigen from *Klebsiella* type 55, synthesis of a, 301
- Tetrasaccharides containing 3-O-methyl-D-mannose, synthesis as model compounds for xylose-containing carbohydrate chains from N-glycoproteins, 121
- Tetrurono-1,4-lactones, synthesis, and evaluation as antitumor agents, 225
- 2-Thiokojibiose and 2-thiosophorose, a convenient synthesis for, 185
- 4-Thiomaltose and nitrogen analogues of maltose, conformational equilibria in aqueous solution, 51
- Trisaccharide in *Bemisia* honeydew, bemisiose, an unusual, 339
- Trisaccharide unit of the species-specific glycopeptidolipid from *Mycobacterium avium* serovariant 8, chemical synthesis of the pyruvic acid-containing, 111

Wine aroma precursors, 79

Xylose-containing carbohydrate chains from Nglycoproteins, synthesis of tetrasaccharides containing 3-O-methyl-D-mannose as model compounds, 121