



Carbohydrate Research 256 (1994) C7-C9

SUBJECT INDEX

- 4-Amino-4,6-dideoxy-2-O-methylmannose, identification in the lipopolysaccharide of Vibrio cholerae O1 serotype Ogawa, 113
- β-Amylolysis in the inhibition of amylopectin retrogradation, 129
- Aminoglycans, an examination of the unusual susceptibilities of to enzymatic hydrolysis, 159
- Amylopectin retrogradation inhibited by partial β -amylolysis, 129
- O Antigen, the structure of the lipopolysaccharide, from *Yersinia ruckeri* serotype 01, 303
- Aqueous solution structure of the tetrasaccharide-ribitol repeat unit from the lipoteichoic acid of *Streptococcus pneumoniae* strain R6 determined by a combination of NMR spectroscopy and computer calculations, 189
- Blood-group H gene-specified glycosyltransferase, recognition of synthetic analogues of the acceptor, β -D-Galp-OR, by the, 257
- Calcium affinity, of a fucosylated chondroitin sulfate from sea cucumber, 275
- Calcium ions, selective and cooperative binding by pectins, 71
- Caramel, protonic and thermal activation of sucrose and the oligosaccharide composition of, C1
- 2-Carbamoyl-2-deoxyglycosides, an approach to pseudo-glycopeptides from, 319
- Carbohydrate metabolism in liver and muscle, differing patterns of, 139
- 2-C: 1-N-Carbonyl-2-deoxy-D-glycopyranosylamines, conformations, 1
- Chemoenzymatic synthesis of D-myo-inositol 1,4,5-triphosphate, a, 49
- Chitin xanthate and xanthate ester derivatives, 331

- Chlorogenic acid, the major substrate of apple polyphenol oxidase, binding geometry, stoichiometry, and thermodynamics of cyclomalto-oligosaccharide (cyclodextrin) inclusion complex formation with, 13
- Chondroitin sulfate, from sea cucumber, increased calcium affinity of a fucosylated, 275
- Chromate, in vitro reducing abilities of various hydroxy-containing compounds, including saccharides and their derivatives towards, 29
- Conformations of 2-C:1-N-carbonyl-2-deoxy-D-glycopyranosylamines, 1
- Cyclodextrin (cyclomalto-oligosaccharide) inclusion complex formation with chlorogenic acid, the major substrate of apple polyphenol oxidase, binding geometry, stoichiometry and thermodynamics of, 13
- Cyclomalto-oligosaccharide (cyclodextrin) inclusion complex formation with chlorogenic acid, the major substrate of apple polyphenol oxidase, binding geometry, stoichiometry and thermodynamics of, 13
- Deacetamido sugar as a component of the capsular polysaccharide of *E. coli* K48, identification of a novel, 289
- Degradation of L-threose, at Maillard reaction conditions, 41
- 2'-Deoxyguanosine, reaction with glucose, 177
- 3,4-Dideoxy-4-amino-p-arabino-heptulosonic acid-7 phosphate, synthesis of, 245
- E. coli K48 capsular polysaccharide, structure of, and identification of a novel diacetamido sugar component, 289
- Enzymatic hydrolysis, an examination of the unusual susceptibilities of aminoglycans to, 159

- 2-Fluoroethyl β-D-galactopyranoside and 2-fluoroethyl 6-O-β-D-galactopyranosyl-β-D-galactopyranoside, synthesis from lactose using β-D-galactosidase, 185
- β-D-Galactopyranoside and 6-O-β-D-galactopyranosyl-β-D-galactopyranoside, synthesis from lactose of 2-fluoroethyl, using β-D-galactosidase, 185
- β -D-Galactosidase, synthesis of 2-fluoroethyl β -D-galactopyranoside and 2-fluoroethyl 6-O- β -D-galactopyranosyl- β -D-galactopyranoside from lactose using, 185
- β-D-Gal p-OR, recognition of synthetic analogues of the acceptor, by the blood-group H gene-specified glycosyltransferase, 257
- Glucose moiety of methyl β -lactoside, involvement in the molecular recognition by ricin, 223
- Glucose, reaction of guanosine, 2'-deoxyguanosine and guanosine-5'-monophosphate with, 177
- α-D-Glucosidase, novel structures of N-linked high-mannose type oligosaccharides containing α-D-galactofuranosyl linkages in Aspergillus niger, 149
- Glycopeptide with phytoalexin elicitor activity I, synthesis of a. Syntheses of triglycosyl L-serine and a triglycosyl L-serine-L-proline dipeptide, 59
- Glycopeptides, an approach to pseudo-, from 2-carbamoyl-2-deoxyglycosides, 319
- Glycopyranosylamines, conformations of 2-C:1-N-carbonyl-2-deoxy-D-, 1
- Glycosyltransferase, blood-group H gene-specified, recognition of synthetic analogues of the acceptor, β -D-Galp-OR, by the, 257
- Guanosine-5'-monophosphate, reaction with glucose, 177
- Guanosine, reaction with glucose, 177
- High-mannose type oligosaccharides, containing α -D-galactofuranosyl linkages in A. niger α -D-glucosidase, novel structure of N-linked, 149
- Hydrolysis, enzymatic, an examination of the unusual susceptibilities of aminoglycans to, 159
- Inositol 1,4,5-triphosphate, a chemoenzymatic synthesis of p-myo-, 49
- Lipopolysaccharide of *Vibrio cholerae* O1 serotype Ogawa, identification of 4-amino-4,6-dideoxy-2-O-methylmannose as a constituent of the, 113

- Lipopolysaccharide, the structure of the O antigen from *Yersinia ruckeri* serotype 01, 303
- Lipoteichoic acid of Streptococcus pneumoniae strain R6 determined by a combination of NMR spectroscopy and computer calculations, aqueous solution structure of the tetrasaccharide-ribitol repeat unit from the, 189
- Liver and muscle, differing patterns of carbohydrate metabolism in, 139
- Maillard reaction conditions, the degradation of L-threose at, 41
- L-Mannosyl and L-rhamnosyl terminal groups randomly distributed in the repeating units of welan gum (S-130), determination by FABMS, 327
- Metabolism in liver and muscle, differing patterns of carbohydrate, 139
- Methyl β -lactoside, synthesis, conformational analysis, and binding studies to ricin of different derivatives of, 223
- Molecular recognition of methyl β -lactoside by ricin, involvement of the glucose moiety in the, 223
- Pectic hairy regions in various plant cell wall materials, occurrence and degradability by rhamnogalacturonase, 83
- Pectic hairy regions, isolation and characterization of rhamnogalacturonan oligomers liberated during degradation by rhamnogalacturonase, 97
- Pectins and calcium ions binding, selectivity and cooperativity, 71
- Phytoalexin elicitor activity I, synthesis of a glycopeptide with. Syntheses of triglycosyl Lserine and a triglycosyl L-serine-L-proline dipeptide, 59
- Plant cell wall materials, occurrence of pectic hairy regions and their degradability by rhamnogalacturonase, 83
- Polysaccharide, structure of the *E. coli* K48 capsular, 289
- Protonic and thermal activation of sucrose and the oligosaccharide composition of caramel, C1
- Pseudo-glycopeptides from 2-carbomoyl-2-deoxyglycosides, an approach to, 319
- Recognition of synthetic analogues of the acceptor, β-D-Galp-OR, by the blood-group H gene-specified glycosyltransferase, 257
- Reducing abilities, in vitro, towards chromate of various hydroxy-containing compounds, including saccharides and their derivatives, 29

- Repeating units of welan gum (S-130), determination by FABMS of randomly distributed L-mannosyl and L-rhamnosyl groups in, 327
- Rhamnogalacturonan oligomers liberated during degradation of pectic hairy regions by rhamnogalacturonase, isolation and characterization, 97
- Rhamnogalacturonase, isolation and characterization of rhamnogalacturonan oligomers liberated during degradation of pectic hairy regions by, 97
- Rhamnogalacturonase, occurrence of pectic hairy regions in various plant cell wall materials and their degradability by, 83
- Sucrose and the oligosaccharide composition of caramel, protonic and thermal activation of, C1
- Synthesis of D-myo-inositol 1,4,5-triphosphate, a chemoenzymatic, 49

- Tetrasaccharide-ribitol repeat unit from the lipoteichoic acid of *Streptococcus pneumoniae* strain R6 determined by a combination of NMR spectroscopy and computer calculations, aqueous solution structure of the, 189
- L-Threose, the degradation of, at Maillard reaction conditions, 41
- Vibrio cholerae O1 serotype Ogawa, identification of 4-amino-4,6-dideoxy-2-O-methyl mannose in the lipopolysaccharide, 113
- Welan gum (S-130), determination by FABMS of repeating units with randomly distributed L-mannosyl and L-rhamnosyl terminal groups, 327
- Xanthate, chitin, and xanthate ester derivatives, 331