

SUBJECT INDEX

- Acinebacter baumannii* strain 214, structure of a surface polysaccharide from, 199
- Acyated glucosyl halides with a free 2-OH group, an expedient route to, 77
- Aldopentoses, NMR assignments for the, 27
- Alginate-derived oligosaccharides with root growth-promoting activities, isolation and characterization of, 187
- Analogue of *myo*-inositol 1,4,5-triphosphate, synthesis of *myo*-inositol 1,4,6-triphosphate as an, 87
- Analysis of methyl α -L-rhamnopyranoside in the solid state, structural, 267
- 1,2-Anhydro-3,4-di-*O*-benzyl- α -D-xylopyranose, synthesis, conformation, and glycosidic coupling reaction, 49
- Antigen (ECA) from *Yersinia pestis*, the structure of the cyclic enterobacterial common, 223
- Antigen of *E. coli* O8:K50:H[−], structure of the capsular, 233
- Arbekacins, interunit, through-space ¹H–¹⁹F and ¹³C–¹⁹F spin-couplings of 5-fluorinated, 11
- Bacterial D-glucuronan, 275
- Capillary electrophoresis, resolution of the branched forms of oligosaccharides by high-performance, 1
- Capsular antigen of *E. coli* O8:K50:H[−], structure of the, 233
- Carboxymethyl ethers of cyclomaltoheptaose, distribution of substituents in, 281
- Chelating properties of derivatives of chitosan and 1,3-dicarbonyl compounds, preparation and, 313
- Chitosan, preparation and chelating properties of derivatives of 1,3-dicarbonyl compounds and, 313
- Chlorodeoxycellulose with lithium chloride under homogeneous conditions in *N,N*-dimethylacetamide, reaction of the dichloroallose units in, 169
- Convergent synthesis of an octasaccharide fragment of the O-specific polysaccharide of *Shigella dysenteriae* type 1, 105
- Crystal structure of (2,3,4,6-tetra-*O*-acetyl- β -D-glucopyranosyl)-(1 → 3)-[2,3,4,6-tetra-*O*- β -D-glucopyranosyl]-(1 → 6)-2,4-di-*O*-acetyl- β -D-glucopyranosyl-(1 → 3)-1,2,4,6-tetra-*O*-acetyl- β -D-glucopyranose, molecular and, 35
- Crystallographic data on bacterial β -(1 → 4)-D-glucuronan, 275
- Cyclic enterobacterial common antigen (ECA) from *Yersinia pestis*, structure of, 223
- Cyclic isourea derivatives of D-glucufuranosylamine, 287
- Cyclomaltoheptaose, distribution of substituents in carboxymethyl ethers of, 281
- Cyclomaltoheptaose enzyme immunoassay, 179
- 1-Deoxynojirimycin, α - and β -glucosides of, enzymic synthesis and glycosidase inhibitory activities, 255
- (\pm)-1,4-Di-*O*-benzyl-2,3-*O*-isopropylidene-*myo*-inositol, synthesis and resolution, 135
- Dichloroallose units in chlorodeoxycellulose with lithium chloride under homogeneous conditions in *N,N*-dimethylacetamide, reaction of the, 169
- 1,3-Dicarbonyl compounds, preparation and chelating properties of derivatives of chitosan and, 313
- 2,7-Dioxabicyclo[4.1.0]heptanes: synthesis, conformation, and glycosidic coupling reactions of 1,2-anhydro-3,4-di-*O*-benzyl- α -D-xylopyranose, 49
- Disaccharide of hyalouronan: synthesis of methyl 2-acetamido-2-deoxy- β -D-glucopyranosyl-(1

- 4)- β -D-glucopyranosiduronic acid, the 1,4-linked, 299
- Enzyme immunoassay for cyclomaltoheptaose and some derivatives, 179
- Enzymic degradation, substitution patterns in methylated starch as studied by, 207
- Escherichia coli* O8:K50:H⁻, structure of the capsular antigen of, 233
- (1 → 3)- β -D-Glucan isolated from *Saccharomyces cerevisiae*, NMR spectral analysis of a water-soluble, 307
- D-Glucufuranosylamine, new cyclic isourea derivatives of, 287
- Glucosyl halides with a free 2-OH group, an expedient route to acylated, 77
- β -(1 → 4)-D-Glucuronan, 275
- Glucuronides, virtual ¹H-¹H spin-spin coupling in a linear five-spin system on the pyranose rings of some, 59
- Glycolipid from the spermatozoa of bivalves IX. Synthesis of lipids I, II, and IV, synthetic studies on an oligosaccharide of a, 93
- β -D-Glycopyranose, molecular and crystal structure of (2,3,4,6-tetra-O-acetyl- β -D-glucopyranosyl)-(1 → 3)-[2,3,4,6-tetra-O- β -D-glucopyranosyl]-(1 → 6)-2,4-di-O-acetyl- β -D-glucopyranosyl-(1 → 3)-1,2,4,6-tetra-O-acetyl-, 35
- β -D-Glycopyranosyl-L-serinate derivatives, stereoselective synthesis of, 293
- β -D-Glycopyranosyl-L-threoninate derivatives, stereoselective synthesis of, 293
- Glycosidase inhibition, by α - and β -glycosides of 1-deoxynojirimycin, 255
- α - and β -Glycosides of 1-deoxynojirimycin, enzymic synthesis and glycosidase inhibitory activities of, 255
- Hyalouronan: synthesis of methyl 2-acetamido-2-deoxy- β -D-glucopyranosyl-(1 → 4)- β -D-glucopyranosiduronic acid, the 1,4-linked disaccharide of, 299
- myo*-Inositol derivatives, regioselective functionalizations and conformational studies of di-O-isopropylidene-, 169
- myo*-Inositol, synthesis and resolution of (\pm)-1,4-di-O-benzyl-2,3-O-isopropylidene-, 135
- myo*-Inositol 1,4,6-triphosphate, synthesis as an analogue of *myo*-inositol 1,4,5-triphosphate, 87
- Interunit, through-space ¹H-¹⁹F and ¹³C-¹⁹F spin-couplings of 5-fluorinated arbekacins, 11
- Isolation and characterization of alginate-derived oligosaccharides with root growth-promoting activities, 187
- O-Isopropylidene-*myo*-inositol derivatives, regioselective functionalizations and conformational studies of di-, 169
- Isourea derivatives of D-glucufuranosylamine, new cyclic, 287
- Lipids I, II, and IV, synthetic studies on an oligosaccharide of a glycolipid from the spermatozoa of bivalves IX. Synthesis of, 93
- Methylated starch, substitution patterns as studied by enzymic degradation, 207
- Molecular and crystal structure of (2,3,4,6-tetra-O-acetyl- β -D-glucopyranosyl)-(1 → 3)-[2,3,4,6-tetra-O- β -D-glucopyranosyl]-(1 → 6)-2,4-di-O-acetyl- β -D-glucopyranosyl-(1 → 3)-1,2,4,6-tetra-O-acetyl- β -D-glycopyranose, 35
- Neoglycolipid which can be covalently linked to solid phases, synthesis of a water-soluble serine-based, 123
- NMR assignments for the aldopentoses, 27
- Octasaccharide fragment of the O-specific polysaccharide of *Shigella dysenteriae* type 1, convergent synthesis of an, 105
- Oligosaccharide of a glycolipid from the spermatozoa of bivalves IX. Synthesis of lipids I, II, and IV, 93
- Oligosaccharides, resolution of the branched forms of, by high-performance capillary electrophoresis, 1
- Polysaccharide components from the leaves of *Tridax procumbens* Linn., structural features of water-soluble novel, 243
- Polysaccharide from *Acinetobacter baumannii* strain 214, structure of a surface, 199
- Reaction of the dichloroallose units in chlorodeoxycellulose with lithium chloride under homogeneous conditions in *N,N*-dimethylacetamide, 169
- Regioselective functionalizations and conformational studies of di-O-isopropylidene-*myo*-inositol derivatives, 169
- Resolution and synthesis of (\pm)-1,4-di-O-benzyl-2,3-O-isopropylidene-*myo*-inositol, 135
- α -L-Rhamnopyranoside in the solid state, structural analysis of methyl, 267
- Root growth-promoting activities, isolation and characterization of alginate-derived oligosaccharides with, 187

- Serine-based neoglycolipid which can be covalently linked to solid phases, synthesis of a water-soluble, 123
- Shigella dysenteriae* type 1, convergent synthesis of an octasaccharide fragment of the O-specific polysaccharide of, 105
- Spin-couplings of 5-fluorinated arbekacins, interunit, through-space ^1H – ^{19}F and ^{13}C – ^{19}F , 11
- Starch, substitution patterns in methylated, as studied by enzymic degradation, 207
- Surface polysaccharide from *Acinetobacter baumannii* strain 214, structure of, 199
- Synthesis of methyl 2-acetamido-2-deoxy- β -D-glucopyranosyl-(1 \rightarrow 4)- β -D-glucopyranosiduronic acid, the 1,4-linked disaccharide of hyaluronan:, 299
- Synthesis of *myo*-inositol 1,4,6-triphosphate as an analogue of *myo*-inositol 1,4,5-triphosphate, 87
- 3,4,6-Tri-*O*-benzoyl- α -D-glucopyranosyl bromide, an expedient route to, 77
- Tridax procumbens* Linn., structural features of water-soluble novel polysaccharide components from the leaves of, 243
- Virtual ^1H – ^1H spin–spin coupling in a linear five-spin system on the pyranose rings of some glucuronides, 59
- Water-soluble serine-based neoglycolipid which can be covalently linked to solid phases, synthesis of, 123
- α -D-Xylopyranose, 1,2-anhydro-3,4-di-*O*-benzyl-, synthesis, conformation, and glycosidic coupling reactions, 49
- Yersinia pestis*, the structure of the cyclic enterobacterial common antigen (ECA) from, 223