

SUBJECT INDEX

- N*-Acetylchitooligosaccharides, preparation from lysozymic hydrolysates of partially *N*-acetylated chitosans, 297
- Amphiphile (1*S*,2*S*)-1,2-bis(*D*-gluconamido)-cyclohexane, the X-ray crystal structure of the double-headed, 1
- α -Amylase II (TVA II), convenient enzymatic synthesis of 4'- α -isomaltosylisomaltose using *Thermoactinomyces vulgaris* R-47, 157
- Analysis of glycogen size by citrate mini-gradients, 11
- Arabinoxylan–lignin complexes, conformational analysis of ether and ester linkages, 91
- Azo dye–cyclomaltooctaose (γ -cyclodextrin) complex, ^2H NMR study of the self-assembly of an, 223
- Capsular polysaccharide, 215
- Capsular polysaccharide from *Klebsiella* type 38, a reinvestigation of the structure of the, 111
- Carrageenans from *Iridaea undulosa*, high-field NMR spectroscopy of cystocarpic and tetrasporic, 317
- Cellulose I_α and I_β in lignocellulosic materials, determination, 119
- Chalcogran, synthesis from *L*-sorbose of optically active, 231
- Chitosans, preparation of *N*-acetylchitooligosaccharides from lysozymic hydrolysates of partially *N*-acetylated, 297
- Citrate mini-gradients, glycogen size analysis by, 11
- Conformational analysis of ether and ester linkages in lignin–arabinoxylan complexes, 91
- Crystal and molecular structure of 1,2-*O*-isopropylidene- α -*D*-xylo-pentadialdo-1,4-furanose. A dimeric form in the crystalline state, the, 203
- Crystallinity in native cellulose from higher plants, determination with diffuse reflectance Fourier transform infrared spectroscopy, 163
- (γ -Cyclodextrin) complex, ^2H NMR study of the self-assembly of an azo dye–cyclomaltooctaose, 223
- Cyclomaltooctaose (γ -cyclodextrin) complex, ^2H NMR study of the self-assembly of an azo dye–, 223
- 1,4:3,6-Dianhydro-*D*-glucitol (isosorbide), selective alkylations, 255
- Digalacturonic acid and sodium digalacturonate conformation in solution, 187
- 3,5-Dideoxy-5-iodo-1,2-*O*-isopropylidene- β -*L*-xylo-hexofuranose derivatives, 149
- Disaccharides related to tunicamycin, highly stereoselective synthesis of α,β -linked non-reducing, 243
- E. coli*, 215
- Effects of defatting and heat–moisture treatment on the retrogradation of starch gels from wheat, oat, potato, and lentil, 13
- Enthalpy relaxation and starch–sucrose interactions, effects of sub- T_g annealing of granular starch on, 307
- Epitopes for human monoclonal antibodies and serotyping antisera against the O-specific polysaccharide of *Pseudomonas aeruginosa* O11, 57
- Exocellular polysaccharide produced by *Lactobacillus helveticus* TY1–2, structural study on an, 67
- Galactoglucan from *Rhizobium melioli*, molecular architecture of a, 279
- (*D*-Gluconamido)cyclohexane, the X-ray crystal structure of the double-headed amphiphile (1*S*,2*S*)-1,2-bis, 1

- Glucooligosaccharide derivatives, NMR studies of (1 → 3)- β -D-, 133
- Glucopyranosyl fluoride oligosaccharides and β -(1 → 4)-linked 2-amino-2-deoxy-D-glucopyranosyl oligosaccharides by fluorolysis and fluorohydrolysis of chitosan, convenient access to β -(1 → 4)-linked 2-amino-2-deoxy-D-, 267
- Glucopyranosyl oligosaccharides by fluorolysis and fluorohydrolysis of chitosan, convenient access to β -(1 → 4)-linked 2-amino-2-deoxy-D-, glucopyranosyl fluoride oligosaccharides and β -(1 → 4)-linked 2-amino-2-deoxy-D-, 267
- Glycogen size analysis by citrate mini-gradients, 11
- Glycose (perfluoroalkyl)alkyl phosphates, synthesis as new components for drug-carrying and -targeting systems, 37
- Higher plants, determination of crystallinity in native cellulose from, using diffuse reflectance Fourier transform infrared spectroscopy, 163
- ^1H and ^{13}C NMR spectroscopy, 215
- ^2H NMR study of the self-assembly of an azo dye-cyclomaltooctaose (γ -cyclodextrin) complex, 223
- Infrared spectroscopy, determination of crystallinity in native cellulose from higher plants using diffuse reflectance Fourier transform, 163
- 4^2 - α -Isomaltosylisomaltose, convenient enzymatic synthesis of, using *Thermoactinomyces vulgaris* R-47 α -amylase II (TVA II), 157
- Isopropylidene- α -D-xylo-pentadialdo-1,4-furanose. A dimeric form in the crystalline state, the crystal and molecular structure of 1,2-O-, 203
- Isosorbide (1,4:3,6-di-anhydro-D-glucitol), selective alkylations, 255
- Klebsiella* type 38, a reinvestigation of the structure of the capsular polysaccharide from, 111
- Lactobacillus helveticus* TY 1–2, structural study on an exocellular polysaccharide produced by, 67
- Lignin–arabinoxylan complexes, conformational analysis of ether and ester linkages, 91
- Lignocellulosic materials, determination of cellulose I_α and I_β in, 119
- Lysozymic hydrolysates of partially *N*-acetylated chitosans, preparation of *N*-acetylchitooligosaccharides, 297
- Methylation analysis, 215
- Molecular architecture of a galactoglucan from *Rhizobium melioli*, 279
- Monophosphates of α,α' -trehalose, preparation from trehalose and sodium phosphate of four, 25
- NMR method for the determination of cellulose I_α and I_β in lignocellulosic materials, 119
- NMR spectroscopy of cystocarpic and tetrasporic carrageenans from *Iridaea undulosa*, high-field, 317
- NMR studies of (1 → 3)- β -D-glucooligosaccharides derivatives, 133
- Oligosaccharides, ribonuclease B, a detailed structural characterization by ^1H NMR spectroscopy and mass spectrometry, 173
- Oligosaccharides, the use of combined HPAEC–thermospray MS in the structural analysis of pectic, 335
- Optically active chalogran, synthesis from L-sorbose, 231
- Pectic oligosaccharides, the use of combined HPAEC–thermospray MS in structural analysis, 335
- (Perfluoroalkyl)alkyl phosphosugars, synthesis of double-tailed, as new components for drug-carrying and -targeting systems, 37
- Phosphosugars, synthesis of double-tailed (perfluoroalkyl)alkyl, as new components for drug-carrying and -targeting systems, 37
- Polysaccharide from *Klebsiella* type 38, a reinvestigation of the structure of the capsular, 111
- Polysaccharide from *Thiobacillus ferrooxidans* IFO 14262, the structure of the O-specific, 103
- Polysaccharide, produced by *Lactobacillus helveticus* TY1–2, structural study on an exocellular, 67
- Pseudomonas aeruginosa* O11, epitopes for human monoclonal antibodies and serotyping antisera against the O-specific polysaccharide of, 57
- Retrogradation of starch gels from wheat, oat, potato, and lentil, effects of defatting and heat–moisture treatment on the, 13
- Rhizobium melioli*, molecular architecture of a galactoglucan from, 279
- Ribonuclease B oligosaccharides, a detailed structural characterization of, by ^1H NMR spectroscopy and mass spectrometry, 173

- Selective alkylations of 1,4:3,6-dianhydro-D-glucitol (isosorbide), 255
- Serotyping antisera against the O-specific polysaccharide of *Pseudomonas aeruginosa* O11, epitopes for human monoclonal antibodies and, 57
- Sodium phosphate, the preparation of the four monophosphates of α,α' -trehalose on drying solutions of trehalose in aqueous, 25
- Solution conformation of digalacturonic acid and sodium digalacturonate, 187
- L-Sorbose, synthesis of optically active chalcone from, 231
- Starch gels from wheat, oat, potato, and lentil, effects of defatting and heat-moisture treatment on the retrogradation of, 13
- Starch, sub- T_g annealing of, effects on enthalpy relaxation and starch-sucrose interactions, 307
- Stereoselective synthesis of α,β -linked non-reducing disaccharides related to tunicamycin, 243
- Structure of the O-specific polysaccharide from *Thiobacillus ferrooxidans* IFO 14262, the, 103
- Sucrose-starch interactions and enthalpy relaxation, effects of sub- T_g annealing of granular starch on, 307
- Syntheses and anomeric configuration assignment by CD and ^1H NMR spectroscopy, 1-phenyl-3-(α - and β -D-threofuranosylpyrazolo[3,4-*b*]quinoxaline C-nucleoside analogue, 327
- Thermospray mass spectrometry, the use of combined HPAEC-, in the structural analysis of pectic oligosaccharides, 335
- Thiobacillus ferrooxidans* IFO 14262, the structure of the O-specific polysaccharide from, 103
- Threofuranosylpyrazolo[3,4-*b*]quinoxaline C-nucleoside analogue. Syntheses and anomeric configuration assignment by CD and ^1H NMR spectroscopy, 1-phenyl-3-(α - and β -D-, 327
- α,α' -Trehalose, the preparation of the four monophosphates from trehalose and sodium phosphate, 25
- Tunicamycin, highly stereoselective synthesis of α,β -linked non-reducing disaccharides related to, 243
- X-ray crystal structure of the double-headed amphiphile (1*S*,2*S*)-1,2-bis(D-gluconamido)-cyclohexane, the, 1