



ELSEVIER

Carbohydrate Research 264 (1994) C11–C13

CARBOHYDRATE
RESEARCH

SUBJECT INDEX

- N*-Acetylactosamine and β -D-Gal-(1 \rightarrow 3)- α -D-GalNAc-(1 \rightarrow O)-Bn, α -(2 \rightarrow 3)- and α -(2 \rightarrow 6)-sialyltransferase activities present in three variants of Ehrlich tumor cells: identification of the products derived from, 111
- Acinetobacter baumannii*, structure of the putative O10 antigen, 73
- Aldopyranosyl ring puckering with MM3(92), modeling of, 1
- (2,6-Anhydro-4,5-7-tri-O-benzyl-1-deoxy-D-arabino-hept-1-en-3-ulose), synthesis and spontaneous dimerization of the tri-O-benzyl derivative of '2-keto-1-C-methylene-D-glucopyranose', 141
- Antigen from *Acinetobacter baumannii*, structure of the putative O10, 73
- O-Antigen, 123
- Arabinoxylan-protein complex isolated from rye bran, structural and molecular properties of a water-soluble, 97
- Aspergillus niger*, purification and properties of an exo-(1 \rightarrow 3)- β -D-galactanase from, 281
- Capsular polysaccharide (Zanflo) of *Erwinia tahirica* ATCC 217 11, structural elucidation, 129
- Chloro-6'-deoxysucrose and immobilized isomaltulose-producing microorganisms using 2,2-dimethyl-1,3-dioxolane-4-methanol and related compounds as acceptors. Steric and chemical requirement of the glucosyl acceptor, transglucosylation with 6'-, 237
- Chromobacterium violaceum* NCTC 9694, the structure of the O-specific polysaccharide of the lipopolysaccharide from, 313
- CMP-Neu5Ac analogue: CMP-[α -Neu5Ac-(2 \rightarrow 8)-Neu5Ac], synthesis of a novel, C1
- (\pm)-Conduritol-B, improved preparation, and reaction with hydrobromic and hydrochloric acid, 147
- Conformations and structure studies of sugar lactones in the solid state. Part I. The molecular structure of L-rhamnono- and L-mannono-1,4-lactones, 181
- Conformations and structure studies of sugar lactones in the solid state. Part II. The molecular structure of 2-C-methyl-D-ribo-pentono-1,4-lactone (α -D-glucosaccharino- γ -lactone), 191
- Crystal structure and molecular mechanics analysis of methyl 6-O-(*N*-heptylcarbamoyl)- α -D-glucopyranoside (HECAMEG), 161
- Crystalline methyl D-xylopyranoside anomeric mixtures, high resolution solid state ^{13}C NMR study, 135
- (\pm)-(1,3/2,4)-5-Cyclohexene-1,2,3,4-tetrol, improved preparation, and reaction with hydrobromic and hydrochloric acid, 147
- Defucosylation by mercaptolysis. A potential step in analyzing branched oligosaccharides, selective, 199
- 2-Deoxy- α -D-arabino-hexosyl residues, analysis by the reductive-cleavage method of oligosaccharides containing, 293
- (\pm)-1-Deoxy-1-halo- and (\pm)-1,4-dideoxy-1,4-dihalo-conduritols, synthesis and characterization, 147
- E. coli* O16:K1, NMR investigation of the O16 polysaccharide, 305
- Endorhamnogalacturonase-generated fragments of the backbone of rhamnogalacturonan, isolation and structural characterization of, 83
- Enteric bacteria, 123
- Evernia prunastri* (lichen), heteropolysaccharides of, 63
- Exopolysaccharide fragments, synthetic studies of pyruvate acetal-containing saccharides related to *Rhizobium*, 253

- β -D-Gal-(1 \rightarrow 3)- α -D-GalNAc-(1 \rightarrow O)-Bn, α -(2 \rightarrow 3)- and α -(2 \rightarrow 6)-, sialyltransferase activities present in three variants of Ehrlich tumor cells: identification of the products derived from *N*-acetylglucosamine and, 111
- Galactanase from *Aspergillus niger*, purification and properties of an exo-(1 \rightarrow 3)- β -D-, 281 (α -D-Glucosaccharino- γ -lactone), conformations and structure studies of sugar lactones in the solid state. Part II. The molecular structure of 2-*C*-methyl-D-*ribo*-pentono-1,4-lactone, 191
- N-Glycoproteins, synthesis of a fucosylated and a non-fucosylated core structure of xylose-containing carbohydrate chains from, 45
- Glycosyl acceptor for chain extension at O-4, efficient preparation of allyl 2,3,6,2',3',6'-hexa-*O*-benzyl- β -lactoside and its use as a, 155
- Glycosyl derivatives of *myo*-inositol 1-phosphate and 1,2-(cyclic phosphate), synthesis and possible insulin-like activity, 21
- D-Gulono-1,4-lactones, a new route to some enantiomerically pure substituted morpholines from D-ribono- and, 33
- D-*glycero*-D-*galacto*-Heptose, identification as a component of the O-specific antigen of *Chromobacterium violaceum* NCTC 9694, 313
- Heteropolysaccharides of the lichen *Evernia prunastri*, 63
- Insulin-like activity of glycosyl derivatives of *myo*-inositol 1-phosphate and 1,2-(cyclic phosphate), synthesis and, 21
- myo*-Inositol 1-phosphate and 1,2-(cyclic phosphate), synthesis and possible insulin-like activity of 2-amino-2-deoxy- α -D-glucopyranosyl derivatives of, 21
- Isomaltulose-producing microorganisms using 2,2-dimethyl-1,3-dioxolane-4-methanol and related compounds as acceptors. Steric and chemical requirement of the glucosyl acceptor, transglucosylation with 6'-chloro-6'-deoxysucrose and immobilized, 237
- '2-Keto-1-*C*-methylene-D-glucopyranose' (2,6-anhydro-4,5-7-tri-*O*-benzyl-1-deoxy-D-*arabino*-hept-1-en-3-ulose), synthesis and spontaneous dimerization of the tri-*O*-benzyl derivative of, 141
- β -Lactoside and its use as a glycosyl acceptor for chain extension at O-4, efficient preparation of allyl 2,3,6,2',3',6'-hexa-*O*-benzyl-, 155
- Lichen *Evernia prunastri*, heteropolysaccharides of, 63
- Lipopolysaccharide, 123
- Lipopolysaccharide component produced by a symbiotically defective mutant of *Rhizobium leguminosarum* biovar *viciae*, structure of the unusual trisaccharide, 271
- L-Mannono-1,4-lactones, conformations and structure studies of sugar lactones in the solid state. Part I. The molecular structure of L-rhamnono- and, 181
- Mercaptolysis. A potential step in analyzing branched oligosaccharides, selective defucosylation by, 199
- Methyl 6-*O*-(*N*-heptylcarbamoyl)- α -D-glucopyranoside (HECAMEG), crystal structure and molecular mechanics analysis of, 161
- MM3(92), modeling of aldopyraosyl ring puckering with, 1
- Modeling of aldopyranosyl ring puckering with MM3(92), 1
- Molecular mechanics analysis of methyl 6-*O*-(*N*-heptylcarbamoyl)- α -D-glucopyranoside (HECAMEG), crystal structure and, 161
- Morpholines from D-ribono- and D-gulono-1,4-lactones, a new route to some enantiomerically pure substituted, 33
- Mucin-type core unit, synthesis of neoglycolipids containing a, 209
- Neoglycolipids containing a mucin-type core unit, synthesis, 209
- NMR investigation of the structure of the O16 polysaccharide from *E. coli* O16:K1, 305
- NMR spectroscopy, 123
- Oligosaccharide components of the core structure of N-glycans, synthesis of, 45
- Oligosaccharides containing 2-deoxy- α -D-*arabino*-hexosyl residues, analysis by the reductive-cleavage method, 293
- D-*ribo*-Pentono-1,4-lactone (α -D-glucosaccharino- γ -lactone), conformations and structure studies of sugar lactones in the solid state. Part II. The molecular structure of 2-*C*-methyl-, 191
- Polysaccharide from *Acinetobacter baumannii*, structure of the putative O10 antigen, 73
- O16 Polysaccharide from *E. coli* O16:K1, NMR investigation of the structure, 305
- Polysaccharide of the lipopolysaccharide from *Chromobacterium violaceum* NCTC 9694, the structure of the O-specific, 313

- Polysaccharide Zanflo elaborated by *Erwinia tahitica* ATCC 217 11, structural elucidation, 129
- Pyruvate acetal-containing saccharides, synthetic studies, 253
- Reductive-cleavage method, analysis of oligosaccharides containing 2-deoxy- α -D-arabinohexosyl residues by the, 293
- Rhamnogalacturonan, isolation and structural characterization of endorhamnogalacturonase-generated fragments of the backbone of, 83
- L-Rhamnono- and L-mannono-1,4-lactones, conformations and structure studies of sugar lactones in the solid state. Part I. The molecular structure of, 181
- α -L-Rhamnopyranoside, conformational features of rhamnopyranose derivatives. The molecular structure of methyl 2,3,4-tri-O-acetyl-, 173
- Rhizobium*-related exopolysaccharide fragments, synthetic studies of pyruvate acetal-containing saccharides, 253
- D-Ribono- and D-gulono-1,4-lactones, a new route to some enantiomerically pure substituted morpholines from, 33
- Rye bran, structural and molecular properties of a water-soluble arabinoxylan-protein complex, 97
- Selective defucosylation by mercaptolysis. A potential step in analyzing branched oligosaccharides, 199
- Sialyltransferase activities present in three variants of Ehrlich tumor cells: identification of the products derived from N-acetylactosamine and β -D-Gal-(1 \rightarrow 3)- α -D-GalNAc-(1 \rightarrow O)-Bn, α -(2 \rightarrow 3)- and α -(2 \rightarrow 6)-, 111
- Solid state ^{13}C NMR study of crystalline methyl D-xylopyranoside mixtures, 135
- Structure and taste of 4,4',6,6'-tetrachloro-4,4',6,6'-tetra-deoxy- α , α -galactotrehalose, 319
- Structure of methyl 2,3,4-tri-O-acetyl- α -L-rhamnopyranoside, conformational features of rhamnopyranose derivatives. The molecular, 173
- Structure of the unusual trisaccharide lipopolysaccharide component produced by a symbiotically defective mutant of *Rhizobium leguminosarum* biovar *viciae*, 271
- Structure studies of sugar lactones in the solid state. Part I. The molecular structure of L-rhamnono- and L-mannono-1,4-lactones, conformations and, 181
- Synthesis and spontaneous dimerization of the tri-O-benzyl derivative of '2-keto-1-C-methylene-D-glucopyranose' (2,6-anhydro-4,5-7-tri-O-benzyl-1-deoxy-D-arabino-hept-1-en-3-ulose), 141
- Synthesis of a novel CMP-Neu5Ac analogue: CMP-[α -Neu5AC-(2 \rightarrow 8)-Neu5Ac], C1
- Tetrachloro-4,4',6,6'-tetra-deoxy- α , α -galactotrehalose, structure and taste of 4,4',6,6'-, 319
- Transglucosylation with 6'-chloro-6'-deoxysucrose and immobilized isomaltulose-producing microorganisms using 2,2-dimethyl-1,3-dioxolane-4-methanol and related compounds as acceptors. Steric and chemical requirement of the glucosyl acceptor, 237
- Transition metal-saccharide interactions: synthesis and characterization of vanadyl saccharides, 227
- Trisaccharide lipopolysaccharide component produced by a symbiotically defective mutant of *Rhizobium leguminosarum* biovar *viciae*, structure of the unusual, 271
- Vanadyl saccharides, transition metal-saccharide interactions: synthesis and characterization of, 227
- Water-soluble arabinoxylan-protein complex isolated from rye bran, structural and molecular properties, 97
- Xylose-containing carbohydrate chains from N-glycoproteins, synthesis of a fucosylated and a non-fucosylated core structure, 45
- Zanflo, structure of the capsular polysaccharide of *Erwinia tahitica* ATCC 217 11, 129