



## Carbohydrate Research 267 (1995) C13-C15

## SUBJECT INDEX

- 3-Acetamido-3-deoxy- and 4-acetamido-4-deoxy-D-altrose from levoglucosenone using regioselective cis-oxyamination, novel synthesis of, 187
- 4-Acetamido-4-deoxy-D-altrose from levoglucosenone using regioselective cis-oxyamination, novel synthesis of 3-acetamido-3-deoxyand, 187
- Addition reactions of 1,5-anhydro-4,6-O-benzylidene-2,3-dideoxy-2,3-dideoxy-3-C-nitro-berythro-hex-2-enitol and its 5a-carba derivative, nucleophilic, 217
- Aminoguanidine, the reaction of D-glucose with, 17
- Analysis of reducing end-groups produced by enzymatic scission of glycosidic linkages in O-methylcellulose, 291
- Anhydro-4,6-O-benzylidene-2,3-dideoxy-2,3-dideoxy-3-C-nitro-p-erythro-hex-2-enitol and its 5a-carba derivative, nucleophilic addition reactions of 1,5-, 217
- O10 Antigen of Stenotrophomonas (Xanthomonas) maltophilia, structure of the, 127
- O-Antigenic polysaccharide from *E. coli* O113 lipopolysaccharide, structure of the, 263
- Apparatus for HF solvolysis experiments, multichambered, 115
- α-L-Arabinofuranobiosides, synthesis of regioisomeric methyl, 39
- Assignment of <sup>1</sup>H and <sup>13</sup>C NMR chemical shifts of a D-mannan composed of  $\alpha$ -(1  $\rightarrow$  2) and  $\alpha$ -(1  $\rightarrow$  6) linkages obtained from *Candida kefyr* IFO O586 strain, 299
- Atomic force microscopy, imaging of xanthan gum by, 161
- 3'-Azido-2',3'-dideoxy-4'-thionucleosides starting from D-xylose, an alternative strategy for the synthesis of, 203
- Borate as catalyst and protecting group in the selective alkaline oxidative degradation of mono- and di-saccharides, 65

- 4-C-Branched sugar, a novel component of the lipopolysaccharide of the bacterium *Pseu-domonas caryophylli*, 307
- Capillary electrophoresis for monitoring chemical reactions: sulfation and synthetic manipulation of sulfated carbohydrates, 143
- 7-O-Carbomoyl-L-glycero-D-manno-heptose, a new core constituent in the lipopolysaccharide of *Pseudomonas aeruginosa*, C3
- Cell wall polysaccharide fraction of the green alga *Tetraselmis striata*, structure of an acidic trisaccharide component, 313
- Cellulose HF solvolysis products, reaction with acetic acid and acetic anhydride, 115
- Chemoenzymatic synthesis and inhibition studies of dextransucrases, sucrose analogues modified at position 3, 1
- Chitotetraitol, N,N',N'',N'''-tetraacetyl, mode of binding to hen egg white lysozyme, 135
- <sup>13</sup>C CPMAS solid state NMR, 167
- Cyclodextrin-based metal chelants as probes for intestinal permeability, synthesis and characterization of, 49
- Cyclomalto-ocataoses, preparation of  $6^1$ , $6^2$ -,  $6^1$ , $6^3$ -,  $6^1$ , $6^4$  and  $6^1$ , $6^5$ -di-O-( $\alpha$ -D-gluco-pyranosyl), 27
- Dextransucrases, sucrose analogues modified at position 3: chemoenzymatic synthesis and inhibition studies, of, 1
- 2-(Dimethyloctylsilyl)ethyl lactoside: a versatile intermediate for chemical and enzymic ganglioside synthesis, 153
- Di-O-( $\alpha$ -D-glucopyranosyl)cyclomalto-ocataoses, preparation of  $6^1$ , $6^2$ -,  $6^1$ , $6^3$ -,  $6^1$ , $6^4$  and  $6^1$ , $6^5$ -, 27
- Enzymatic scission of glycosidic linkages in *O*methylcellulose, analysis of reducing endgroups produced by, 291

- Escherichia coli O113 lipopolysaccharide, structure of the O-specific polysaccharide, 263
- Functional-group tuning in the designs of neuraminidase inhibitors, structural and, 239
- Ganglioside synthesis, 2-(dimethyloctylsilyl)ethyl lactoside: a versatile intermediate for chemical and enzymic, 153
- Gel-permeation chromatography, molecular characterization of polysaccharides dissolved in Me<sub>2</sub>NAc-LiCl by, 271
- D-Glucose and D-mannose series and selective hydrolysis of the corresponding orthoesters, a new method of orthoesterification, under kinetic control, at non-anomeric positions. Application to the, 227
- D-Glucose with aminoguanidine, the reaction of, 17
- HF solvolysis experiments, a multichambered apparatus for, 115
- <sup>1</sup>H NMR, 167
- Human post-burn scar maturation: isolation and characterization, iduronic acid rich proteoglycans ( $PG_{idoA}$ ) and, 105
- Hydrogen peroxide using borate as catalyst in the selective alkaline oxidative degradation of mono- and di-saccharides by hydrogen peroxide using borate as catalyst and protecting group, 65
- Iduronic acid rich proteoglycans (PG<sub>idoA</sub>) and human post-burn scar maturation: isolation and characterization, 105
- Imaging xanthan gum by atomic force microscopy, 161
- Isobutylidenation of 1-C-substituted polyols. Attempted extension of the NMR shift rule via the chemical shift difference of their two methyl groups, 177
- Levoglucosenone using regioselective cisoxyamination, novel synthesis of 3acetamido-3-deoxy-and 4-acetamido-4-deoxy-p-altrose from, 187
- Lipopolysaccharide from Stenotrophomonas (Xanthomonas) maltophilia, serogroup O10, structure of the, 127
- Lipopolysaccharide of *Pseudomonas aeruginosa*, indentification of 7-O-carbamoyl-L-glycero-D-manno-heptose as a new constituent, C3
- Lipopolysaccharide of the bacterium *Pseu-domonas caryophylli*, a novel 4-C-branched sugar component, 307
- Lysozyme, hen egg white, mode of binding of N, N', N'', N'''-tetraacetylchitotetraitol to, 135

- D-Mannan composed of D-mannan composed of  $\alpha$ - $(1 \rightarrow 2)$  and  $\alpha$ - $(1 \rightarrow 6)$  linkages obtained from *Candida kefyr* IFO O586 strain, assignment of <sup>1</sup>H and <sup>13</sup>C NMR chemical shifts of a. 299
- D-Mannose series and selective hydrolysis of the corresponding orthoesters, a new method of orthoesterification, under kinetic control, at non-anomeric positions. Application to the D-glucose and, 227
- Me<sub>2</sub>NAc-LiCl by gel-permeation chromatography, molecular characterization of polysaccharides dissolved in, 271
- Methyl α-L-arabinofuranobiosides, synthesis of regioisomeric, 39
- Methylcellulose, analysis of reducing end-groups produced by enzymatic scission of glycosidic linkages in O-, 291
- Molecular characterization of polysaccharides dissolved in Me<sub>2</sub>NAc-LiCl by gel-permeation chromatography, 271
- Neuraminidase inhibitors, structural and functional-group tuning in the designs of, 239 <sup>15</sup>N NMR, 167
- NMR chemical shifts of a D-mannan composed of  $\alpha$ -(1  $\rightarrow$  2) and  $\alpha$ -(1  $\rightarrow$  6) linkages obtained from *Candida kefyr* IFO O586 strain, assignment of <sup>1</sup>H and <sup>13</sup>C, 299
- Nucleophilic addition reactions of 1,5-anhydro-4,6-O-benzylidene-2,3-dideoxy-2,3-dideoxy-3-C-nitro-p-erythro-hex-2-enitol and its 5acarba derivative, 217
- Orthoesterification, under kinetic control, at non-anomeric positions. Application to the D-glucose and D-mannose series and selective hydrolysis of the corresponding orthoesters, a new method of, 227
- Orthoesters, a new method of orthoesterification, under kinetic control, at non-anomeric positions. Application to the p-glucose and p-mannose series and selective hydrolysis of the corresponding, 227
- Oxidative alkaline degradation of selective alkaline oxidative degradation of mono- and disaccharides by hydrogen peroxide using borate as catalyst and protecting group, 65
- cis-Oxyamination, novel synthesis of 3acetamido-3-deoxy- and 4-acetamido-4-deoxy-D-altrose from levoglucosenone using regioselective, 187
- Polyols, attempted extension of the NMR shift rule via the chemical shift difference of their two methyl groups, isobutylidenation of 1-C-substituted, 177

- Polysaccharide from E. coli O113 lipopolysaccharide, structure of the O-specific, 263
- Polysaccharides dissolved in Me<sub>2</sub>NAc-LiCl by gel-permeation chromatography, molecular characterization of, 271
- Proteoglycans (PG<sub>idoA</sub>) and human post-burn scar maturation: isolation and characterization, iduronic acid rich, 105
- Pseudomonas aeruginosa lipopolysaccharide, identification of 7-O-carbamoyl-L-glycero-D-manno-heptose as a new core constituent, C3
- Pseudomonas caryophylli, a novel 4-C-branched sugar from the cell wall lipopolysaccharide, 307
- Specific effects of sidechain structure and location on <sup>1</sup>H NMR chemical shifts, eleven newly characterized xyloglucan oligoglycosyl alditols, 79
- Stenotrophomonas (Xanthomonas) maltophilia, structure of the O10 antigen, 127
- Structural and functional-group tuning in the designs of neuraminidase inhibitors, 239

- Sucrose analogues modified at position 3: chemoenzymatic synthesis and inhibition studies of dextransucrases, 1
- Sulfation and synthetic manipulation of sulfated carbohydrates, capillary electrophoresis for monitoring chemical reactions, 143
- Synthesis and characterization of cyclodextrinbased metal chelants as probes for intestinal permeability, 49
- Tetraselmis striata, structure of an acidic trisaccharide component of cell wall polysaccharide fraction of the green alga, 313
- Trisaccharide component of a cell wall polysaccharide fraction of the green alga *Tetraselmis* striata, structure of an acidic, 313

Ureidosugars, 167

- Xanthan gum, imaging by atomic force microscopy, 161