

## Subject index

### Acceptor analog

Synthesis of 2-acetamido-2-deoxy- $\beta$ -D-glucopyranosyl-(1  $\rightarrow$  2)- $\alpha$ -D-mannopyranosyl-(1  $\rightarrow$  6)- $\beta$ -D-mannopyranosyl-(1  $\rightarrow$  4)-2-acetamido-2-deoxy-D-glucopyranose. Acceptor–substrate recognition by *N*-acetylglucosaminyltransferase-V (GnT-V) 351

### *N*-Acetylglucosaminyltransferase-V

Synthesis of 2-acetamido-2-deoxy- $\beta$ -D-glucopyranosyl-(1  $\rightarrow$  2)- $\alpha$ -D-mannopyranosyl-(1  $\rightarrow$  6)- $\beta$ -D-mannopyranosyl-(1  $\rightarrow$  4)-2-acetamido-2-deoxy-D-glucopyranose. Acceptor–substrate recognition by *N*-acetylglucosaminyltransferase-V (GnT-V) 351

### Aldononitrile peracetates

A reinvestigation of the derivatization of monosaccharides as aldononitrile peracetates 181

### Aldose oxime peracetates

A reinvestigation of the derivatization of monosaccharides as aldononitrile peracetates 181

### 2-Amino-2-deoxy-D-glucose

Synthesis and surface-active properties of some alkyl 2-amino-2-deoxy- $\beta$ -D-glucopyranosides 91

### Amphiphiles

Synthesis and surface-active properties of some alkyl 2-amino-2-deoxy- $\beta$ -D-glucopyranosides 91

### Amylopectin

Thermal transfer of fructosyl residues to amylopectin and soluble starch during the melt thermolysis of sucrose 363

### Amylose

Hydration of  $\alpha$ -maltose and amylose: molecular modelling and thermodynamics study 27

### 1,6-Anhydro- $\beta$ -maltotriose derivatives

Molecular and crystal structures of two 1,6-anhydro- $\beta$ -maltotriose derivatives 195

### Arabinogalactan

Larch arabinogalactan for hepatic drug delivery: isolation and characterization of a 9 kDa arabinogalactan fragment 113

### Bacterial antigens

Synthesis of 2-(4-aminophenyl)ethyl 3-deoxy-5-*O*-(3,4,6-tri-*O*- $\beta$ -D-glucopyranosyl- $\alpha$ -D-glucopyranosyl)- $\alpha$ -D-manno-oct-2-ulopyranosidonic acid, a highly branched pentasaccharide corresponding to structures found in lipopolysaccharides from *Moraxella catarrhalis* 289

### Bacterial polysaccharide

Structural studies of the extracellular polysaccharide from *Butyrivibrio fibrisolvens* strain 49 143

### 4,6-*O*-Benzylidene-D-glucopyranose

4,6-*O*-Benzylidene-D-glucopyranose and its sodium salt: new data on their preparation and properties 43

### 4,6-*O*-Benzylidene-D-glucopyranose sodium salt

4,6-*O*-Benzylidene-D-glucopyranose and its sodium salt: new data on their preparation and properties 43

### Borane · methyl sulfide

Reductive cleavage of glycosides with borane complexes in the presence of boron trifluoride etherate 329

### Boron–amine complexes

Reductive cleavage of glycosides with borane complexes in the presence of boron trifluoride etherate 329

### Boron trifluoride etherate

Reductive cleavage of glycosides with borane complexes in the presence of boron trifluoride etherate 329

***Butyrivibrio fibrisolvens***

Structural studies of the extracellular polysaccharide from *Butyrivibrio fibrisolvens* strain 49 143

**Carbohydrates**

Syntheses of deoxy analogues of methyl 3,6-di-*O*- $\alpha$ -D-mannopyranosyl- $\alpha$ -D-mannopyranoside for studies of the binding site of Concanavalin A 271

Synthesis of 2-(4-aminophenyl)ethyl 3-deoxy-5-*O*-(3,4,6-tri-*O*- $\beta$ -D-glucopyranosyl- $\alpha$ -D-glucopyranosyl)- $\alpha$ -D-manno-oct-2-ulopyranosidonic acid, a highly branched pentasaccharide corresponding to structures found in lipopolysaccharides from *Moraxella catarrhalis* 289

**(1-Carboxyethyl)hexose**

Structural studies of the extracellular polysaccharide from *Butyrivibrio fibrisolvens* strain 49 143

**Cellulose I $\alpha$** 

Determination of the cellulose I $\alpha$  allomorph content in a tunicate cellulose by CP/MAS <sup>13</sup>C-NMR spectroscopy 339

**Cellulose I $\beta$** 

Determination of the cellulose I $\alpha$  allomorph content in a tunicate cellulose by CP/MAS <sup>13</sup>C-NMR spectroscopy 339

**<sup>14</sup>C-labelled**

Synthesis and surface-active properties of some alkyl 2-amino-2-deoxy- $\beta$ -D-glucopyranosides 91

**<sup>13</sup>C NMR**

Isolation and characterization of novel heterogeneous branched cyclomalto-oligosaccharides (cyclodextrins) produced by transgalactosylation with  $\alpha$ -galactosidase from coffee bean 129  
A <sup>13</sup>C and <sup>183</sup>W NMR study of D-glycero-D-gulo-heptonic acid as a multisite ligand in tungstate complexes 227

**Cobalt**

Complexes of Co(III) with L-sorbose and phenanthroline 315

**Competitive inhibition**

Analogues of disaccharides and glycosides containing a cyclic guanidinium structure show varying inhibitory effects on glycoside hydrolases 167

**Complexes**

Complexes of Co(III) with L-sorbose and phenanthroline 315

**Conformation**

Multinuclear magnetic resonance studies of the interaction of inorganic cations with heparin 239

**Conformational dynamics**

The dependence of glucan conformational dynamics on linkage position and stereochemistry 11

**Cyclic guanidines**

Analogues of disaccharides and glycosides containing a cyclic guanidinium structure show varying inhibitory effects on glycoside hydrolases 167

**Cyclomaltoheptaose ( $\beta$ -cyclodextrin)**

High-performance liquid chromatographic separation of oligogalacturonic acids on a cyclomaltoheptaose ( $\beta$ -cyclodextrin) bonded-phase column 1

**Deoxy derivatives**

Synthesis of deoxy derivatives of the glucosinolates glucotropaeolin and glucobrassicin 257

**6-Deoxy-L-talose**

NMR investigation of the 6-deoxy-L-talose-containing O45, O45-related (O45rel), and O66 polysaccharides of *Escherichia coli* 155

**Deoxy sugars**

Syntheses of deoxy analogues of methyl 3,6-di-*O*- $\alpha$ -D-mannopyranosyl- $\alpha$ -D-mannopyranoside for studies of the binding site of Concanavalin A 271

**Differential scanning calorimetry**

Hydration of  $\alpha$ -maltose and amylose: molecular modelling and thermodynamics study 27

**D-Glucose**

Conversion of D-glucose to D-erythro-hexose-2,3-diulose (2,3-diketo-D-glucose) by enzyme preparations from the basidiomycete *Oudemansiella mucida* 59

**D-glycero-D-gulo-heptonic acid**

A <sup>13</sup>C and <sup>183</sup>W NMR study of D-glycero-D-gulo-heptonic acid as a multisite ligand in tungstate complexes 227

**Epimerization**

Oxidation-reduction sequence for the synthesis of peracylated fluorodeoxy pentofuranosides 71  
*Escherichia coli* O45 and O66 antigens

NMR investigation of the 6-deoxy-L-talose-containing O45, O45-related (O45rel), and O66 polysaccharides of *Escherichia coli* 155

**Extracellular polysaccharide**

Structural studies of the extracellular polysaccharide from *Butyrivibrio fibrisolvens* strain 49 143

**FABMS**

Isolation and characterization of novel heterogeneous branched cyclomalto-oligosaccharides

- (cyclodextrins) produced by transgalactosylation with  $\alpha$ -galactosidase from coffee bean 129
- Fluorodeoxy pentofuranosides  
Oxidation–reduction sequence for the synthesis of peracylated fluorodeoxy pentofuranosides 71
- Fructosyl  
Thermal transfer of fructosyl residues to amylopectin and soluble starch during the melt thermolysis of sucrose 363
- $\alpha$ -Galactosidase, coffee bean  
Isolation and characterization of novel heterogeneous branched cyclomalto-oligosaccharides (cyclodextrins) produced by transgalactosylation with  $\alpha$ -galactosidase from coffee bean 129
- Galactosyl cyclodextrin  
Isolation and characterization of novel heterogeneous branched cyclomalto-oligosaccharides (cyclodextrins) produced by transgalactosylation with  $\alpha$ -galactosidase from coffee bean 129
- GC  
A reinvestigation of the derivatization of monosaccharides as aldononitrile peracetates 181
- Glucan  
The dependence of glucan conformational dynamics on linkage position and stereochemistry 11  
A conformational model for cyclic  $\beta$ -(1  $\rightarrow$  2)-linked glucans based on NMR analysis of the  $\beta$ -glucans produced by *Xanthomonas campestris* 205
- Glucobrassicin  
Synthesis of deoxy derivatives of the glucosinolates glucotropaeolin and glucobrassicin 257
- Glucosinolates  
Synthesis of deoxy derivatives of the glucosinolates glucotropaeolin and glucobrassicin 257
- Glucotropaeolin  
Synthesis of deoxy derivatives of the glucosinolates glucotropaeolin and glucobrassicin 257
- Glycoconjugates  
Synthesis of 2-(4-aminophenyl)ethyl 3-deoxy-5-O-(3,4,6-tri-O- $\beta$ -D-glucopyranosyl- $\alpha$ -D-glucopyranosyl)- $\alpha$ -D-manno-oct-2-ulopyranosidonic acid, a highly branched pentasaccharide corresponding to structures found in lipopolysaccharides from *Moraxella catarrhalis* 289
- Glycosidation  
Synthesis of (1  $\rightarrow$  4)- $\beta$ -D-xylo-oligosaccharides of dp 4–10 by a blockwise approach 301
- Glycoside hydrolases  
Analogues of disaccharides and glycosides containing a cyclic guanidinium structure show varying inhibitory effects on glycoside hydrolases 167
- Glycosyltransferase  
Synthesis of 2-acetamido-2-deoxy- $\beta$ -D-glucopyranosyl-(1  $\rightarrow$  2)- $\alpha$ -D-mannopyranosyl-(1  $\rightarrow$  6)- $\beta$ -D-mannopyranosyl-(1  $\rightarrow$  4)-2-acetamido-2-deoxy-D-glucopyranose. Acceptor–substrate recognition by *N*-acetylglucosaminyltransferase-V (GnT-V) 351
- Glycosyltransferase assay  
Synthesis of 2-acetamido-2-deoxy- $\beta$ -D-glucopyranosyl-(1  $\rightarrow$  2)- $\alpha$ -D-mannopyranosyl-(1  $\rightarrow$  6)- $\beta$ -D-mannopyranosyl-(1  $\rightarrow$  4)-2-acetamido-2-deoxy-D-glucopyranose. Acceptor–substrate recognition by *N*-acetylglucosaminyltransferase-V (GnT-V) 351
- Heparin  
Multinuclear magnetic resonance studies of the interaction of inorganic cations with heparin 239
- Heparin–metal binding  
Multinuclear magnetic resonance studies of the interaction of inorganic cations with heparin 239
- Hepatic drug delivery  
Larch arabinogalactan for hepatic drug delivery: isolation and characterization of a 9 kDa arabinogalactan fragment 113
- Hexadecaglucoiside, cyclic  
A conformational model for cyclic  $\beta$ -(1  $\rightarrow$  2)-linked glucans based on NMR analysis of the  $\beta$ -glucans produced by *Xanthomonas campestris* 205
- D-erythro-Hexos-2,3-diulose  
Conversion of D-glucose to D-erythro-hexos-2,3-diulose (2,3-diketo-D-glucose) by enzyme preparations from the basidiomycete *Oudemansiella mucida* 59
- $^1\text{H}$  NMR spectroscopy  
Multinuclear magnetic resonance studies of the interaction of inorganic cations with heparin 239
- HPLC  
High-performance liquid chromatographic separation of oligogalacturonic acids on a cyclomaltoheptaose ( $\beta$ -cyclodextrin) bonded-phase column 1  
Isolation and characterization of novel heterogeneous branched cyclomalto-oligosaccharides (cyclodextrins) produced by transgalactosylation with  $\alpha$ -galactosidase from coffee bean 129
- Hydration  
Hydration of  $\alpha$ -maltose and amylose: molecular modelling and thermodynamics study 27
- Hydrogen bonding  
Hydration of  $\alpha$ -maltose and amylose: molecular modelling and thermodynamics study 27

***N*-Hydroxyglycofuranosylamine peracetates**

A reinvestigation of the derivatization of monosaccharides as aldononitrile peracetates 181

**Imines, *N*-phosphinyl**

Carbohydrate *N*-phosphinyl imine derivatives: synthesis and conversion to amino sugars 345

**Kdo**

Synthesis of 2-(4-aminophenyl)ethyl 3-deoxy-5-*O*-(3,4,6-tri-*O*- $\beta$ -D-glucopyranosyl)- $\alpha$ -D-glucopyranosyl)- $\alpha$ -D-manno-oct-2-ulopyranosidonic acid, a highly branched pentasaccharide corresponding to structures found in lipopolysaccharides from *Moraxella catarrhalis* 289

**Keto sugars**

Oxidation-reduction sequence for the synthesis of peracylated fluorodeoxy pentofuranosides 71

***Klebsiella* type 2**

Synthesis of the tetrasaccharide repeating unit of the antigen from *Klebsiella* type 2 103

**Lectin interactions**

Syntheses of deoxy analogues of methyl 3,6-di-*O*- $\alpha$ -D-mannopyranosyl- $\alpha$ -D-mannopyranoside for studies of the binding site of Concanavalin A 271

**Linkage position**

The dependence of glucan conformational dynamics on linkage position and stereochemistry 11

**Maltose**

Hydration of  $\alpha$ -maltose and amylose: molecular modelling and thermodynamics study 27

**Model, conformational**

A conformational model for cyclic  $\beta$ -(1  $\rightarrow$  2)-linked glucans based on NMR analysis of the  $\beta$ -glucans produced by *Xanthomonas campestris* 205

**Molecular modelling**

Hydration of  $\alpha$ -maltose and amylose: molecular modelling and thermodynamics study 27

**Monosaccharides**

A reinvestigation of the derivatization of monosaccharides as aldononitrile peracetates 181

**<sup>23</sup>Na NMR spectroscopy**

Multinuclear magnetic resonance studies of the interaction of inorganic cations with heparin 239

**NMR**

Determination of the cellulose I $\alpha$  allomorph content in a tunicate cellulose by CP/MAS <sup>13</sup>C-NMR spectroscopy 339

**NMR analysis**

NMR investigation of the 6-deoxy-L-talose-containing O45, O45-related (O45rel), and O66 polysaccharides of *Escherichia coli* 155

**Non-freezing water**

Hydration of  $\alpha$ -maltose and amylose: molecular modelling and thermodynamics study 27

**Oligogalacturonic acids**

High-performance liquid chromatographic separation of oligogalacturonic acids on a cyclomaltoheptaose ( $\beta$ -cyclodextrin) bonded-phase column 1

**Oligosaccharide**

Synthesis of the tetrasaccharide repeating unit of the antigen from *Klebsiella* type 2 103

**Oligosaccharides, D-xylo-**

Synthesis of (1  $\rightarrow$  4)- $\beta$ -D-xylo-oligosaccharides of dp 4–10 by a blockwise approach 301

**Oligosaccharide synthesis**

Syntheses of deoxy analogues of methyl 3,6-di-*O*- $\alpha$ -D-mannopyranosyl- $\alpha$ -D-mannopyranoside for studies of the binding site of Concanavalin A 271

Synthesis of 2-(4-aminophenyl)ethyl 3-deoxy-5-*O*-(3,4,6-tri-*O*- $\beta$ -D-glucopyranosyl)- $\alpha$ -D-glucopyranosyl)- $\alpha$ -D-manno-oct-2-ulopyranosidonic acid, a highly branched pentasaccharide corresponding to structures found in lipopolysaccharides from *Moraxella catarrhalis* 289

Synthesis of 2-acetamido-2-deoxy- $\beta$ -D-glucopyranosyl-(1  $\rightarrow$  2)- $\alpha$ -D-mannopyranosyl-(1  $\rightarrow$  6)- $\beta$ -D-mannopyranosyl-(1  $\rightarrow$  4)-2-acetamido-2-deoxy-D-glucopyranose. Acceptor-substrate recognition by *N*-acetylglucosaminyltransferase-V (GnT-V) 351

***Oudemansiella mucida***

Conversion of D-glucose to D-erythro-hexos-2,3-diulose (2,3-diketo-D-glucose) by enzyme preparations from the basidiomycete *Oudemansiella mucida* 59

**Oximes**

Carbohydrate *N*-phosphinyl imine derivatives: synthesis and conversion to amino sugars 345

**Pectin**

High-performance liquid chromatographic separation of oligogalacturonic acids on a cyclomaltoheptaose ( $\beta$ -cyclodextrin) bonded-phase column 1

**Phenanthroline**

Complexes of Co(III) with L-sorbose and phenanthroline 315

**Polygalacturonic acid**

High-performance liquid chromatographic separation of oligogalacturonic acids on a cyclomal-

- toheptaose ( $\beta$ -cyclodextrin) bonded-phase column 1
- Polysaccharide
- Reductive cleavage of glycosides with borane complexes in the presence of boron trifluoride etherate 329
- Polysaccharide structures
- NMR investigation of the 6-deoxy-L-talose-containing O45, O45-related (O45rel), and O66 polysaccharides of *Escherichia coli* 155
- X-Ray structure
- Molecular and crystal structures of two 1,6-anhydro- $\beta$ -maltotriose derivatives 195
- Reductive cleavage
- Reductive cleavage of glycosides with borane complexes in the presence of boron trifluoride etherate 329
- Relaxation times
- Multinuclear magnetic resonance studies of the interaction of inorganic cations with heparin 239
- Single crystal
- Molecular and crystal structures of two 1,6-anhydro- $\beta$ -maltotriose derivatives 195
- Soluble starch
- Thermal transfer of fructosyl residues to amylopectin and soluble starch during the melt thermolysis of sucrose 363
- L-Sorbose
- Complexes of Co(III) with L-sorbose and phenanthroline 315
- Stereochemistry
- The dependence of glucan conformational dynamics on linkage position and stereochemistry 11
- Structural elucidation
- Structural studies of the extracellular polysaccharide from *Butyrivibrio fibrisolvens* strain 49 143
- Sugars, amino, synthesis
- Carbohydrate *N*-phosphinyl imine derivatives: synthesis and conversion to amino sugars 345
- Surfactant
- Synthesis and surface-active properties of some alkyl 2-amino-2-deoxy- $\beta$ -D-glucopyranosides 91
- Synthesis
- Synthesis of the tetrasaccharide repeating unit of the antigen from *Klebsiella* type 2 103
- Synthesis, blockwise
- Synthesis of (1  $\rightarrow$  4)- $\beta$ -D-xylo-oligosaccharides of dp 4–10 by a blockwise approach 301
- Tetrasaccharide repeating unit
- Synthesis of the tetrasaccharide repeating unit of the antigen from *Klebsiella* type 2 103
- Thermal transfer
- Thermal transfer of fructosyl residues to amylopectin and soluble starch during the melt thermolysis of sucrose 363
- Thermolysis
- Thermal transfer of fructosyl residues to amylopectin and soluble starch during the melt thermolysis of sucrose 363
- 1-Thioglucopyranose
- Synthesis of deoxy derivatives of the glucosinolates glucotropaeolin and glucobrassicin 257
- Transgalactosylation
- Isolation and characterization of novel heterogeneous branched cyclomalto-oligosaccharides (cyclodextrins) produced by transgalactosylation with  $\alpha$ -galactosidase from coffee bean 129
- Transition-state analogues
- Analogues of disaccharides and glycosides containing a cyclic guanidinium structure show varying inhibitory effects on glycoside hydrolases 167
- Tungstate complexes
- A  $^{13}\text{C}$  and  $^{183}\text{W}$  NMR study of D-glycero-D-gulo-heptonic acid as a multisite ligand in tungstate complexes 227
- Tunicate cellulose
- Determination of the cellulose I $\alpha$  allomorph content in a tunicate cellulose by CP/MAS  $^{13}\text{C}$ -NMR spectroscopy 339
- $^{183}\text{W}$  NMR
- A  $^{13}\text{C}$  and  $^{183}\text{W}$  NMR study of D-glycero-D-gulo-heptonic acid as a multisite ligand in tungstate complexes 227
- Xanthomonas campestris*
- A conformational model for cyclic  $\beta$ -(1  $\rightarrow$  2)-linked glucans based on NMR analysis of the  $\beta$ -glucans produced by *Xanthomonas campestris* 205