



ELSEVIER

Carbohydrate Research 281 (1996) C13–C17

CARBOHYDRATE
RESEARCH

Subject index

N-Acetylmannosamine

Synthesis of 2-acetamido-3-*O*-acetyl-2-deoxy-*D*-mannose phosphoramidites 313

N-Acetylmannosamine phosphoramidites

Synthesis of 2-acetamido-3-*O*-acetyl-2-deoxy-*D*-mannose phosphoramidites 313

Acid modification

Acid modification of starch granules in alcohols: effects of temperature, acid concentration, and starch concentration 203

D-Altropyransyl fluoride

The molecular and crystal structure of two trichloroethylidene acetals of epimerized monosaccharides 293

Amide isomerism

New imino sugar derivatives from a 6-azido-6-deoxy sugar formazan 321

Amino sugar

Synthesis of 3-acetamido-1,2,4-tri-*O*-acetyl-3,5-dideoxy-5-*C*-[(*R*)- and (*S*)-phenylphosphinyl]- α - and - β -*D*-xylopyranoses 307

Anhydrohexos-4-ulose

An improved synthesis of 1,6-anhydro-2,3-di-*O*-benzyl- β -*D*-xylo-hexopyranos-4-ulose 179

O-Antigen

Structural studies of the *Escherichia coli* O26 O-antigen polysaccharide 155

Antigen, tumor-associated

Total synthesis of VIM-2 ganglioside isolated from human chronic myelogenous leukemia cells 237

Arabinan

Structural features of an arabinan fragment isolated from the water-soluble fraction of dehulled rapeseed 161

D-Arabinopyranose

The molecular and crystal structure of two trichloroethylidene acetals of epimerized monosaccharides 293

Azasugars

Synthesis of (+)-3,7,8-trideoxy-3,7-imino-*D*-threo-*L*-galacto-octitol and its inhibition of β -glucosidases 277

Azido sugars

New imino sugar derivatives from a 6-azido-6-deoxy sugar formazan 321

Bifidobacteria

Structure of a galactan from cell walls of *Bifidobacterium catenulatum* YIT4016 285

Bioconversion

Preparation of *D*-sorbitol from *L*-glucitol by bioconversion with *Pseudomonas* sp. Ac 183

Carbohydrates

A convenient new pathway for stereospecific epimerization of monosaccharide moieties in disaccharides 61

Carbon-phosphorus bond

Synthesis of 3-acetamido-1,2,4-tri-*O*-acetyl-3,5-dideoxy-5-*C*-[(*R*)- and (*S*)-phenylphosphinyl]- α - and - β -*D*-xylopyranoses 307

¹³C CP MAS solid-state NMR

Crystal structure and solid-state NMR analysis of methyl 2,3,6-tri-*O*-acetyl-2-deoxy-2-[3-(2-phenylethyl)-ureido]- β -*D*-glucopyranoside 1

Cellulose pyrolysis

Mass spectrometric studies of the thermal decomposition of carbohydrates using ¹³C-labeled cellulose and glucose 219

Cell wall

Structure of a galactan from cell walls of *Bifidobacterium catenulatum* YIT4016 285

Chain extension

Wittig chain extension of unprotected carbohydrates: formation of carbohydrate-derived α , β -unsaturated esters 69

Chair

The aqueous solution structure of a lipoteichoic acid from *Streptococcus pneumoniae* strain R6 containing 2,4-diamino-2,4,6-trideoxy-galactose: evidence for conformational mobility of the galactopyranose ring 79

Chemical shift assignment

2D NMR Analysis of the polylactone derivative of colominic acid. Complete ^1H and ^{13}C NMR chemical shift assignments 173

Chloral acetals

A convenient new pathway for stereospecific epimerization of monosaccharide moieties in disaccharides 61

The molecular and crystal structure of two trichloroethylidene acetals of epimerized monosaccharides 293

 ^{13}C labeling

Mass spectrometric studies of the thermal decomposition of carbohydrates using ^{13}C -labeled cellulose and glucose 219

Cluster analysis

Molecular dynamics simulations of maltose in water 11

Collision-induced dissociation

Mass spectrometric studies of the thermal decomposition of carbohydrates using ^{13}C -labeled cellulose and glucose 219

Colominic acid

2D NMR Analysis of the polylactone derivative of colominic acid. Complete ^1H and ^{13}C NMR chemical shift assignments 173

Computer modelling

The aqueous solution structure of a lipoteichoic acid from *Streptococcus pneumoniae* strain R6 containing 2,4-diamino-2,4,6-trideoxy-galactose: evidence for conformational mobility of the galactopyranose ring 79

Conformation

Molecular dynamics simulations of maltose in water 11

Preparation of methyl 4,6-di-*O*-acetyl-3-*C*-nitro-2-enopyranoside derivatives and their reduction with sodium borodeuteride 129

Crystal structure

Crystal structure and solid-state NMR analysis of methyl 2,3,6-tri-*O*-acetyl-2-deoxy-2-[3-(2-phenylethyl)-ureido]- β -D-glucopyranoside 1

Crystal and molecular structure of 1,6:3,4-dianhydro-2-*O*-*p*-tolylsulfonyl- β -D-galactopyranose 301

Cyclic nitroalkenes

Preparation of methyl 4,6-di-*O*-acetyl-3-*C*-nitro-2-enopyranoside derivatives and their reduction with sodium borodeuteride 129

1,6:3,4-Dianhydro-2-*O*-*p*-tolylsulfonyl- β -D-galactopyranose

Crystal and molecular structure of 1,6:3,4-dianhydro-2-*O*-*p*-tolylsulfonyl- β -D-galactopyranose 301

Dianhydro sugars

Crystal and molecular structure of 1,6:3,4-dianhydro-2-*O*-*p*-tolylsulfonyl- β -D-galactopyranose 301

Disaccharides

A convenient new pathway for stereospecific epimerization of monosaccharide moieties in disaccharides 61

6¹,6¹¹-Dithiogentiotriose

Synthesis of sulfur-linked analogues of nigerose, laminarabiose, laminaratriose, gentiobiose, gentiotriose, and laminaran trisaccharide Y 99

3¹,6¹-Dithiolaminaran trisaccharide Y

Synthesis of sulfur-linked analogues of nigerose, laminarabiose, laminaratriose, gentiobiose, gentiotriose, and laminaran trisaccharide Y 99

3¹,3¹¹-Dithiolaminaratriose

Synthesis of sulfur-linked analogues of nigerose, laminarabiose, laminaratriose, gentiobiose, gentiotriose, and laminaran trisaccharide Y 99

2D NMR spectroscopy

2D NMR Analysis of the polylactone derivative of colominic acid. Complete ^1H and ^{13}C NMR chemical shift assignments 173

Dynamics

Molecular dynamics simulations of maltose in water 11

Electrospray-ionisation

Analysis of the structural heterogeneity of laminarin by electrospray-ionisation-mass spectrometry 187

Energy minima

Molecular dynamics simulations of maltose in water 11

Enteronemorrhagic

Structural studies of the *Escherichia coli* O26 O-antigen polysaccharide 155

Epimerization

A convenient new pathway for stereospecific epimerization of monosaccharide moieties in disaccharides 61

Escherichia coli

Structural studies of the *Escherichia coli* O26 O-antigen polysaccharide 155

Fungi

Structural characterization of extracellular polysaccharides produced by fungi from the genus *Pleurotus* 143

Galactan

Structure of a galactan from cell walls of *Bifidobacterium catenulatum* YIT4016 285

Glucan

Structural characterization of extracellular polysaccharides produced by fungi from the genus *Pleurotus* 143

 β -(1 \rightarrow 3)-D-Glucan

Analysis of the structural heterogeneity of laminarin by electrospray-ionisation–mass spectrometry 187

L-Glucitol

Preparation of D-sorbose from L-glucitol by bioconversion with *Pseudomonas* sp. Ac 183

Glucose pyrolysis

Mass spectrometric studies of the thermal decomposition of carbohydrates using ^{13}C -labeled cellulose and glucose 219

Glycolipid

Total synthesis of VIM-2 ganglioside isolated from human chronic myelogenous leukemia cells 237

Glycosaminoglycans

L-Iduronic acid derivatives as glycosyl donors 253

Glycosidase inhibitors

Synthesis of (+)-3,7,8-trideoxy-3,7-imino-D-threo-L-galacto-octitol and its inhibition of β -glucosidases 277

Glycosidation

L-Iduronic acid derivatives as glycosyl donors 253

Glycoside, α -linked

Synthesis of the methyl α -glycosides of a di-, tri-, and a tetra-saccharide fragment mimicking the terminus of the O-polysaccharide of *Vibrio cholerae* O:1, serotype Ogawa 47

Glycosyl donors

L-Iduronic acid derivatives as glycosyl donors 253

HMQC-TOCSY

NMR determination of the structure of Julibroside J₁ 35

Hydrogen bonding

Crystal structure and solid-state NMR analysis of methyl 2,3,6-tri-O-acetyl-2-deoxy-2-[3-(2-phenylethyl)-ureido]- β -D-glucopyranoside 1

Iduronic acid

L-Iduronic acid derivatives as glycosyl donors 253

Iminoalditols

Synthesis of (+)-3,7,8-trideoxy-3,7-imino-D-threo-L-galacto-octitol and its inhibition of β -glucosidases 277

3,7-Iminooctitol

Synthesis of (+)-3,7,8-trideoxy-3,7-imino-D-threo-L-galacto-octitol and its inhibition of β -glucosidases 277

Imino sugar derivatives

New imino sugar derivatives from a 6-azido-6-deoxy sugar formazan 321

Immunostimulant polysaccharide repeating-unit thio analogue

Stereocontrolled synthesis of sulfur-linked analogues of the branched tetrasaccharide repeating-unit of the immunostimulant polysaccharide schizophyllan and of its β -(1 \rightarrow 3)-branched, β -(1 \rightarrow 6)-linked isomer 119

Inverted boat, B_{1,4}

The aqueous solution structure of a lipoteichoic acid from *Streptococcus pneumoniae* strain R6 containing 2,4-diamino-2,4,6-trideoxy-galactose: evidence for conformational mobility of the galactopyranose ring 79

Julibroside

NMR determination of the structure of Julibroside J₁ 35

Laminarin

Analysis of the structural heterogeneity of laminarin by electrospray-ionisation–mass spectrometry 187

Lipopolysaccharide

Structural studies of the *Escherichia coli* O26 O-antigen polysaccharide 155

Lipoteichoic acid

The aqueous solution structure of a lipoteichoic acid from *Streptococcus pneumoniae* strain R6 containing 2,4-diamino-2,4,6-trideoxy-galactose: evidence for conformational mobility of the galactopyranose ring 79

Mass spectrometry

Analysis of the structural heterogeneity of laminarin by electrospray-ionisation–mass spectrometry 187

MD simulation

The aqueous solution structure of a lipoteichoic acid from *Streptococcus pneumoniae* strain R6 containing 2,4-diamino-2,4,6-trideoxy-galactose: evidence for conformational mobility of the galactopyranose ring 79

Meningococcal polysaccharide

Synthesis of 2-acetamido-3-O-acetyl-2-deoxy-D-mannose phosphoramidites 313

Methylation analysis

Structural characterization of extracellular polysaccharides produced by fungi from the genus *Pleurotus* 143

Michael reaction

Wittig chain extension of unprotected carbohydrates: formation of carbohydrate-derived α,β -unsaturated esters 69

Molecular beam mass spectrometry

Mass spectrometric studies of the thermal decomposition of carbohydrates using ^{13}C -labeled cellulose and glucose 219

Monosaccharides

The molecular and crystal structure of two trichloroethylidene acetals of epimerized monosaccharides 293

NMR

NMR determination of the structure of Julibroside J₁ 35

The aqueous solution structure of a lipoteichoic acid from *Streptococcus pneumoniae* strain R6 containing 2,4-diamino-2,4,6-trideoxy-galactose: evidence for conformational mobility of the galactopyranose ring 79

Structural features of an arabinan fragment isolated from the water-soluble fraction of dehulled rapeseed 161

NMR investigations

New imino sugar derivatives from a 6-azido-6-deoxy sugar formazan 321

NOE

The aqueous solution structure of a lipoteichoic acid from *Streptococcus pneumoniae* strain R6 containing 2,4-diamino-2,4,6-trideoxy-galactose: evidence for conformational mobility of the galactopyranose ring 79

Oligosaccharides

Synthesis of the methyl α -glycosides of a di-, tri-, and a tetra-saccharide fragment mimicking the terminus of the O-polysaccharide of *Vibrio cholerae* O:1, serotype Ogawa 47

Phosphorus sugar

Synthesis of 3-acetamido-1,2,4-tri-*O*-acetyl-3,5-dideoxy-5-*C*-[(*R*)- and (*S*)-phenylphosphinyl]- α - and - β -D-xylopyranoses 307

Phytoalexin elicitor repeating-unit thio analogue

Stereocontrolled synthesis of sulfur-linked analogues of the branched tetrasaccharide repeating-unit of the immunostimulant polysaccharide schizophyllan and of its β -(1 \rightarrow 3)-branched, β -(1 \rightarrow 6)-linked isomer 119

Pleurotus

Structural characterization of extracellular polysaccharides produced by fungi from the genus *Pleurotus* 143

Poly lactone

2D NMR Analysis of the polylactone derivative of colominic acid. Complete ^1H and ^{13}C NMR chemical shift assignments 173

Polysaccharide

Synthesis of the methyl α -glycosides of a di-, tri-, and a tetra-saccharide fragment mimicking the terminus of the O-polysaccharide of *Vibrio cholerae* O:1, serotype Ogawa 47

Polysaccharides

Structural characterization of extracellular polysaccharides produced by fungi from the genus *Pleurotus* 143

***Pseudomonas* sp.**

Preparation of D-sorbose from L-glucitol by bio-conversion with *Pseudomonas* sp. Ac 183

Rapeseed

Structural features of an arabinan fragment isolated from the water-soluble fraction of dehulled rapeseed 161

Ring conformation

The aqueous solution structure of a lipoteichoic acid from *Streptococcus pneumoniae* strain R6 containing 2,4-diamino-2,4,6-trideoxy-galactose: evidence for conformational mobility of the galactopyranose ring 79

Schizophyllan tetrasaccharide repeating-unit thio analogue

Stereocontrolled synthesis of sulfur-linked analogues of the branched tetrasaccharide repeating-unit of the immunostimulant polysaccharide schizophyllan and of its β -(1 \rightarrow 3)-branched, β -(1 \rightarrow 6)-linked isomer 119

Skew. $^5\text{S}_1$

The aqueous solution structure of a lipoteichoic acid from *Streptococcus pneumoniae* strain R6 containing 2,4-diamino-2,4,6-trideoxy-galactose: evidence for conformational mobility of the galactopyranose ring 79

Smith degradation

Analysis of the structural heterogeneity of laminarin by electrospray-ionisation-mass spectrometry 187

D-Sorbose

Preparation of D-sorbose from L-glucitol by bio-conversion with *Pseudomonas* sp. Ac 183

Starch granules

Acid modification of starch granules in alcohols: effects of temperature, acid concentration, and starch concentration 203

Stereochemistry of reduction

Preparation of methyl 4,6-di-*O*-acetyl-3-*C*-nitro-2-enopyranoside derivatives and their reduction with sodium borodeuteride 129

Streptococcus pneumoniae

The aqueous solution structure of a lipoteichoic acid from *Streptococcus pneumoniae* strain R6 containing 2,4-diamino-2,4,6-trideoxy-galactose: evidence for conformational mobility of the galactopyranose ring 79

Sugar formazans

New imino sugar derivatives from a 6-azido-6-deoxy sugar formazan 321

Sugars, unprotected

Wittig chain extension of unprotected carbohydrates: formation of carbohydrate-derived α,β -unsaturated esters 69

Sulfur-linked oligosaccharides

Synthesis of sulfur-linked analogues of nigerose, laminarabiose, laminaratriose, gentiobiose, gentiotriose, and laminaran trisaccharide Y 99

Sulfur-linked thiooligosaccharides

Stereocontrolled synthesis of sulfur-linked analogues of the branched tetrasaccharide repeating-unit of the immunostimulant polysaccharide schizophyllan and of its β -(1 \rightarrow 3)-branched, β -(1 \rightarrow 6)-linked isomer 119

Synthesis

Synthesis of the methyl α -glycosides of a di-, tri-, and a tetra-saccharide fragment mimicking the terminus of the O-polysaccharide of *Vibrio cholerae* O:1, serotype Ogawa 47

L-Iduronic acid derivatives as glycosyl donors 253

Synthesis, ganglioside

Total synthesis of VIM-2 ganglioside isolated from human chronic myelogenous leukemia cells 237

Synthesis, VIM-2

Total synthesis of VIM-2 ganglioside isolated from human chronic myelogenous leukemia cells 237

6-Thiogentiobiose

Synthesis of sulfur-linked analogues of nigerose, laminarabiose, laminaratriose, gentiobiose, gentiotriose, and laminaran trisaccharide Y 99

3-Thiolaminarabiose

Synthesis of sulfur-linked analogues of nigerose, laminarabiose, laminaratriose, gentiobiose, gentiotriose, and laminaran trisaccharide Y 99

3-Thionigerose

Synthesis of sulfur-linked analogues of nigerose, laminarabiose, laminaratriose, gentiobiose, gentiotriose, and laminaran trisaccharide Y 99

2,4,6-Trideoxy-galactose

The aqueous solution structure of a lipoteichoic acid from *Streptococcus pneumoniae* strain R6 containing 2,4-diamino-2,4,6-trideoxy-galactose: evidence for conformational mobility of the galactopyranose ring 79

Triphenylphosphine

New imino sugar derivatives from a 6-azido-6-deoxy sugar formazan 321

Ureido sugars

Crystal structure and solid-state NMR analysis of methyl 2,3,6-tri-*O*-acetyl-2-deoxy-2-[3-(2-phenylethyl)-ureido]- β -D-glucopyranoside 1

Vibrio cholerae

Synthesis of the methyl α -glycosides of a di-, tri-, and a tetra-saccharide fragment mimicking the terminus of the O-polysaccharide of *Vibrio cholerae* O:1, serotype Ogawa 47

Wittig reaction

Wittig chain extension of unprotected carbohydrates: formation of carbohydrate-derived α,β -unsaturated esters 69

X-ray crystallography

The molecular and crystal structure of two trichloroethylidene acetals of epimerized monosaccharides 293

Xylopyranose

Synthesis of 3-acetamido-1,2,4-tri-*O*-acetyl-3,5-dideoxy-5-*C*-[(*R*)- and (*S*)-phenylphosphinyl]- α - and - β -D-xylopyranoses 307

Zaragozic acid

An improved synthesis of 1,6-anhydro-2,3-di-*O*-benzyl- β -D-xylo-hexopyranos-4-ulose 179