



Carbohydrate Research 288 (1996) C3-C5

Subject index

Alkali extraction

Arabinose and ferulic acid rich pectic polysaccharides extracted from sugar beet pulp 143

Composition and structural analysis of alphadextrins from potato amylopectin 155

Amylopectin

Composition and structural analysis of alphadextrins from potato amylopectin 155

2,5-Anhydro sugars

Stereospecific synthesis of (-)-allo-muscarine from D-glucose 241

Autoclave extraction

Arabinose and ferulic acid rich pectic polysaccharides extracted from sugar beet pulp 143 Azo dyes

Visible and ¹³C nuclear magnetic resonance spectra of azo dyes and their complexes with cyclomalto-oligosaccharides 75

Blight of corn

Structure of stewartan, the capsular exopolysaccharide from the corn pathogen *Erwinia stew*artii 189

Cell walls

Cross-polarisation kinetics and proton NMR relaxation in polymers of *Citrus* cell walls 1

Chiral synthon

Stereospecific synthesis of (-)-allo-muscarine from D-glucose 241

¹³C NMR spectroscopy

Visible and ¹³C nuclear magnetic resonance spectra of azo dyes and their complexes with cyclomalto-oligosaccharides 75

Conformations

Synthesis and structural studies of branched 2-linked trisaccharides related to blood group determinants 25

Cross-polarisation

Cross-polarisation kinetics and proton NMR relaxation in polymers of *Citrus* cell walls 1 CP-MAS NMR of highly mobile hydrated biopolymers: polysaccharides of *Allium* cell walls 15

Crystallisation

Mutarotation of D-fructose in aqueous-ethanolic solutions and its influence on crystallisation 45

Cyclomalto-oligosaccharides (cyclodextrins, CDs)
Visible and ¹³C nuclear magnetic resonance spectra of azo dyes and their complexes with

2-Deoxy-2-trichloroacetamido-D-glucopyranose derivatives

cyclomalto-oligosaccharides 75

The use of 2-deoxy-2-trichloroacetamido-D-glucopyranose derivatives in syntheses of hyaluronic acid-related tetra-, hexa-, and octa-saccharides having a methyl β -D-glucopyranosiduronic acid at the reducing end 109

α -Dextrin

Composition and structural analysis of alphadextrins from potato amylopectin 155

Disaccharide epitope

Synthesis of four glycosides of a disaccharide fragment representing the terminus of the Opolysaccharide of *Vibrio cholerae* O:1, serotype Inaba, bearing aglycons suitable for linking to proteins 85

Endoglucanase

Potato xyloglucan is built from XXGG-type subunits 219

Erwinia stewartii

Structure of stewartan, the capsular exopolysaccharide from the corn pathogen *Erwinia stew*artii 189

Exopolysaccharide

Predicting helical structures of the exopolysaccharide produced by *Lactobacillus sake* 0-1 57

Exopolysaccharide, structure

Structure of stewartan, the capsular exopolysaccharide from the corn pathogen *Erwinia stew*artii 189

Exopolysaccharide structure

Structural characterization of the exopolysaccharide produced by *Lactobacillus acidophilus* LMG9433 203

Ferulic acid

Arabinose and ferulic acid rich pectic polysaccharides extracted from sugar beet pulp 143

D-Fructose

Mutarotation of D-fructose in aqueous-ethanolic solutions and its influence on crystallisation 45

Galactan

CP-MAS NMR of highly mobile hydrated biopolymers: polysaccharides of *Allium* cell walls 15

Galacturonan

CP-MAS NMR of highly mobile hydrated biopolymers: polysaccharides of *Allium* cell walls 15

Gelatinized starch granules

Reaction of enzymes with starch granules: enhanced reaction of glucoamylase with gelatinized starch granules 233

Glucoamylase

Reaction of enzymes with starch granules: enhanced reaction of glucoamylase with gelatinized starch granules 233

Gluconate kinase

A novel enzymic determination of maltobionate 127

Helical structures

Predicting helical structures of the exopolysaccharide produced by *Lactobacillus sake* 0-1 57

Heteroglycans

Characterisation of acidic heteroglycans from Tremella fuciformis Berk with cytokine stimulating activity 135

H NMR spectroscopy

Visible and ¹³C nuclear magnetic resonance spectra of azo dyes and their complexes with cyclomalto-oligosaccharides 75

Host-guest complex formation

Visible and ¹³C nuclear magnetic resonance spectra of azo dyes and their complexes with cyclomalto-oligosaccharides 75
Visible and ¹³C nuclear magnetic resonance

Visible and ¹³C nuclear magnetic resonance spectra of azo dyes and their complexes with cyclomalto-oligosaccharides 75

HPSEC

Arabinose and ferulic acid rich pectic polysaccharides extracted from sugar beet pulp 143

Hyaluronic acid

The use of 2-deoxy-2-trichloroacetamido-D-glucopyranose derivatives in syntheses of hyaluronic acid-related tetra-, hexa-, and octa-saccharides having a methyl β -D-glucopyranosiduronic acid at the reducing end 109

Interleukin-1 (IL-1)

Characterisation of acidic heteroglycans from *Tremella fuciformis* Berk with cytokine stimulating activity 135

Interleukin-6 (IL-6)

Characterisation of acidic heteroglycans from Tremella fuciformis Berk with cytokine stimulating activity 135

κ- and ι-carrageenan

The influence of the conformational state of κ -and ι -carrageenan on the rate of acid hydrolysis 175

Lactic acid bacteria

Predicting helical structures of the exopolysaccharide produced by *Lactobacillus sake* 0-1 57 Structural characterization of the exopolysaccharide produced by *Lactobacillus acidophilus* LMG9433 203

Lb. acidophilus

Structural characterization of the exopolysaccharide produced by *Lactobacillus acidophilus* LMG9433 203

Maltobionate

A novel enzymic determination of maltobionate 127

Maltobionate α -D-glucohydrolase

A novel enzymic determination of maltobionate 127

Mobility

CP-MAS NMR of highly mobile hydrated biopolymers: polysaccharides of *Allium* cell walls 15

Molecular mechanics

Predicting helical structures of the exopolysaccharide produced by *Lactobacillus sake* 0-1 57

Molecular modelling

Predicting helical structures of the exopolysaccharide produced by *Lactobacillus sake* 0-1 57

(-)-allo-Muscarine

Stereospecific synthesis of (-)-allo-muscarine from D-glucose 241

Mutarotation

Mutarotation of D-fructose in aqueous-ethanolic solutions and its influence on crystallisation 45

Subject index C5

Neoglycoconjugate

Synthesis of four glycosides of a disaccharide fragment representing the terminus of the Opolysaccharide of *Vibrio cholerae* O:1, serotype Inaba, bearing aglycons suitable for linking to proteins 85

NMR

Cross-polarisation kinetics and proton NMR relaxation in polymers of *Citrus* cell walls 1

NMR spectroscopy

Synthesis and structural studies of branched 2-linked trisaccharides related to blood group determinants 25

O-antigen

Synthesis of four glycosides of a disaccharide fragment representing the terminus of the Opolysaccharide of *Vibrio cholerae* O:1, serotype Inaba, bearing aglycons suitable for linking to proteins 85

Octasaccharide

The use of 2-deoxy-2-trichloroacetamido-D-glucopyranose derivatives in syntheses of hyaluronic acid-related tetra-, hexa-, and octa-saccharides having a methyl β -D-glucopyranosiduronic acid at the reducing end 109

Oligosaccharides

Synthesis and structural studies of branched 2-linked trisaccharides related to blood group determinants 25

Pectin

CP-MAS NMR of highly mobile hydrated biopolymers: polysaccharides of *Allium* cell walls 15

Arabinose and ferulic acid rich pectic polysaccharides extracted from sugar beet pulp 143

6-Phosphogluconic dehydrogenase

A novel enzymic determination of maltobionate 127

Polarisation transfer kinetics

Cross-polarisation kinetics and proton NMR relaxation in polymers of *Citrus* cell walls 1

Polysaccharide conformation

The influence of the conformational state of κ -and ι -carrageenan on the rate of acid hydrolysis 175

Polysaccharides

Cross-polarisation kinetics and proton NMR relaxation in polymers of *Citrus* cell walls 1

Potate

Composition and structural analysis of alphadextrins from potato amylopectin 155

Pseudomonas taetrolens

A novel enzymic determination of maltobionate 127

Rates of acid hydrolysis of polysaccharides

The influence of the conformational state of κ -and ν -carrageenan on the rate of acid hydrolysis 175

Starch

Composition and structural analysis of alphadextrins from potato amylopectin 155

Stereospecific synthesis

Stereospecific synthesis of (–)-allo-muscarine from D-glucose 241

Stewart's wilt

Structure of stewartan, the capsular exopolysaccharide from the corn pathogen *Erwinia stew*artii 189

Sugar beet

Arabinose and ferulic acid rich pectic polysaccharides extracted from sugar beet pulp 143 Synthesis

Synthesis and structural studies of branched 2-linked trisaccharides related to blood group determinants 25

Tetrahydrofuro[2,3-d]oxazole

Synthesis of a tetrahydropyrano[2,3-d]oxazole analogue of trehazolin 99

Tetrahydropyrano[2,3-d]oxazole

Synthesis of a tetrahydropyrano[2,3-d]oxazole analogue of trehazolin 99

Trehazolin

Synthesis of a tetrahydropyrano[2,3-d]oxazole analogue of trehazolin 99

Tremella fuciformis

Characterisation of acidic heteroglycans from *Tremella fuciformis* Berk with cytokine stimulating activity 135

Tumor necrosis factor (TNF)

Characterisation of acidic heteroglycans from *Tremella fuciformis* Berk with cytokine stimulating activity 135

UV-vis methods

Visible and ¹³C nuclear magnetic resonance spectra of azo dyes and their complexes with cyclomalto-oligosaccharides 75

Vibrio cholerae O:1

Synthesis of four glycosides of a disaccharide fragment representing the terminus of the Opolysaccharide of *Vibrio cholerae* O:1, serotype Inaba, bearing aglycons suitable for linking to proteins 85

Xyloglucan

Potato xyloglucan is built from XXGG-type subunits 219