



Carbohydrate Research 291 (1996) C3-C6

Subject index

O-Acetylation

Structural analysis of acetylated hemicellulose polysaccharides from fibre flax (*Linum usitatis-simum* 1...) 141

N-Acetyllactosamine

Synthesis of Hex p-(1 \rightarrow 4)- β -D-Glc pNAc-(1 \rightarrow 2)- α -D-Man p-(1 \rightarrow O)(CH₂)₇CH₃ probes for exploration of the substrate specificity of glycosyltransferases: Part I, Hex = β -D-Gal, 4-deoxy- β -D-Gal, 4- θ -methyl- θ -D-Gal, 4-deoxy-4-fluoro- θ -D-Gal, or θ -D-Glc 63

Alginate Iyase

HPLC analysis of saturated or unsaturated oligoguluronates and oligomannuronates. Application to the determination of the action pattern of *Haliotis tuberculata* alginate lyase 115

Aminoalditol

A new efficient and stereospecific conversion of aminodeoxyalditols into aminoalkyl-substituted tetrahydrofurans 85

Aminodeoxyalditol

A new efficient and stereospecific conversion of aminodeoxyalditols into aminoalkyl-substituted tetrahydrofurans 85

2-Amino-1,3-propanediol

Structure determination of the O-antigen polysaccharide from the enteroinvasive *Escherichia coli* (EIEC) O143 by component analysis and NMR spectroscopy 209

Anhydroalditols

A new efficient and stereospecific conversion of aminodeoxyalditols into aminoalkyl-substituted tetrahydrofurans 85

1.5-Anhydro-2-deoxy-2-*C*-methyl-D-*arabino*-hex-1-enitol, protected

An efficient synthesis of 3,4,6-tri-O-benzyl-2-C-methyl-D-glucal 205

Anomeric azides

Practical route to the anomeric methyl (5-acetamido-4,7,8,9-tetra-*O*-acetyl-3,5-dideoxy-D-

glycero-D-galacto-non-2-ulopyranosyl)onate azides 183

O-Antigen

Structure determination of the O-antigen polysaccharide from the enteroinvasive *Escherichia coli* (EIEC) O143 by component analysis and NMR spectroscopy 209

O-Antigen, structure

Somatic antigens of pseudomonads: Structure of the O-specific polysaccharide of the reference strain for *Pseudomonas fluorescens* (IMV 4125, ATCC 13525, biovar A) 217

Bacterial polysaccharide

Somatic antigens of pseudomonads: Structure of the O-specific polysaccharide of the reference strain for *Pseudomonas fluorescens* (IMV 4125, ATCC 13525, biovar A) 217

Candida antarctica lipase

Regioselective acylation of disaccharides by enzymatic transesterification 197

Carbon-carbon bond formation in carbohydrates Carbon-carbon bond formation in carbohydrates by a photoreductive cyclization reaction 189

Carboxymethylcellulose

¹³C NMR determination of substituent distribution in carboxymethylcellulose by use of its peresterified derivatives 99

Chemical glycosylation

Efficient, convergent syntheses of oligosaccharide allyl glycosides corresponding to the *Streptococcus* Group A cell-wall polysaccharide 21

2-C-methyl-D-glucal

An efficient synthesis of 3,4,6-tri-O-benzyl-2-C-methyl-D-glucal 205

Cyclic benzylidene acetal

Interglycosidic acetals. Part 3. Synthesis and structure determination of cyclic monobenzyli-

C4 Subject index

dene acetals of cyclodextrin derivatives bridging between two contiguous D-glucopyranosyl residues 53

Cyclodextrin

Interglycosidic acetals. Part 3. Synthesis and structure determination of cyclic monobenzylidene acetals of cyclodextrin derivatives bridging between two contiguous D-glucopyranosyl residues 53

Cyclopropane opening

An efficient synthesis of 3,4,6-tri-O-benzyl-2-C-methyl-D-glucal 205

1,2-Cyclopropanes

An efficient synthesis of 3,4,6-tri-O-benzyl-2-C-methyl-D-glucal 205

Degradation

Selective cleavage of welan gum (S-130) by oxidative decarboxylation with lead tetraacetate 109

2-Deoxy-2-C-methyl-D-mannose

An efficient synthesis of 3,4,6-tri-O-benzyl-2-C-methyl-D-glucal 205

Disaccharides

Regioselective acylation of disaccharides by enzymatic transesterification 197

E. coli β -D-galactosidase

Evaluation of C-(β -D-galactosyl) and C-(2-de-oxy-D-lyxo-hex-1-enopyranosyl) (D-galactal type) derivatives as inhibitors of β -D-galactosidase from *Escherichia coli* 43

Enteroinvasive

Structural studies of the enteroinvasive *Escherichia coli* (EIEC) O28 O-antigenic polysaccharide 127

Enzymatic acylation

Regioselective acylation of disaccharides by enzymatic transesterification 197

Enzyme inhibition

Evaluation of C-(β -D-galactosyl) and C-(2-de-oxy-D-lyxo-hex-1-enopyranosyl) (D-galactal type) derivatives as inhibitors of β -D-galactosidase from *Escherichia coli* 43

Escherichia coli

Structural studies of the enteroinvasive *Escherichia coli* (EIEC) O28 O-antigenic polysaccharide 127

Structure determination of the O-antigen polysaccharide from the enteroinvasive *Escherichia* coli (EIEC) O143 by component analysis and NMR spectroscopy 209

Exopolysaccharide

Structural elucidation of an extracellular polysaccharide produced by *Lactobacillus helveti*cus 155

Flax

Structural analysis of acetylated hemicellulose polysaccharides from fibre flax (*Linum usitatis-simum* L.) 141

Friedel-Crafts reaction

Synthesis of 2-(α-D-glucopyranosyl)benzoic acid by an intramolecular Friedel–Crafts reaction 11

D-Galactal derivatives

Evaluation of C-(β -D-galactosyl) and C-(2-de-oxy-D-lyxo-hex-1-enopyranosyl) (D-galactal type) derivatives as inhibitors of β -D-galactosidase from Escherichia coli 43

Glucomannan

Structural analysis of acetylated hemicellulose polysaccharides from fibre flax (*Linum usitatis-simum* L.) 141

Glycoproteins

Synthesis of $\text{Hex } p\text{-}(1 \to 4)\text{-}\beta\text{-}\text{D-Glc } p\text{NAc-}(1 \to 2)\text{-}\alpha\text{-}\text{D-Man } p\text{-}(1 \to O)(\text{CH}_2)_7\text{CH}_3$ probes for exploration of the substrate specificity of glycosyltransferases: Part I, $\text{Hex} = \beta\text{-}\text{D-Gal}$, 4-deoxy- $\beta\text{-}\text{D-Gal}$, 4- $\theta\text{-}\text{D-Gal}$, 4- $\theta\text{-}\text{D-Gal}$, 4-deoxy-4-fluoro- $\theta\text{-}\text{D-Gal}$, or $\theta\text{-}\text{D-Glc}$ 63

C-Glycoside

Synthesis of 2-(α -D-glucopyranosyl)benzoic acid by an intramolecular Friedel-Crafts reaction 11

C-Glycosides

Evaluation of C-(β -D-galactosyl) and C-(2-de-oxy-D-lyxo-hex-1-enopyranosyl) (D-galactal type) derivatives as inhibitors of β -D-galactosidase from *Escherichia coli* 43

Glycosyltransferases

Synthesis of $\operatorname{Hex} p\text{-}(1 \to 4)\text{-}\beta\text{-}\operatorname{D-Glc} p\operatorname{NAc-}(1 \to 2)\text{-}\alpha\text{-}\operatorname{D-Man} p\text{-}(1 \to O)(\operatorname{CH}_2)_7\operatorname{CH}_3$ probes for exploration of the substrate specificity of glycosyltransferases: Part I, $\operatorname{Hex} = \beta\text{-}\operatorname{D-Gal}$, 4-deoxy- β -D-Gal, 4- θ -methyl- θ -D-Gal, 4-deoxy-4-fluoro- θ -D-Gal, or θ -D-Glc 63

Haliotis tuberculata

HPLC analysis of saturated or unsaturated oligoguluronates and oligomannuronates. Application to the determination of the action pattern of *Haliotis tuberculata* alginate lyase 115

¹H and ¹³C spectra

Practical route to the anomeric methyl (5-acetamido-4,7,8,9-tetra-*O*-acetyl-3,5-dideoxy-D-glycero-D-galacto-non-2-ulopyranosyl)onate azides 183

Hemicellulose

Structural analysis of acetylated hemicellulose polysaccharides from fibre flax (*Linum usitatis-simum* L.) 141

Subject index C5

HPLC

HPLC analysis of saturated or unsaturated oligoguluronates and oligomannuronates. Application to the determination of the action pattern of *Haliotis tuberculata* alginate lyase 115

Hydrogen fluoride

A new efficient and stereospecific conversion of aminodeoxyalditols into aminoalkyl-substituted tetrahydrofurans 85

Interglycosidic acetal

Interglycosidic acetals. Part 3. Synthesis and structure determination of cyclic monobenzylidene acetals of cyclodextrin derivatives bridging between two contiguous D-glucopyranosyl residues 53

Intramolecular reaction

Synthesis of 2-(α-D-glucopyranosyl)benzoic acid by an intramolecular Friedel-Crafts reaction 11

Lactobacillus helveticus

Structural elucidation of an extracellular polysaccharide produced by *Lactobacillus helveticus* 155

Lactose

Regioselective acylation of disaccharides by enzymatic transesterification 197

Lead tetraacetate

Selective cleavage of welan gum (S-130) by oxidative decarboxylation with lead tetraacetate

Lipopolysaccharide

Structural studies of the enteroinvasive Escherichia coli (EIEC) O28 O-antigenic polysarcharide 127

Structure determination of the O-antigen polysaccharide from the enteroinvasive *Escherichia coli* (EIEC) O143 by component analysis and NMR spectroscopy 209

Somatic antigens of pseudomonads: Structure of the O-specific polysaccharide of the reference strain for *Pseudomonas fluorescens* (IMV 4125, ATCC 13525, biovar A) 217

Maillard reaction

Formation of amino acids by reaction of glucose and xylose with primary amines 175

Mass spectra

Practical route to the anomeric methyl (5-acetamido-4,7,8,9-tetra-*O*-acetyl-3,5-dideoxy-D-glycero-D-galacto-non-2-ulopyranosyl)onate azides 183

Molecular mechanics calculations

Investigation of the conformational behaviour of permethylated cyclodextrins by molecular modelling 1

Molecular modelling

Investigation of the conformational behaviour of permethylated cyclodextrins by molecular modelling 1

Native α -, β - and γ -cyclodextrins

Investigation of the conformational behaviour of permethylated cyclodextrins by molecular modelling 1

Neuraminyl azides

Practical route to the anomeric methyl (5-acetamido-4,7,8,9-tetra-*O*-acetyl-3,5-dideoxy-D-glycero-D-galacto-non-2-ulopyranosyl)onate azides 183

NMR

Structural elucidation of an extracellular polysaccharide produced by *Lactobacillus helveticus* 155

NMR Spectroscopy

Somatic antigens of pseudomonads: Structure of the O-specific polysaccharide of the reference strain for *Pseudomonas fluorescens* (IMV 4125, ATCC 13525, biovar A) 217

Oligo-alginates

HPLC analysis of saturated or unsaturated oligoguluronates and oligomannuronates. Application to the determination of the action pattern of *Haliotis tuberculata* alginate lyase 115

Oligosaccharides

Synthesis of Hex p-(1 \rightarrow 4)- β -D-Glc pNAc-(1 \rightarrow 2)- α -D-Man p-(1 \rightarrow O)(CH $_2$) $_7$ CH $_3$ probes for exploration of the substrate specificity of glycosyltransferases: Part I, Hex = β -D-Gal, 4-deoxy- β -D-Gal, 4- θ -methyl- θ -D-Gal, 4-deoxy-4-fluoro- θ -D-Gal, or θ -D-Glc 63

2-Oxabicyclo[4.3.0]nonan-7-ols

Carbon-carbon bond formation in carbohydrates by a photoreductive cyclization reaction 189

Permethylated α -, β - and γ -cyclodextrins

Investigation of the conformational behaviour of permethylated cyclodextrins by molecular modelling I

Phosphodiester

Structural studies of the enteroinvasive *Escherichia coli* (EIEC) O28 O-antigenic polysaccharide 127

Photoreductive cyclization

Carbon-carbon bond formation in carbohydrates by a photoreductive cyclization reaction 189

Pseudomonas

Somatic antigens of pseudomonads: Structure of the O-specific polysaccharide of the refer-

C6 Subject index

ence strain for *Pseudomonas fluorescens* (IMV 4125, ATCC 13525, biovar A) 217

Pseudomonas cepacia lipase

Regioselective acylation of disaccharides by enzymatic transesterification 197

Quantum mechanics calculations

Investigation of the conformational behaviour of permethylated cyclodextrins by molecular modelling 1

Radical cyclization

Carbon-carbon bond formation in carbohydrates by a photoreductive cyclization reaction 189

Radical-mediated bromination

Evaluation of C-(β -D-galactosyl) and C-(2-de-oxy-D-lyxo-hex-1-enopyranosyl) (D-galactal type) derivatives as inhibitors of β -D-galactosidase from *Escherichia coli* 43

Reductive elimination

Evaluation of C-(β -D-galactosyl) and C-(2-de-oxy-D-lyxo-hex-1-enopyranosyl) (D-galactal type) derivatives as inhibitors of β -D-galactosidase from *Escherichia coli* 43

S-130

Selective cleavage of welan gum (S-130) by oxidative decarboxylation with lead tetraacetate 109

Selective protection

Interglycosidic acetals. Part 3. Synthesis and structure determination of cyclic monobenzylidene acetals of cyclodextrin derivatives bridging between two contiguous D-glucopyranosyl residues 53

Shigella boydii

Structure determination of the O-antigen polysaccharide from the enteroinvasive *Escherichia coli* (EIEC) O143 by component analysis and NMR spectroscopy 209

Silver tetrafluoroborate

Synthesis of 2-(α -D-glucopyranosyl)benzoic acid by an intramolecular Friedel-Crafts reaction 11

Streptococcus Group A cell-wall oligosaccharides Efficient, convergent syntheses of oligosaccharide allyl glycosides corresponding to the Streptococcus Group A cell-wall polysaccharide 21

Substituent distribution in polysaccharide derivatives

¹³C NMR determination of substituent distribution in carboxymethylcellulose by use of its peresterified derivatives 99

N-Substituted α-aminopropionic acids

Formation of amino acids by reaction of glucose and xylose with primary amines 175

N-Substituted 4,5,6-trihydroxy-α-aminohexanoic acids

Formation of amino acids by reaction of glucose and xylose with primary amines 175

Substitution mode by ¹³C NMR

¹³C NMR determination of substituent distribution in carboxymethylcellulose by use of its peresterified derivatives 99

Substrate analogues

Synthesis of $\text{Hex } p\text{-}(1 \to 4)\text{-}\beta\text{-}\text{D-Glc } p\text{NAc-}(1 \to 2)\text{-}\alpha\text{-}\text{D-Man } p\text{-}(1 \to O)(\text{CH}_2)_7\text{CH}_3$ probes for exploration of the substrate specificity of glycosyltransferases: Part I, $\text{Hex} = \beta\text{-}\text{D-Gal}$, 4-deoxy- $\beta\text{-}\text{D-Gal}$, 4- $\theta\text{-}\text{D-Gal}$, 4-deoxy- $\theta\text{-}\text{D-Gal}$, or $\theta\text{-}\text{D-Glc}$ 63

Sugars

Formation of amino acids by reaction of glucose and xylose with primary amines 175

Teichoic acid type

Structural studies of the enteroinvasive *Escherichia coli* (EIEC) O28 O-antigenic polysaccharide 127

Tetrahydrofurans

A new efficient and stereospecific conversion of aminodeoxyalditols into aminoalkyl-substituted tetrahydrofurans 85

Transacetalation

Interglycosidic acetals. Part 3. Synthesis and structure determination of cyclic monobenzylidene acetals of cyclodextrin derivatives bridging between two contiguous D-glucopyranosyl residues 53

Welan gum

Selective cleavage of welan gum (S-130) by oxidative decarboxylation with lead tetraacetate 109

Xylan

Structural analysis of acetylated hemicellulose polysaccharides from fibre flax (*Linum usitatis-simum* L.) 141

Zinc/N-methylimidazole reagent

Evaluation of C-(β -D-galactosyl) and C-(2-de-oxy-D-lyxo-hex-1-enopyranosyl) (D-galactal type) derivatives as inhibitors of β -D-galactosidase from Escherichia coli 43