

## Subject index

### 2-Acetamido-2-deoxyglucosides

A simple approach to the synthesis of muramic acid and isomuramic acid:  $^1\text{H}$  and  $^{13}\text{C}$  NMR characterisation 289

### N-Acetylglucosamine

Synthesis of Hex $p$ -(1  $\rightarrow$  4)- $\beta$ -D-Glc $p$ NAc-(1  $\rightarrow$  2)- $\alpha$ -D-Man $p$ -(1  $\rightarrow$  O)(CH $_2$ ) $_7$ CH $_3$  probes for exploration of the substrate specificity of glycosyltransferases: Part II, Hex = 3-*O*-methyl- $\beta$ -D-Gal, 3-deoxy- $\beta$ -D-Gal, 3-deoxy-3-fluoro- $\beta$ -D-Gal, 3-amino-3-deoxy- $\beta$ -D-Gal,  $\beta$ -D-Gul,  $\alpha$ -L-Alt, or  $\beta$ -L-Gal 209

### Alditols

Multinuclear magnetic resonance study of the complexation of lanthanum (III) by D-glucitol and ribitol in aqueous solution 201

### Alginate gel beads

The spatial distribution of calcium in alginate gel beads analysed by synchrotron-radiation induced X-ray emission (SRIXE) 101

### Alkylations

Silver (I) oxide assisted *O*-alkylation of 2,4-di-*O*-benzoyl-*myo*-inositol-1,3,5-orthoformate and its 6-*O*-substituted derivatives: transanular participation of oxygen 243

### Amino-acid linker

Starch microspheres as carriers for X-ray imaging contrast agents: Synthesis and stability of new amino-acid linker derivatives 325

### Aminodeoxyalditols

A highly stereoselective synthesis of 1-amino-2,5-anhydro-1-deoxyhexitols via 2-trifluoromethyl-oxazolinium intermediates 261

### Amphiphiles

New 2/2-type surfactants via anomeric *O*-alkylation of mannofuranose 229

### Anhydrohexitols

A highly stereoselective synthesis of 1-amino-2,5-anhydro-1-deoxyhexitols via 2-trifluoromethyl-oxazolinium intermediates 261

### Anomeric structure

The effect of anomerism and hydration on the C–O–S vibrational frequency of D-galactose-3-sulfate determined by FTIR spectroscopy 93

### Apple

Rhamnogalacturonan II, a dominant polysaccharide in juices produced by enzymic liquefaction of fruits and vegetables 181

### Aqueous hetero Diels–Alder reactions

New access to C-disaccharide analogs of  $\alpha$ , $\alpha$ -trehalose using an aqueous hetero Diels–Alder reaction 169

### $\alpha$ -Arabinofuranosidase, extracellular

Purification and characterization of extracellular  $\beta$ -xylosidase and  $\alpha$ -arabinosidase from the plant pathogenic fungus *Cochliobolus carbonum* 357

### AutoDock

Automated docking of isomaltose analogues in the glucoamylase active site 309

### Bacterial antigens

Synthesis of L-glycero-D-manno-heptopyranose-containing oligosaccharide structures found in lipopolysaccharides from *Haemophilus influenzae* 251

### (1 $\rightarrow$ 3)- $\beta$ -glucanase

Purification and characterization of a (1  $\rightarrow$  3)- $\beta$ -D-glucan endohydrolase from rice (*Oryza sativa*) bran 365

### Bioconversion

Structural analysis of crystalline D-erythro-hexos-2,3-diulose (2,3-di-keto-D-glucose) prepared enzymatically from D-glucose 375

### Bis-C-glycosylbenzene derivatives

Synthesis of 1-[3,5-bis-(2,3,4,6-tetra-*O*-acetyl- $\beta$ -D-glucopyranosyl)-2,4,6-trihydroxyphenyl]ethanone: An intermediate of potential usefulness for synthesis of bis-C-glucosyl flavonoids 379

### Bismuth(III) halides

A convenient synthesis of peracetylated glycosyl halides using bismuth(III) halides as catalysts 175

### Block glycoside synthesis

Pivalates in the selective protection and activation of maltose for the synthesis of sulfated 3-deoxy-maltosyl-(1  $\rightarrow$  4)- $\alpha$ , $\alpha$ -trehalose 163

### Calcium distribution

The spatial distribution of calcium in alginate gel beads analysed by synchrotron-radiation induced X-ray emission (SRIXE) 101

### Carbohydrates

Synthesis of L-glycero-D-manno-heptopyranose-containing oligosaccharide structures found in lipopolysaccharides from *Haemophilus influenzae* 251

### Carrot

Rhamnogalacturonan II, a dominant polysaccharide in juices produced by enzymic liquefaction of fruits and vegetables 181

### Cerebroside sulfate

The effect of anomerism and hydration on the C–O–S vibrational frequency of D-galactose-3-sulfate determined by FTIR spectroscopy 93

### *Cochliobolus carbonum*

Purification and characterization of extracellular  $\beta$ -xylosidase and  $\alpha$ -arabinosidase from the plant pathogenic fungus *Cochliobolus carbonum* 357

### Co(II)

Transition-metal saccharide chemistry: synthesis and characterization of D-glucose, D-fructose, D-galactose, D-xylose, D-ribose, and maltose complexes of Co(II) 333

### Complex

Transition-metal saccharide chemistry: synthesis and characterization of D-glucose, D-fructose, D-galactose, D-xylose, D-ribose, and maltose complexes of Co(II) 333

Transition-metal saccharide chemistry: synthesis and characterization of D-glucose, D-fructose, D-galactose, D-xylose, D-ribose, and maltose complexes of Ni(II) 341

### Complexation

Multinuclear magnetic resonance study of the complexation of lanthanum (III) by D-glucitol and ribitol in aqueous solution 201

### Complexes

NMR study of the complexation of D-galactonic acid with tungsten(VI) and molybdenum(VI) 191

### Conformational analysis

Multinuclear magnetic resonance study of the complexation of lanthanum (III) by D-glucitol and ribitol in aqueous solution 201

### Contrast agents

Starch microspheres as carriers for X-ray imaging contrast agents: Synthesis and stability of new amino-acid linker derivatives 325

## C–O–S vibrational frequency

The effect of anomerism and hydration on the C–O–S vibrational frequency of D-galactose-3-sulfate determined by FTIR spectroscopy 93

## Cyclitols

Silver (I) oxide assisted *O*-alkylation of 2,4-di-*O*-benzoyl-*myo*-inositol-1,3,5-orthoformate and its 6-*O*-substituted derivatives: transannular participation of oxygen 243

## Cycloinulo-oligosaccharide fructanotransferase

Synthesis of methyl 6-*O*- $\beta$ -inulotriosyl- $\alpha$ -D-glucopyranoside by intermolecular transglycosylation reaction of cycloinulo-oligosaccharide fructanotransferase 187

Cyclomaltohexaose ( $\alpha$ CD)

Isolation by HPLC of the positional isomers of 6<sup>1</sup>,2<sup>n</sup>-di-*O*- $\alpha$ -D-galactopyranosylcyclomaltohexaose ( $n = 1-6$ ) and determination of their structures by enzymatic degradation 301

*Daucus carota*

Rhamnogalacturonan II, a dominant polysaccharide in juices produced by enzymic liquefaction of fruits and vegetables 181

## Deoxygenation

Pivalates in the selective protection and activation of maltose for the synthesis of sulfated 3-deoxy-maltosyl-(1  $\rightarrow$  4)- $\alpha$ , $\alpha$ -trehalose 163

## 3-Deoxy-maltose

Pivalates in the selective protection and activation of maltose for the synthesis of sulfated 3-deoxy-maltosyl-(1  $\rightarrow$  4)- $\alpha$ , $\alpha$ -trehalose 163

## Detergents

New 2/2-type surfactants via anomeric *O*-alkylation of mannofuranose 229

## 2,3-Diketo-D-glucose

Structural analysis of crystalline D-*erythro*-hexos-2,3-diulose (2,3-diketo-D-glucose) prepared enzymatically from D-glucose 375

## Dimerization

Effect of dimerization of the D-glucose analogue of muramyl dipeptide on stimulation of macrophage-like cells 127

## Docking

Automated docking of isomaltose analogues in the glucoamylase active site 309

## Electrospray

Structural analysis of crystalline D-*erythro*-hexos-2,3-diulose (2,3-diketo-D-glucose) prepared enzymatically from D-glucose 375

## Enterotoxigenic

Structure determination of the O-antigenic polysaccharide from the enterotoxigenic *Escherichia coli* (ETEC) O101 297

## Enzymatic degradation

Isolation by HPLC of the positional isomers of 6<sup>1</sup>,2<sup>n</sup>-di-*O*- $\alpha$ -D-galactopyranosylcyclomaltohexaose ( $n = 1-6$ ) and determination of their structures by enzymatic degradation 301

## Enzymic liquefaction

Rhamnogalacturonan II, a dominant polysaccharide in juices produced by enzymic liquefaction of fruits and vegetables 181

## Erythritol derivatives

New 2/2-type surfactants via anomeric *O*-alkylation of mannofuranose 229

*Escherichia coli*, O-antigen

Structure determination of the O-antigenic polysaccharide from the enterotoxigenic *Escherichia coli* (ETEC) O101 297

## Fucose branch

Structure of fucose branches in the glycosaminoglycan from the body wall of the sea cucumber *Stichopus japonicus* 273

## Fungi

Purification and characterization of extracellular  $\beta$ -xylosidase and  $\alpha$ -arabinosidase from the plant pathogenic fungus *Cochliobolus carbonum* 357

## Galactan

The specificity of an  $\alpha$ -(1  $\rightarrow$  2)-L-galactosyltransferase from albumen glands of the snail *Helix pomatia* 281

## D-Galactonic acid

NMR study of the complexation of D-galactonic acid with tungsten(VI) and molybdenum(VI) 191

## Galactose-3-sulfate

The effect of anomerism and hydration on the C–O–S vibrational frequency of D-galactose-3-sulfate determined by FTIR spectroscopy 93

## L-Gal transferase

The specificity of an  $\alpha$ -(1  $\rightarrow$  2)-L-galactosyltransferase from albumen glands of the snail *Helix pomatia* 281

 $\beta$ -(1  $\rightarrow$  6)-D-*N*-acetylglucosaminyltransferase (GlcNAc to Gal)

<sup>1</sup>H and <sup>13</sup>C NMR analysis of the pentasaccharide Gal $\beta$ -(1  $\rightarrow$  4)GlcNAc $\beta$ -(1  $\rightarrow$  3)-[GlcNAc $\beta$ -(1  $\rightarrow$  6)]Gal $\beta$ -(1  $\rightarrow$  4)GlcNAc synthesized by the mid-chain  $\beta$ -(1  $\rightarrow$  6)-D-*N*-acetylglucosaminyltransferase of rat serum 145

## Glucan

Correlation between immunological activity, molar mass, and molecular structure of different (1  $\rightarrow$  3)- $\beta$ -D-glucans 135

## D-Glucitol

Multinuclear magnetic resonance study of the complexation of lanthanum (III) by D-glucitol and ribitol in aqueous solution 201

## Glucoamylase

Automated docking of isomaltose analogues in the glucoamylase active site 309

## D-Glucose

Structural analysis of crystalline D-*erythro*-hexos-2,3-diulose (2,3-diketo-D-glucose) prepared enzymatically from D-glucose 375

## Glycoproteins

Synthesis of Hex $p$ -(1  $\rightarrow$  4)- $\beta$ -D-GlcpNAc-(1  $\rightarrow$  2)- $\alpha$ -D-Man $p$ - (1  $\rightarrow$  O)(CH<sub>2</sub>)<sub>7</sub>CH<sub>3</sub> probes for exploration of the substrate specificity of glycosyltransferases: Part II, Hex = 3-*O*-methyl- $\beta$ -D-Gal, 3-deoxy- $\beta$ -D-Gal, 3-deoxy-3-fluoro- $\beta$ -D-Gal, 3-amino-3-deoxy- $\beta$ -D-Gal,  $\beta$ -D-Gul,  $\alpha$ -L-Alt, or  $\beta$ -L-Gal 209

## Glycopyranosyl halides

A convenient synthesis of peracetylated glycosyl halides using bismuth(III) halides as catalysts 175

## Glycosaminoglycan

Structure of fucose branches in the glycosaminoglycan from the body wall of the sea cucumber *Stichopus japonicus* 273

## C-Glycoside

New access to C-disaccharide analogs of  $\alpha$ , $\alpha$ -trehalose using an aqueous hetero Diels–Alder reaction 169

## Glycosylation

A convenient access to  $\beta$ -glycosides of *N*-acetylglucosamine 117

## C-Glycosylation

Synthesis of 1-[3,5-bis-(2,3,4,6-tetra-*O*-acetyl- $\beta$ -D-glucopyranosyl)-2,4,6-trihydroxyphenyl]ethanone: An intermediate of potential usefulness for synthesis of bis-C-glucosyl flavonoids 379

## C-Glycosyl compounds

Synthesis of 1-[3,5-bis-(2,3,4,6-tetra-*O*-acetyl- $\beta$ -D-glucopyranosyl)-2,4,6-trihydroxyphenyl]ethanone: An intermediate of potential usefulness for synthesis of bis-C-glucosyl flavonoids 379

## Glycosyltransferases

Synthesis of Hex $p$ -(1  $\rightarrow$  4)- $\beta$ -D-GlcpNAc-(1  $\rightarrow$  2)- $\alpha$ -D-Man $p$ - (1  $\rightarrow$  O)(CH<sub>2</sub>)<sub>7</sub>CH<sub>3</sub> probes for exploration of the substrate specificity of glycosyltransferases: Part II, Hex = 3-*O*-methyl- $\beta$ -D-Gal, 3-deoxy- $\beta$ -D-Gal, 3-deoxy-3-fluoro- $\beta$ -D-Gal, 3-amino-3-deoxy- $\beta$ -D-Gal,  $\beta$ -D-Gul,  $\alpha$ -L-Alt, or  $\beta$ -L-Gal 209

## Halogenation

A convenient synthesis of peracetylated glycosyl halides using bismuth(III) halides as catalysts 175

## Halogenosilanes

A convenient synthesis of peracetylated glycosyl halides using bismuth(III) halides as catalysts 175

*Helix pomatia*, snail

The specificity of an  $\alpha$ -(1  $\rightarrow$  2)-L-galactosyltransferase from albumen glands of the snail *Helix pomatia* 281

## Heptopyranose

Synthesis of L-glycero-D-manno-heptopyranose-containing oligosaccharide structures found in lipopolysaccharides from *Haemophilus influenzae* 251

## Heterogeneous doubly branched

Isolation by HPLC of the positional isomers of 6<sup>1</sup>,2<sup>n</sup>-di-O- $\alpha$ -D-galactopyranosylcyclomaltohexaose ( $n = 1-6$ ) and determination of their structures by enzymatic degradation 301

## HPLC

Isolation by HPLC of the positional isomers of 6<sup>1</sup>,2<sup>n</sup>-di-O- $\alpha$ -D-galactopyranosylcyclomaltohexaose ( $n = 1-6$ ) and determination of their structures by enzymatic degradation 301

## Hydrogen fluoride

A highly stereoselective synthesis of 1-amino-2,5-anhydro-1-deoxyhexitols via 2-trifluoromethyl-oxazolinium intermediates 261

## Hydrothermal treatment

Effects of hydrothermal treatments on the rheological properties of potato starch 347

## Immunological activity

Correlation between immunological activity, molar mass, and molecular structure of different (1  $\rightarrow$  3)- $\beta$ -D-glucans 135

## Inositol

Silver (I) oxide assisted O-alkylation of 2,4-di-O-benzoyl-myo-inositol-1,3,5-orthoformate and its 6-O-substituted derivatives: transannular participation of oxygen 243

## Intermolecular transfructosylation

Synthesis of methyl 6-O- $\beta$ -inulotriosyl- $\alpha$ -D-glucopyranoside by intermolecular transglycosylation reaction of cycloinulo-oligosaccharide fructanotransferase 187

## Intermolecular transglycosylation

Synthesis of methyl 6-O- $\beta$ -inulotriosyl- $\alpha$ -D-glucopyranoside by intermolecular transglycosylation reaction of cycloinulo-oligosaccharide fructanotransferase 187

## Iodoacetoxylation

A convenient access to  $\beta$ -glycosides of N-acetylglucosamine 117

## 2-Iodoglycosyl azide

A convenient access to  $\beta$ -glycosides of N-acetylglucosamine 117

## Isomaltose

Automated docking of isomaltose analogues in the glucoamylase active site 309

## Isomuramic acid

A simple approach to the synthesis of muramic acid and isomuramic acid: <sup>1</sup>H and <sup>13</sup>C NMR characterisation 289

## Kinetic analysis

Purification and characterization of a (1  $\rightarrow$  3)- $\beta$ -D-glucan endohydrolase from rice (*Oryza sativa*) bran 365

## Lactal

A convenient access to  $\beta$ -glycosides of N-acetylglucosamine 117

## Lactosamine

A convenient access to  $\beta$ -glycosides of N-acetylglucosamine 117

<sup>139</sup>La NMR

Multinuclear magnetic resonance study of the complexation of lanthanum (III) by D-glucitol and ribitol in aqueous solution 201

## Lanthanum cation

Multinuclear magnetic resonance study of the complexation of lanthanum (III) by D-glucitol and ribitol in aqueous solution 201

## LC-MS

Isolation by HPLC of the positional isomers of 6<sup>1</sup>,2<sup>n</sup>-di-O- $\alpha$ -D-galactopyranosylcyclomaltohexaose ( $n = 1-6$ ) and determination of their structures by enzymatic degradation 301

## Light-scattering

Correlation between immunological activity, molar mass, and molecular structure of different (1  $\rightarrow$  3)- $\beta$ -D-glucans 135

## Lipopolysaccharide

Synthesis of L-glycero-D-manno-heptopyranose-containing oligosaccharide structures found in lipopolysaccharides from *Haemophilus influenzae* 251

## Macrophage-like cells

Effect of dimerization of the D-glucose analogue of muramyl dipeptide on stimulation of macrophage-like cells 127

## Maltose

Transition-metal saccharide chemistry: synthesis and characterization of D-glucose, D-fructose, D-galactose, D-xylose, D-ribose, and maltose complexes of Co(II) 333

Transition-metal saccharide chemistry: synthesis and characterization of D-glucose, D-fructose, D-galactose, D-xylose, D-ribose, and maltose complexes of Ni(II) 341

*Malus domestica*

Rhamnogalacturonan II, a dominant polysaccharide in juices produced by enzymic liquefaction of fruits and vegetables 181

## MDP

Effect of dimerization of the D-glucose analogue of muramyl dipeptide on stimulation of macrophage-like cells 127

## Methylation analysis

Structure of fucose branches in the glycosaminoglycan from the body wall of the sea cucumber *Stichopus japonicus* 273

Methyl 6-O- $\beta$ -inulotriosyl- $\alpha$ -D-glucopyranoside

Synthesis of methyl 6-O- $\beta$ -inulotriosyl- $\alpha$ -D-glucopyranoside by intermolecular transglycosylation reaction of cycloinulo-oligosaccharide fructanotransferase 187

## Mid-chain branching

<sup>1</sup>H and <sup>13</sup>C NMR analysis of the pentasaccharide Gal $\beta$ (1  $\rightarrow$  4)GlcNAc $\beta$ (1  $\rightarrow$  3)-[GlcNAc $\beta$ (1  $\rightarrow$  6)]Gal $\beta$ (1  $\rightarrow$  4)GlcNAc synthesized by the mid-chain  $\beta$ -(1  $\rightarrow$  6)-D-N-acetylglucosaminyltransferase of rat serum 145

## MM3

Automated docking of isomaltose analogues in the glucoamylase active site 309

## Molecular mechanics

Automated docking of isomaltose analogues in the glucoamylase active site 309

## Molybdenum

NMR study of the complexation of D-galactonic acid with tungsten(VI) and molybdenum(VI) 191

## Monosaccharide

Transition-metal saccharide chemistry: synthesis and characterization of D-glucose, D-fructose, D-galactose, D-xylose, D-ribose, and maltose complexes of Co(II) 333

Transition-metal saccharide chemistry: synthesis and characterization of D-glucose, D-fructose, D-galactose, D-xylose, D-ribose, and maltose complexes of Ni(II) 341

## Multinuclear magnetic resonance

Multinuclear magnetic resonance study of the complexation of lanthanum (III) by D-glucitol and ribitol in aqueous solution 201

## Muramic acid

A simple approach to the synthesis of muramic acid and isomuramic acid: <sup>1</sup>H and <sup>13</sup>C NMR characterisation 289

## Mycobacterium

Syntheses of spacer-armed carbohydrate components of the *Mycobacterium avium* serocomplex serovar 8 153

## Neighbouring group effects

Silver (I) oxide assisted O-alkylation of 2,4-di-O-benzoyl-myo-inositol-1,3,5-orthoformate and its 6-O-substituted derivatives: transannular participation of oxygen 243

## Ni(II)

Transition-metal saccharide chemistry: synthesis and characterization of D-glucose, D-fructose, D-galactose, D-xylose, D-ribose, and maltose complexes of Ni(II) 341

## NMR

<sup>1</sup>H and <sup>13</sup>C NMR analysis of the pentasaccharide Gal $\beta$ (1  $\rightarrow$  4)GlcNAc $\beta$ (1  $\rightarrow$  3)-[GlcNAc $\beta$ (1  $\rightarrow$  6)]Gal $\beta$ (1  $\rightarrow$  4)GlcNAc synthesized by the mid-chain  $\beta$ -(1  $\rightarrow$  6)-D-N-acetylglucosaminyltransferase of rat serum 145

NMR study of the complexation of D-galactonic acid with tungsten(VI) and molybdenum(VI) 191

- Structural analysis of crystalline D-erythro-hexos-2,3-diulose (2,3-di-keto-D-glucose) prepared enzymatically from D-glucose 375
- NMR spectroscopy
- Structure determination of the O-antigenic polysaccharide from the enterotoxigenic *Escherichia coli* (ETEC) O101 297
- Novel bridge molecules
- Syntheses of spacer-armed carbohydrate model compounds 107
- Oligo-(N-acetylglucosaminoglycans)
- $^1\text{H}$  and  $^{13}\text{C}$  NMR analysis of the pentasaccharide  $\text{Gal}\beta(1 \rightarrow 4)\text{GlcNAc}\beta(1 \rightarrow 3)-[\text{GlcNAc}\beta(1 \rightarrow 6)]\text{Gal}\beta(1 \rightarrow 4)\text{GlcNAc}$  synthesized by the mid-chain  $\beta(1 \rightarrow 6)\text{-D-N-acetylglucosaminyltransferase}$  of rat serum 145
- Oligosaccharide synthesis
- Syntheses of spacer-armed carbohydrate components of the *Mycobacterium avium* serocomplex serovar 8 153
- Synthesis of L-glycero-D-manno-heptopyranose-containing oligosaccharide structures found in lipopolysaccharides from *Haemophilus influenzae* 251
- Pectic polysaccharide
- Rhamnogalacturonan II, a dominant polysaccharide in juices produced by enzymic liquefaction of fruits and vegetables 181
- Pectin
- Rhamnogalacturonan II, a dominant polysaccharide in juices produced by enzymic liquefaction of fruits and vegetables 181
- Pectinases
- Rhamnogalacturonan II, a dominant polysaccharide in juices produced by enzymic liquefaction of fruits and vegetables 181
- Pivalates
- Pivalates in the selective protection and activation of maltose for the synthesis of sulfated 3-deoxy-maltosyl-(1  $\rightarrow$  4)- $\alpha$ , $\alpha$ -trehalose 163
- Polysaccharides
- Starch microspheres as carriers for X-ray imaging contrast agents: Synthesis and stability of new amino-acid linker derivatives 325
- Positional isomer, separation
- Isolation by HPLC of the positional isomers of 6<sup>1</sup>,2<sup>n</sup>-di-O- $\alpha$ -D-galactopyranosylcyclomaltohexaose ( $n = 1-6$ ) and determination of their structures by enzymatic degradation 301
- Rhamnogalacturonan II
- Rhamnogalacturonan II, a dominant polysaccharide in juices produced by enzymic liquefaction of fruits and vegetables 181
- Rheology
- Effects of hydrothermal treatments on the rheological properties of potato starch 347
- Ribitol
- Multinuclear magnetic resonance study of the complexation of lanthanum (III) by D-glucitol and ribitol in aqueous solution 201
- Rice
- Purification and characterization of a (1  $\rightarrow$  3)- $\beta$ -D-glucan endohydrolase from rice (*Oryza sativa*) bran 365
- Sea cucumber
- Structure of fucose branches in the glycosaminoglycan from the body wall of the sea cucumber *Stichopus japonicus* 273
- Simulated annealing
- Automated docking of isomaltose analogues in the glucoamylase active site 309
- Size-exclusion chromatography
- Correlation between immunological activity, molar mass, and molecular structure of different (1  $\rightarrow$  3)- $\beta$ -D-glucans 135
- Solanum lycopersicum*
- Rhamnogalacturonan II, a dominant polysaccharide in juices produced by enzymic liquefaction of fruits and vegetables 181
- Spacer-armed glycosides
- Syntheses of spacer-armed carbohydrate model compounds 107
- Syntheses of spacer-armed carbohydrate components of the *Mycobacterium avium* serocomplex serovar 8 153
- Starch
- Effects of hydrothermal treatments on the rheological properties of potato starch 347
- Staudinger reaction
- A convenient access to  $\beta$ -glycosides of N-acetylglucosamine 117
- Stimulation activity
- Effect of dimerization of the D-glucose analogue of muramyl dipeptide on stimulation of macrophage-like cells 127
- Structural analysis
- Isolation by HPLC of the positional isomers of 6<sup>1</sup>,2<sup>n</sup>-di-O- $\alpha$ -D-galactopyranosylcyclomaltohexaose ( $n = 1-6$ ) and determination of their structures by enzymatic degradation 301
- Substrate analogues
- Synthesis of Hexp-(1  $\rightarrow$  4)- $\beta$ -D-GlcNAc-(1  $\rightarrow$  2)- $\alpha$ -D-Manp- (1  $\rightarrow$  O)(CH<sub>2</sub>)<sub>7</sub>CH<sub>3</sub> probes for exploration of the substrate specificity of glycosyltransferases: Part II, Hex = 3-O-methyl- $\beta$ -D-Gal, 3-deoxy- $\beta$ -D-Gal, 3-deoxy-3-fluoro- $\beta$ -D-Gal, 3-amino-3-deoxy- $\beta$ -D-Gal,  $\beta$ -D-Gul,  $\alpha$ -L-Alt, or  $\beta$ -L-Gal 209
- Substrate specificity
- Purification and characterization of a (1  $\rightarrow$  3)- $\beta$ -D-glucan endohydrolase from rice (*Oryza sativa*) bran 365
- Sulfates
- Pivalates in the selective protection and activation of maltose for the synthesis of sulfated 3-deoxy-maltosyl-(1  $\rightarrow$  4)- $\alpha$ , $\alpha$ -trehalose 163
- New 2/2-type surfactants via anomeric O-alkylation of mannofuranose 229
- Sulfate substitution
- Structure of fucose branches in the glycosaminoglycan from the body wall of the sea cucumber *Stichopus japonicus* 273
- Surface tension measurements
- New 2/2-type surfactants via anomeric O-alkylation of mannofuranose 229
- Tetrahydrofurans
- A highly stereoselective synthesis of 1-amino-2,5-anhydro-1-deoxyhexitols via 2-trifluoromethyl-oxazolium intermediates 261
- Thermodynamics
- Multinuclear magnetic resonance study of the complexation of lanthanum (III) by D-glucitol and ribitol in aqueous solution 201
- Tomato
- Rhamnogalacturonan II, a dominant polysaccharide in juices produced by enzymic liquefaction of fruits and vegetables 181
- Transition metal
- Transition-metal saccharide chemistry: synthesis and characterization of D-glucose, D-fructose, D-galactose, D-xylose, D-ribose, and maltose complexes of Co(II) 333
- Transition-metal saccharide chemistry: synthesis and characterization of D-glucose, D-fructose, D-galactose, D-xylose, D-ribose, and maltose complexes of Ni(II) 341
- Trehalase inhibitors
- New access to C-disaccharide analogs of  $\alpha$ , $\alpha$ -trehalose using an aqueous hetero Diels-Alder reaction 169
- Trehalose
- New access to C-disaccharide analogs of  $\alpha$ , $\alpha$ -trehalose using an aqueous hetero Diels-Alder reaction 169
- Tungsten
- NMR study of the complexation of D-galactonic acid with tungsten(VI) and molybdenum(VI) 191
- X-Ray diffraction
- Structural analysis of crystalline D-erythro-hexos-2,3-diulose (2,3-di-keto-D-glucose) prepared enzymatically from D-glucose 375
- X-ray fluorescence
- The spatial distribution of calcium in alginate gel beads analysed by synchrotron-radiation induced X-ray emission (SRIXE) 101
- X-ray imaging
- Starch microspheres as carriers for X-ray imaging contrast agents: Synthesis and stability of new amino-acid linker derivatives 325
- $\beta$ -Xylosidase, extracellular
- Purification and characterization of extracellular  $\beta$ -xylosidase and  $\alpha$ -arabinosidase from the plant pathogenic fungus *Cochliobolus carbonum* 357