

Subject index

Acetal glucoside

Diastereoselective synthesis of the benzoxazinone acetal glucoside *ent*-GDIMBOA: the first enantiomer of a natural acetal glucoside 147

Acetamido sugars

Diastereoselectivity in the transglycosidation of methyl 2-deoxy-3, 4,6-tri-*O*-methyl-2-(*N*-methylacetamido)-D-glucopyranoside, -galactopyranoside, and -mannopyranoside with racemic 2-butanol under reductive-cleavage conditions 279

Action pattern

Action pattern of porcine pancreatic alpha-amylase on three different series of β -maltooligosaccharide glycosides 237

Acyclic-sugar nucleosides

Synthesis and anomeric configuration of 2-(erythrofuransyl)benzimidazole C-nucleoside analogues 93

4-Acylamino-4-deoxy-

Syntheses of sialic acid analogues with acylamino groups at C-4 (*N*-acyl regioisomers of sialic acids) 181

Adhesion

The correlation between adhesion of schizophyllan to yeast glucan and its effect on regeneration of yeast protoplast 117

2-(L-Alanylamido)-2-deoxy-D-glucose

Structure of the O-specific polysaccharide of *Proteus penneri* strain 25 containing *N*-(L-alanyl) and multiple *O*-acetyl groups in a tetrasaccharide repeating unit 229

Amide proton shift

Synthesis of 2''-oxidized derivatives of 5-deoxy-5-epi-5-fluoro-dibekacin and -arbakacin, and study on structure–chemical shift relationships of urethane(or amide)-type NH protons in synthetic intermediates 261

Aminohexanol as a spacer arm

Synthesis of α - and β -biotinylated T-antigen 153

Aminohexanol Schiff base

Synthesis of α - and β -biotinylated T-antigen 153

Amino sugars

Determination of acid dissociation constants of anomers of amino sugars by ^1H NMR spectroscopy 163

Amylopectin acetate

Proton NMR spectroscopy assignment of D-glucose residues in highly acetylated starch 251

Amylose

The effect of chain length and solvent interactions on the dissolution of the B-type crystalline polymorph of amylose in water 327

Amylose triacetate

Proton NMR spectroscopy assignment of D-glucose residues in highly acetylated starch 251

exo-Anomeric effect

Exo-anomeric effects on energies and geometries of different conformations of glucose and related systems in the gas phase and aqueous solution 1

O-Antigen

Structural studies of the O-specific chain of *Hafnia alvei* strain PCM 1190 lipopolysaccharide 219

Structure of the O-specific polysaccharide of *Proteus penneri* strain 25 containing *N*-(L-alanyl) and multiple *O*-acetyl groups in a tetrasaccharide repeating unit 229

Aqueous-organic two-phase reactions

Transglycosylation in a two-phase aqueous–organic system with catalysis by a lipid-coated β -D-galactosidase 65

Arabinan

X-Ray and conformational analysis of arabinan 105

Azide derivatives

Chemical modification of some methyl (3,4-di-*O*-acetyl-2-deoxy-2-hydroxyimino- α -D-*arabino*-hexopyranosid)uronates 341

Bacterial polysaccharide, structure

Structure of the O-specific polysaccharide of *Proteus penneri* strain 25 containing *N*-(L-alanyl) and multiple *O*-acetyl groups in a tetrasaccharide repeating unit 229

Benzimidazole C-nucleosides

Synthesis and anomeric configuration of 2-(erythrofuransyl)benzimidazole C-nucleoside analogues 93

Benzimidazole, 2-(erythrofuransyl)-

Synthesis and anomeric configuration of 2-(erythrofuransyl)benzimidazole C-nucleoside analogues 93

Benzoic acid

Separation and analysis of cyclodextrins by capillary zone electrophoresis 59

Benzoxazinone

Diastereoselective synthesis of the benzoxazinone acetal glucoside *ent*-GDIMBOA: the first enantiomer of a natural acetal glucoside 147

Benzoyleated

Reductive cleavage of the positional isomers of benzoyleated and methylated methyl α -D-mannopyranoside 243

Binding affinity

Subsite structure of the β -glucosidase from *Aspergillus niger*, evaluated by steady-state kinetics with cello-oligosaccharides as substrates 51

Biological activity

The correlation between adhesion of schizophyllan to yeast glucan and its effect on regeneration of yeast protoplast 117

α - and β -Biotinylated T-antigen

Synthesis of α - and β -biotinylated T-antigen 153

Borane–methyl sulfide

Reductive cleavage of permethylated polysaccharides with borane–methyl sulfide complex and butyltin trichloride 131

t-Butoxycarbonylamino

Synthesis of 2''-oxidized derivatives of 5-deoxy-5-epi-5-fluoro-dibekacin and -arbakacin, and study on structure–chemical shift relationships of urethane(or amide)-type NH protons in synthetic intermediates 261

Capillary zone electrophoresis

Separation and analysis of cyclodextrins by capillary zone electrophoresis 59

Cello-oligosaccharides

Subsite structure of the β -glucosidase from *Aspergillus niger*, evaluated by steady-state kinetics with cello-oligosaccharides as substrates 51

Chemoenzymatic synthesis

Synthesis of α - and β -biotinylated T-antigen 153

Computer simulation

Modeling of the water–sucrose state diagram below 0 °C 139

Conformation

X-Ray and conformational analysis of arabinan 105

Chemical modification of some methyl (3,4-di-*O*-acetyl-2-deoxy-2-hydroxyimino- α -D-*arabino*-hexopyranosid)uronates 341

Conformational analysis

Exo-anomeric effects on energies and geometries of different conformations of glucose and related systems in the gas phase and aqueous solution 1

COSY

Proton NMR spectroscopy assignment of D-glucose residues in highly acetylated starch 251

Coupling constants

A comparison of the geometry and of the energy results obtained by application of different molecular mechanics force fields to methyl α -lactoside and the C-analogue of lactose 15

Crystalline substrates, *A*-amylase

Enzymatic hydrolysis of α -glucan crystallites 319

Crystal melting

The effect of chain length and solvent interactions on the dissolution of the B-type crystalline polymorph of amylose in water 327

Cyclodextrins

Separation and analysis of cyclodextrins by capillary zone electrophoresis 59

Deoximation

Chemical modification of some methyl (3,4-di-*O*-acetyl-2-deoxy-2-hydroxyimino- α -D-*arabino*-hexopyranosid)uronates 341

2-Deoxy-2-fluoro-glycosides

Synthesis of 2-deoxy-2-fluoro-glucotropaolin, a thioglucosidase inhibitor 127

Dibekacin derivative

Synthesis of 2''-oxidized derivatives of 5-deoxy-5-epi-5-fluoro-dibekacin and -arbakacin, and study on structure–chemical shift relationships of urethane(or amide)-type NH protons in synthetic intermediates 261

5,6-Dihydro-4*H*-1,3-oxazine

Syntheses of sialic acid analogues with acylamino groups at C-4 (*N*-acyl regioisomers of sialic acids) 181

Dissociation constants

Determination of acid dissociation constants of anomers of amino sugars by ¹H NMR spectroscopy 163

Endoglucanase

Substrate specificity of endoglucanases: what determines xyloglucanase activity? 299

Enterobacteria

Structure of the O-specific polysaccharide of *Proteus penneri* strain 25 containing *N*-(L-alanyl) and multiple *O*-acetyl groups in a tetrasaccharide repeating unit 229

Equine erythrocytes

Novel di-*O*-acetylated GM3s from equine erythrocytes, one containing 4,9-di-*O*-acetyl-*N*-glycolylneuraminic acid and another containing 4-*O*-acetyl-*N*-glycolylneuraminic acid and 6-*O*-acetyl-D-galactose 201

Furans

Synthesis and reactions of 5-(D-*arabino*-tetrahydroxybutyl)-3-(2,3-dihydro-1,3,4-oxadiazole-2-thion-5-yl)-2-methylfuran and 5-(D-*arabino*-tetrahydroxybutyl)-3-(2-substituted amino-1,3,4-oxadiazol-5-yl)-2-methylfuran 123

 β -D-Galactosidase

Transglycosylation in a two-phase aqueous–organic system with catalysis by a lipid-coated β -D-galactosidase 65

Glass transition

Modeling of the water–sucrose state diagram below 0 °C 139

D-Gluconhydroximolactam

D-Gluconhydroximolactams strongly inhibit α -glycosidases 291

 β -Glucosidase

Subsite structure of the β -glucosidase from *Aspergillus niger*, evaluated by steady-state kinetics with cello-oligosaccharides as substrates 51

Glucosidase inhibitors

D-Gluconhydroximolactams strongly inhibit α -glycosidases 291

Glucosinolates

Synthesis of 2-deoxy-2-fluoro-glucotropaolin, a thioglucosidase inhibitor 127

Glucotropaolin

Synthesis of 2-deoxy-2-fluoro-glucotropaolin, a thioglucosidase inhibitor 127

Glycoside

Reductive cleavage of permethylated polysaccharides with borane–methyl sulfide complex and butyltin trichloride 131

O-Glycosides

Chemical modification of some methyl (3,4-di-*O*-acetyl-2-deoxy-2-hydroxyimino- α -D-*arabino*-hexopyranosid)uronates 341

Glycosylation, stereoselective

Diastereoselective synthesis of the benzoxazinone acetal glucoside *ent*-GDIMBOA: the first enantiomer of a natural acetal glucoside 147

Glycuronic acid

Chemical modification of some methyl (3,4-di-*O*-acetyl-2-deoxy-2-hydroxyimino- α -D-*arabino*-hexopyranosid)uronates 341

GM3, di-*O*-acetylated

Novel di-*O*-acetylated GM3s from equine erythrocytes, one containing 4,9-di-*O*-acetyl-*N*-glycolylneuraminic acid and another containing 4-*O*-acetyl-*N*-glycolylneuraminic acid and 6-*O*-acetyl-D-galactose 201

Hafnia alvei

Structural studies of the O-specific chain of *Hafnia alvei* strain PCM 1190 lipopolysaccharide 219

Heats of mixing

The effect of chain length and solvent interactions on the dissolution of the B-type crystalline polymorph of amylose in water 327

Heterogeneous catalysis

Enzymatic hydrolysis of α -glucan crystallites 319

¹H NMR

Proton NMR spectroscopy assignment of D-glucose residues in highly acetylated starch 251

HOHAHA

Proton NMR spectroscopy assignment of D-glucose residues in highly acetylated starch 251

HPLC

Action pattern of porcine pancreatic alpha-amylase on three different series of β -maltooligosaccharide glycosides 237

Hydrogen bond

Synthesis of 2''-oxidized derivatives of 5-deoxy-5-epi-5-fluoro-dibekacin and -arbakacin, and study on structure–chemical shift relationships of urethane(or amide)-type NH protons in synthetic intermediates 261

Hydroxamic acid GDIMBOA, enantiomer of, synthesis of

Diastereoselective synthesis of the benzoxazinone acetal glucoside *ent*-GDIMBOA: the first enantiomer of a natural acetal glucoside 147

Hyperconjugation

Exo-anomeric effects on energies and geometries of different conformations of glucose and related systems in the gas phase and aqueous solution 1

Inductive effect

Synthesis of 2''-oxidized derivatives of 5-deoxy-5-epi-5-fluoro-dibekacin and -arbakacin, and study on structure–chemical shift relationships of urethane(or amide)-type NH protons in synthetic intermediates 261

- Iso-sialic acids**
Syntheses of sialic acid analogues with acylamino groups at C-4 (*N*-acyl regioisomers of sialic acids) 181
- Jack bean α -mannosidase**
D-Glyconhydroximolactams strongly inhibit α -glycosidases 291
- Kdn**
Syntheses of sialic acid analogues with acylamino groups at C-4 (*N*-acyl regioisomers of sialic acids) 181
- Lactose**
Improved preparation of 2,3:5,6:3',4'-tri-*O*-isopropylidenelactose dimethyl acetal and its 6'-*O*-(1-methoxy-1-methylethyl) derivative 75
- Lipid-coated enzymes**
Transglycosylation in a two-phase aqueous-organic system with catalysis by a lipid-coated β -D-galactosidase 65
- Lipopolysaccharide**
Structural basis of the *Neisseria meningitidis* immunotypes including the L4 and L7 immunotypes 191
Structure of the O2 antigen of *Stenotrophomonas* (*Xanthomonas* or *Pseudomonas*) *malophilia* 213
Structural studies of the O-specific chain of *Hafnia alvei* strain PCM 1190 lipopolysaccharide 219
Structure of the O-specific polysaccharide of *Proteus penneri* strain 25 containing *N*-(L-alanyl) and multiple *O*-acetyl groups in a tetrasaccharide repeating unit 229
- Long-chain acetals**
Long-chain acetals derived from sucrose as a new class of surfactants 85
- Maltooligosaccharides**
Action pattern of porcine pancreatic α -amylase on three different series of β -maltooligosaccharide glycosides 237
The effect of chain length and solvent interactions on the dissolution of the B-type crystalline polymorph of amylose in water 327
- Methoxyisopropylation**
Improved preparation of 2,3:5,6:3',4'-tri-*O*-isopropylidenelactose dimethyl acetal and its 6'-*O*-(1-methoxy-1-methylethyl) derivative 75
- Methyl α -D-mannopyranoside**
Reductive cleavage of the positional isomers of benzoylated and methylated methyl α -D-mannopyranoside 243
- Methyl α -lactoside**
A comparison of the geometry and of the energy results obtained by application of different molecular mechanics force fields to methyl α -lactoside and the C-analogue of lactose 15
- Methylated derivatives**
Reductive cleavage of the positional isomers of benzoylated and methylated methyl α -D-mannopyranoside 243
- Molecular mechanics**
A comparison of the geometry and of the energy results obtained by application of different molecular mechanics force fields to methyl α -lactoside and the C-analogue of lactose 15
- MS**
Structural basis of the *Neisseria meningitidis* immunotypes including the L4 and L7 immunotypes 191
- MS/MS**
Structural studies of the O-specific chain of *Hafnia alvei* strain PCM 1190 lipopolysaccharide 219
- Myrosinase**
Synthesis of 2-deoxy-2-fluoro-glucotropaeolin, a thioglucosidase inhibitor 127
- Neisseria meningitidis***
Structural basis of the *Neisseria meningitidis* immunotypes including the L4 and L7 immunotypes 191
- NMR**
A comparison of the geometry and of the energy results obtained by application of different molecular mechanics force fields to methyl α -lactoside and the C-analogue of lactose 15
Determination of acid dissociation constants of anomers of amino sugars by ^1H NMR spectroscopy 163
Structural basis of the *Neisseria meningitidis* immunotypes including the L4 and L7 immunotypes 191
- NMR spectroscopy**
Novel di-*O*-acetylated GM3s from equine erythrocytes, one containing 4,9-di-*O*-acetyl-*N*-glycolylneuraminic acid and another containing 4-*O*-acetyl-*N*-glycolylneuraminic acid and 6-*O*-acetyl-D-galactose 201
- NOESY**
A comparison of the geometry and of the energy results obtained by application of different molecular mechanics force fields to methyl α -lactoside and the C-analogue of lactose 15
- O Antigen**
Structure of the O2 antigen of *Stenotrophomonas* (*Xanthomonas* or *Pseudomonas*) *malophilia* 213
- Oligoglycine**
New prototypical O-linked-glycopeptidomimetics corresponding to the linkage region of proteoglycans 173
- Oxadiazoles**
Synthesis and reactions of 5-(D-*arabino*-tetrahydroxybutyl)-3-(2,3-dihydro-1,3,4-oxadiazole-2-thion-5-yl)-2-methylfuran and 5-(D-*arabino*-tetrahydroxybutyl)-3-(2-substituted amino-1,3,4-oxadiazol-5-yl)-2-methylfuran 123
- Oxo compound**
Synthesis of 2''-oxidized derivatives of 5-deoxy-5-epi-5-fluoro-dibekacin and -arbakacin, and study on structure-chemical shift relationships of urethane(or amide)-type NH protons in synthetic intermediates 261
- Peptidomimetic**
New prototypical O-linked-glycopeptidomimetics corresponding to the linkage region of proteoglycans 173
- Peptoid**
New prototypical O-linked-glycopeptidomimetics corresponding to the linkage region of proteoglycans 173
- Peracetylated malto-oligosaccharides**
Proton NMR spectroscopy assignment of D-glucose residues in highly acetylated starch 251
- Polyhydroxyalkyl heterocycles**
Synthesis and reactions of 5-(D-*arabino*-tetrahydroxybutyl)-3-(2,3-dihydro-1,3,4-oxadiazole-2-thion-5-yl)-2-methylfuran and 5-(D-*arabino*-tetrahydroxybutyl)-3-(2-substituted amino-1,3,4-oxadiazol-5-yl)-2-methylfuran 123
- Polysaccharide**
Reductive cleavage of permethylated polysaccharides with borane-methyl sulfide complex and butyltin trichloride 131
- Porcine pancreatic α -amylase**
Action pattern of porcine pancreatic α -amylase on three different series of β -maltooligosaccharide glycosides 237
- Proteoglycan**
New prototypical O-linked-glycopeptidomimetics corresponding to the linkage region of proteoglycans 173
- Proteus penneri***
Structure of the O-specific polysaccharide of *Proteus penneri* strain 25 containing *N*-(L-alanyl) and multiple *O*-acetyl groups in a tetrasaccharide repeating unit 229
- Pyridine- d_5**
Synthesis of 2''-oxidized derivatives of 5-deoxy-5-epi-5-fluoro-dibekacin and -arbakacin, and study on structure-chemical shift relationships of urethane(or amide)-type NH protons in synthetic intermediates 261

Reductive cleavage

Reductive cleavage of permethylated polysaccharides with borane–methyl sulfide complex and butyltin trichloride 131

Reductive cleavage of the positional isomers of benzoylated and methylated methyl α -D-mannopyranoside 243

Diastereoselectivity in the transglycosidation of methyl 2-deoxy-3, 4,6-tri-*O*-methyl-2-(*N*-methylacetamido)-D-glucopyranoside, -galactopyranoside, and -mannopyranoside with racemic 2-butanol under reductive-cleavage conditions 279

ROESY

A comparison of the geometry and of the energy results obtained by application of different molecular mechanics force fields to methyl α -lactoside and the C-analogue of lactose 15

Schizophyllan

The correlation between adhesion of schizophyllan to yeast glucan and its effect on regeneration of yeast protoplast 117

L-Serinate glycosides

Chemical modification of some methyl (3,4-di-*O*-acetyl-2-deoxy-2-hydroxyimino- α -D-*arabino*-hexopyranosid)uronates 341

Sialic acid

Syntheses of sialic acid analogues with acylamino groups at C-4 (*N*-acyl regioisomers of sialic acids) 181

Solid–liquid equilibrium

Modeling of the water–sucrose state diagram below 0 °C 139

Solvation

Exo-anomeric effects on energies and geometries of different conformations of glucose and related systems in the gas phase and aqueous solution 1

Starch

The effect of chain length and solvent interactions on the dissolution of the B-type crystalline polymorph of amylose in water 327

Starch acetate

Proton NMR spectroscopy assignment of D-glucose residues in highly acetylated starch 251

Steady-state kinetics

Subsite structure of the β -glucosidase from *Aspergillus niger*, evaluated by steady-state kinetics with cello-oligosaccharides as substrates 51

Stenotrophomonas maltophilia

Structure of the O2 antigen of *Stenotrophomonas* (*Xanthomonas* or *Pseudomonas*) *maltophilia* 213

Stereoselective synthesis

Synthesis of α - and β -biotinylated T-antigen 153

Subsite

Subsite structure of the β -glucosidase from *Aspergillus niger*, evaluated by steady-state kinetics with cello-oligosaccharides as substrates 51

Subsite mapping

Substrate specificity of endoglucanases: what determines xyloglucanase activity? 299

Sucrose

Long-chain acetals derived from sucrose as a new class of surfactants 85

Modeling of the water–sucrose state diagram below 0 °C 139

Sugar cyclic acetals

Long-chain acetals derived from sucrose as a new class of surfactants 85

Surfactants

Long-chain acetals derived from sucrose as a new class of surfactants 85

T-antigen

Synthesis of α - and β -biotinylated T-antigen 153

Thioglucosidase inhibitor

Synthesis of 2-deoxy-2-fluoro-glucotropaeolin, a thioglucosidase inhibitor 127

Thioglycosides

Synthesis of 2-deoxy-2-fluoro-glucotropaeolin, a thioglucosidase inhibitor 127

Transacetalation

Long-chain acetals derived from sucrose as a new class of surfactants 85

Transgalactosylation

Transglycosylation in a two-phase aqueous–organic system with catalysis by a lipid-coated β -D-galactosidase 65

Transglycosidation

Diastereoselectivity in the transglycosidation of methyl 2-deoxy-3, 4,6-tri-*O*-methyl-2-(*N*-methylacetamido)-D-glucopyranoside, -galactopyranoside, and -mannopyranoside with racemic 2-butanol under reductive-cleavage conditions 279

2,3:5,6:3',4'-Tri-*O*-isopropylidenelactose dimethyl acetal

Improved preparation of 2,3:5,6:3',4'-tri-*O*-isopropylidenelactose dimethyl acetal and its 6'-*O*-(1-methoxy-1-methylethyl) derivative 75

2,3:5,6:3',4'-Tri-*O*-isopropylidene-6'-*O*-(1-methoxy-1-methylethyl)lactose dimethyl acetal

Improved preparation of 2,3:5,6:3',4'-tri-*O*-isopropylidenelactose dimethyl acetal and its 6'-*O*-(1-methoxy-1-methylethyl) derivative 75

Water

Modeling of the water–sucrose state diagram below 0 °C 139

Water sorption

The effect of chain length and solvent interactions on the dissolution of the B-type crystalline polymorph of amylose in water 327

X-ray structure

X-Ray and conformational analysis of arabinan 105

Xyloglucanase activity

Substrate specificity of endoglucanases: what determines xyloglucanase activity? 299

D-Xylose

New prototypical O-linked-glycopeptidomimetics corresponding to the linkage region of proteoglycans 173

Yeast α -glucosidase

D-Glyconhydroximolactams strongly inhibit α -glycosidases 291

Yeast glucan

The correlation between adhesion of schizophyllan to yeast glucan and its effect on regeneration of yeast protoplast 117