

Subject index

2-Acetamido-2,6-dideoxy-L-talose

Structure of the capsular polysaccharide from *Alteromonas nigrifaciens* IAM 13010T containing 2-acetamido-2,6-dideoxy-L-talose and 3-deoxy-D-manno-octulosonic acid 69

Acid

The application of various protic acids in the extraction of (1 → 3)-β-D-glucan from *Saccharomyces cerevisiae* 203

2"-Acylamidation

Synthesis of 2"-acylamido derivatives of 2"-amino-5,2"-dideoxy-5-epi-5-fluorodibekacin and a study on the structures of 5-fluorinated dibekacin analogs by ¹³C NMR 271

Aldose phenylhydrazones

Preparation of 2-deoxyaldoses from aldose phenylhydrazones 307

Alginate acid

Isolation and quantification of alginate-derived oligouronic acids by fluorophore-assisted carbohydrate electrophoresis 95

Alteromonas nigrifaciens

Structure of the capsular polysaccharide from *Alteromonas nigrifaciens* IAM 13010T containing 2-acetamido-2,6-dideoxy-L-talose and 3-deoxy-D-manno-octulosonic acid 69

6-Amino-6-deoxy carbohydrates

Synthesis and surface-active properties of amphiphilic 6-amino-carbonyl derivatives of D-glucose 49

Amphiphile

Synthesis and surface-active properties of amphiphilic 6-amino-carbonyl derivatives of D-glucose 49

1,5-Anhydro-, partially methylated and acylated

Authentic standards for the reductive-cleavage method. The positional isomers of partially methylated and acetylated or benzoylated 1,5-anhydro-D-xylitol 143

Anion-exchange chromatography

Fractionation and characterization of 4-sulfoethyl ether derivatives of cyclomaltoheptaose (β-cyclodextrin) 103

Isolation and characterization by NMR spectroscopy of three mono-substituted 4-sulfoethyl ether derivatives of cyclomaltoheptaose (β-cyclodextrin) 111

Anionic cyclodextrin

Fractionation and characterization of 4-sulfoethyl ether derivatives of cyclomaltoheptaose (β-cyclodextrin) 103

Anionic cyclomaltoheptaose (cyclodextrin)

Isolation and characterization by NMR spectroscopy of three mono-substituted 4-sulfoethyl ether derivatives of cyclomaltoheptaose (β-cyclodextrin) 111

Antigen

Structure of the capsular polysaccharide of *Clostridium perfringens* Hobbs 5 as determined by NMR spectroscopy 119

Antioxidants

Synthesis of α-tocopheryl oligosaccharides 23

Azetidine

Synthesis of monosaccharide-fused azetidines 253

BF₃-etherate

Synthesis of α-tocopheryl oligosaccharides 23

Blood-brain barrier

Synthesis of O-methylsulfonyl derivatives of D-glucose as potential alkylating agents for targeted drug delivery to the brain. Evaluation of

their interaction with the human erythrocyte GLUT1 hexose transporter 15

¹³C Chemical shift

Synthesis of 2"-acylamido derivatives of 2"-amino-5,2"-dideoxy-5-epi-5-fluorodibekacin and a study on the structures of 5-fluorinated dibekacin analogs by ¹³C NMR 271

Callophycus

Cell-wall polysaccharides from Australian red algae of the family Solieriaceae (Gigartinales, Rhodophyta): novel, highly pyruvated carrageenans from the genus *Callophycus* 229

Capsular polysaccharide

Structure of the capsular polysaccharide from *Alteromonas nigrifaciens* IAM 13010T containing 2-acetamido-2,6-dideoxy-L-talose and 3-deoxy-D-manno-octulosonic acid 69

Synthesis of colitose-containing oligosaccharide structures found in polysaccharides from *Vibrio cholerae* O139 synonym Bengal using thioglycoside donors 159

Carbohydrate

The application of various protic acids in the extraction of (1 → 3)-β-D-glucan from *Saccharomyces cerevisiae* 203

Carrageenan, pyruvated

Cell-wall polysaccharides from Australian red algae of the family Solieriaceae (Gigartinales, Rhodophyta): novel, highly pyruvated carrageenans from the genus *Callophycus* 229

Catalyst immobilization

Synthesis of α- and β-D-glucopyranuronate 1-phosphate and α-D-glucopyranuronate 1-fluoride: Intermediates in the synthesis of D-glucuronic acid from starch 221

Chemoenzymatic synthesis

Chemoenzymatic synthesis of the Thomsen–Friedenreich antigen determinant 85

Chitinase

In vitro degradation rates of partially N-acetylated chitosans in human serum 99

Chitosan

Effects of ultrasonic conditions and storage in acidic solutions on changes in molecular weight and polydispersity of treated chitosan 287

In vitro degradation rates of partially N-acetylated chitosans in human serum 99

Chloroacetyl groups

Total synthesis of the phenylpropanoid glycoside, grayanoside A 281

C-Methyl derivatives of myo- and epi-inositol

Reactions of the ketone derived from (±)-3,4,5-tri-O-benzyl-1,2-O-isopropylidene-myo-inositol: preparation of racemic derivatives of epi-inositol and of 4-C-methyl-epi-[(±)-iso-laminitol] and 4-C-methyl-myo-inositol [(±)-laminitol] 77

Colitose

Synthesis of colitose-containing oligosaccharide structures found in polysaccharides from *Vibrio cholerae* O139 synonym Bengal using thioglycoside donors 159

Conformation

Isolation and NMR studies of di-D-fructose anhydride III from *Lycoris radiata* Herbert by supercritical extraction with carbon dioxide 301

Crystallization

Observations on the crystallization and melting of maltopentaose hydrate 91

Cyclodextrin chiral stationary phase

Enantiomer separation of permethylated monosaccharides and 1,5-anhydroalditols and simultaneous determination of linkage positions and absolute configuration in the galactan of *Helix pomatia* 1

D- and L-sugars

Enantiomer separation of permethylated monosaccharides and 1,5-anhydroalditols and simultaneous determination of linkage positions and absolute configuration in the galactan of *Helix pomatia* 1

2D NMR spectroscopy

Structure of the capsular polysaccharide of *Clostridium perfringens* Hobbs 5 as determined by NMR spectroscopy 119

Degradation

In vitro degradation rates of partially *N*-acetylated chitosans in human serum 99

Deoxy sugar

Synthesis of some new deoxy sugar lactone derivatives 295

2-Deoxyaldoses

Preparation of 2-deoxyaldoses from aldose phenylhydrazones 307

3-Deoxy-D-manno-octulosonic acid

Structure of the capsular polysaccharide from *Alteromonas nigrificiens* IAM 13010T containing 2-acetamido-2,6-dideoxy-L-talose and 3-deoxy-D-manno-octulosonic acid 69

2-Deoxy-5-thio-D-threo-pentose

Synthesis of 4-cyanophenyl 2-deoxy-1,5-dithio- β -D-threo-pentopyranoside 59

DFA III

Isolation and NMR studies of di-D-fructose anhydride III from *Lycoris radiata* Herbert by supercritical extraction with carbon dioxide 301

 α -D-Glucopyranuronate 1-fluoride

Synthesis of α - and β -D-glucopyranuronate 1-phosphate and α -D-glucopyranuronate 1-fluoride: Intermediates in the synthesis of D-glucuronic acid from starch 221

 α -D-Glucopyranuronate 1-phosphate

Synthesis of α - and β -D-glucopyranuronate 1-phosphate and α -D-glucopyranuronate 1-fluoride: Intermediates in the synthesis of D-glucuronic acid from starch 221

 β -D-Glucopyranuronate 1-phosphate

Synthesis of α - and β -D-glucopyranuronate 1-phosphate and α -D-glucopyranuronate 1-fluoride: Intermediates in the synthesis of D-glucuronic acid from starch 221

D-Glucuronic acid

Synthesis of α - and β -D-glucopyranuronate 1-phosphate and α -D-glucopyranuronate 1-fluoride: Intermediates in the synthesis of D-glucuronic acid from starch 221

3,6-Dideoxy-L-xyllo-hexose

Synthesis of colitose-containing oligosaccharide structures found in polysaccharides from *Vibrio cholerae* O139 synonym Bengal using thioglycoside donors 159

Di-D-fructose anhydride III

Isolation and NMR studies of di-D-fructose anhydride III from *Lycoris radiata* Herbert by supercritical extraction with carbon dioxide 301

Disaccharides

A convenient synthesis of disaccharides containing furanoside units 7

Drug-delivery

Synthesis of *O*-methylsulfonyl derivatives of D-glucose as potential alkylating agents for targeted drug delivery to the brain. Evaluation of their interaction with the human erythrocyte GLUT1 hexose transporter 15

D-Xylitol

Authentic standards for the reductive-cleavage method. The positional isomers of partially methylated and acetylated or benzoylated 1,5-anhydro-D-xylitol 143

Enantiomer separation

Enantiomer separation of permethylated monosaccharides and 1,5-anhydroalditols and simultaneous determination of linkage positions and absolute configuration in the galactan of *Helix pomatia* 1

Enantioselective gas chromatography

Enantiomer separation of permethylated monosaccharides and 1,5-anhydroalditols and simultaneous determination of linkage positions and absolute configuration in the galactan of *Helix pomatia* 1

epi-Inositol

Reactions of the ketone derived from (\pm)-3,4,5-tri-*O*-benzyl-1,2-*O*-isopropylidene-*myo*-inositol: preparation of racemic derivatives of *epi*-inositol and of 4-*C*-methyl-*epi*-[(\pm)-*iso*-laminitol] and 4-*C*-methyl-*myo*-inositol [(\pm)-laminitol] 77

Equilibria

Heterocyclic derivatives of sugars: An NMR study of the formation of 1-glycosyl-3,5-dimethyl-1*H*-pyrazoles from hydrazones 129

Extraction

The application of various protic acids in the extraction of (1 \rightarrow 3)- β -D-glucan from *Saccharomyces cerevisiae* 203

5-Fluorinated dibekacin

Synthesis of 2''-acylamido derivatives of 2''-amino-5,2''-dideoxy-5-*epi*-5-fluorodibekacin and a study on the structures of 5-fluorinated dibekacin analogs by ^{13}C NMR 271

Fluorophore-assisted carbohydrate electrophoresis

Isolation and quantification of alginate-derived oligouronic acids by fluorophore-assisted carbohydrate electrophoresis 95

F-O Distance

Synthesis of 2''-acylamido derivatives of 2''-amino-5,2''-dideoxy-5-*epi*-5-fluorodibekacin and a study on the structures of 5-fluorinated dibekacin analogs by ^{13}C NMR 271

Furanoside units

A convenient synthesis of disaccharides containing furanoside units 7

Galactans, sulfated

Cell-wall polysaccharides from Australian red algae of the family Solieriaceae (Gigartinales, Rhodophyta): novel, highly pyruvated carrageenans from the genus *Callophycus* 229

 β -Galactosidase from bovine testes

Chemoenzymatic synthesis of the Thomsen-Friedenreich antigen determinant 85

Gigartinales

Cell-wall polysaccharides from Australian red algae of the family Solieriaceae (Gigartinales, Rhodophyta): novel, highly pyruvated carrageenans from the genus *Callophycus* 229

Glucan

The application of various protic acids in the extraction of (1 \rightarrow 3)- β -D-glucan from *Saccharomyces cerevisiae* 203

Glucosidase inhibitor

Synthesis and evaluation of 1,5,6-trideoxy-6,6-difluoro-1,5-imino-D-glucitol (1,6-dideoxy-6,6-difluoronojirimycin) as a glucosidase inhibitor 165

GLUT1 glucose transporter

Synthesis of *O*-methylsulfonyl derivatives of D-glucose as potential alkylating agents for targeted drug delivery to the brain. Evaluation of their interaction with the human erythrocyte GLUT1 hexose transporter 15

Glycopeptides

Synthesis and characterisation of highly glycosylated glycopeptides with Tⁿ-antigenic structures corresponding to human glycophorin A^N 33

Glycopyranoside

Total synthesis of the phenylpropanoid glycoside, grayanoside A 281

Glycosidation reactions

Synthesis of 4-cyanophenyl 2-deoxy-1,5-dithio- β -D-threo-pentopyranoside 59

Glycosidation

A convenient synthesis of disaccharides containing furanoside units 7

Glycosyl donors

A convenient synthesis of disaccharides containing furanoside units 7

Glycosylation

Synthesis of α -tocopheryl oligosaccharides 23

Grayanoside A

Total synthesis of the phenylpropanoid glycoside, grayanoside A 281

HMQC

Structure of the capsular polysaccharide of *Clostridium perfringens* Hobbs 5 as determined by NMR spectroscopy 119

Hydrogenation

Synthesis of some new deoxy sugar lactone derivatives 295

Inosose

Reactions of the ketone derived from (\pm)-3,4,5-tri-*O*-benzyl-1,2-*O*-isopropylidene-*myo*-inositol: preparation of racemic derivatives of *epi*-inositol and of 4-*C*-methyl-*epi*-[(\pm)-*iso*-laminitol] and 4-*C*-methyl-*myo*-inositol [(\pm)-laminitol] 77

iso-Laminitol

Reactions of the ketone derived from (\pm)-3,4,5-tri-*O*-benzyl-1,2-*O*-isopropylidene-*myo*-inositol: preparation of racemic derivatives of *epi*-inositol and of 4-*C*-methyl-*epi*-[(\pm)-*iso*-laminitol] and 4-*C*-methyl-*myo*-inositol [(\pm)-laminitol] 77

Isomer isolation

Isolation and characterization by NMR spectroscopy of three mono-substituted 4-sulfobutyl ether derivatives of cyclomaltoheptaose (β -cyclodextrin) 111

Lactone

Synthesis of some new deoxy sugar lactone derivatives 295

Laminitol

Reactions of the ketone derived from (\pm)-3,4,5-tri-*O*-benzyl-1,2-*O*-isopropylidene-*myo*-inositol: preparation of racemic derivatives of *epi*-inositol and of 4-*C*-methyl-*epi*-[(\pm)-*iso*-laminitol] and 4-*C*-methyl-*myo*-inositol [(\pm)-laminitol] 77

Lipopolysaccharide

Synthesis of colitose-containing oligosaccharide structures found in polysaccharides from *Vibrio cholerae* O139 synonym Bengal using thioglycoside donors 159

L-Mannonic acid

NMR spectroscopy study of the complexation of L-mannonic acid with tungsten(VI) and molybdenum(VI) 209

L-Rhamnitol, 1,5-anhydro-, partially methylated and acylated

Authentic standards for the reductive-cleavage method. The positional isomers of partially methylated and acetylated or benzoylated 1,5-anhydro-L-rhamnitol 151

Lycoris radiata Herbert

Isolation and NMR studies of di-D-fructose anhydride III from *Lycoris radiata* Herbert by supercritical extraction with carbon dioxide 301

Lysozyme

In vitro degradation rates of partially *N*-acetylated chitosans in human serum 99

Maltopentaose

Observations on the crystallization and melting of maltopentaose hydrate 91

Melting

Observations on the crystallization and melting of maltopentaose hydrate 91

Methylsulfonylglucose derivatives

Synthesis of *O*-methylsulfonyl derivatives of D-glucose as potential alkylating agents for targeted drug delivery to the brain. Evaluation of their interaction with the human erythrocyte GLUT1 hexose transporter 15

Molecular weight

Effects of ultrasonic conditions and storage in acidic solutions on changes in molecular weight and polydispersity of treated chitosan 287

Molybdenum complexes

NMR spectroscopy study of the complexation of L-mannonic acid with tungsten(VI) and molybdenum(VI) 209

Monosaccharide

Synthesis of monosaccharide-fused azetidines 253

NaOCl-TEMPO oxidation

Synthesis of α - and β -D-glucopyranuronate 1-phosphate and α -D-glucopyranuronate 1-fluoride: Intermediates in the synthesis of D-glucuronic acid from starch 221

NMR assignment

Synthesis and characterisation of highly glycosylated glycopeptides with Tⁿ-antigenic structures corresponding to human glycophorin A^N 33

NMR spectroscopy

Heterocyclic derivatives of sugars: An NMR study of the formation of 1-glycosyl-3,5-dimethyl-1*H*-pyrazoles from hydrazones 129

Structure of the capsular polysaccharide from *Alteromonas nigricans* IAM 13010T containing 2-acetamido-2,6-dideoxy-L-talose and 3-deoxy-D-manno-octulosonic acid 69

NMR studies

Isolation and NMR studies of di-D-fructose anhydride III from *Lycoris radiata* Herbert by supercritical extraction with carbon dioxide 301

NMR

NMR spectroscopy study of the complexation of L-mannonic acid with tungsten(VI) and molybdenum(VI) 209

NOESY

Structure of the capsular polysaccharide of *Clostridium perfringens* Hobbs 5 as determined by NMR spectroscopy 119

n-Pentenyl furanosides

A convenient synthesis of disaccharides containing furanoside units 7

Nucleophilic substitution

Synthesis of monosaccharide-fused azetidines 253

Oligosaccharide, chemical synthesis

Synthesis of the Sd^a determinant and two analogous tetrasaccharides 181

Synthesis of two analogues of the Sd^a determinant. Replacement of the sialic acid residue by a sulfate or a carboxymethyl group 171

Oligosaccharide synthesis

Synthesis of colitose-containing oligosaccharide structures found in polysaccharides from *Vibrio cholerae* O139 synonym Bengal using thioglycoside donors 159

Oligouronic acid

Isolation and quantification of alginate-derived oligouronic acids by fluorophore-assisted carbohydrate electrophoresis 95

Oral antithrombotic activity

Synthesis of 4-cyanophenyl 2-deoxy-1,5-dithio- β -D-threo-pentopyranoside 59

Oxirane

Reactions of the ketone derived from (\pm)-3,4,5-tri-*O*-benzyl-1,2-*O*-isopropylidene-*myo*-inositol: preparation of racemic derivatives of *epi*-inositol and of 4-*C*-methyl-*epi*-[(\pm)-*iso*-laminitol] and 4-*C*-methyl-*myo*-inositol [(\pm)-laminitol] 77

1-Phenylazo-1-hexenes

Preparation of 2-deoxyaldoses from aldose phenylhydrazones 307

Polydispersity

Effects of ultrasonic conditions and storage in acidic solutions on changes in molecular weight and polydispersity of treated chitosan 287

Polymer

The application of various protic acids in the extraction of (1 \rightarrow 3)- β -D-glucan from *Saccharomyces cerevisiae* 203

Polysaccharide structure

Structure of the capsular polysaccharide of *Clostridium perfringens* Hobbs 5 as determined by NMR spectroscopy 119

Polysaccharides, red algal

Cell-wall polysaccharides from Australian red algae of the family Solieriaceae (Gigartinales, Rhodophyta): novel, highly pyruvated carrageenans from the genus *Callophycus* 229

Pyrazole

Heterocyclic derivatives of sugars: An NMR study of the formation of 1-glycosyl-3,5-dimethyl-1*H*-pyrazoles from hydrazones 129

- Reductive cleavage**
Enantiomer separation of permethylated monosaccharides and 1,5-anhydroalditols and simultaneous determination of linkage positions and absolute configuration in the galactan of *Helix pomatia* 1
- Reductive-cleavage**
Authentic standards for the reductive-cleavage method. The positional isomers of partially methylated and acetylated or benzoylated 1,5-anhydro-L-rhamnitols 151
Authentic standards for the reductive-cleavage method. The positional isomers of partially methylated and acetylated or benzoylated 1,5-anhydro-D-xylitols 143
- Sd^a determinant, analogues**
Synthesis of two analogues of the Sd^a determinant. Replacement of the sialic acid residue by a sulfate or a carboxymethyl group 171
- Sd^a determinant**
Synthesis of the Sd^a determinant and two analogous tetrasaccharides 181
- Serum**
In vitro degradation rates of partially *N*-acetylated chitosans in human serum 99
- Sialylation**
Synthesis of the Sd^a determinant and two analogous tetrasaccharides 181
- Snail galactan**
Enantiomer separation of permethylated monosaccharides and 1,5-anhydroalditols and simultaneous determination of linkage positions and absolute configuration in the galactan of *Helix pomatia* 1
- Solid-phase glycopeptide synthesis**
Synthesis and characterisation of highly glycosylated glycopeptides with T^N-antigenic structures corresponding to human glycoporphin A^N 33
- Solieriaceae**
Cell-wall polysaccharides from Australian red algae of the family Solieriaceae (Gigartinales, Rhodophyta): novel, highly pyruvated carrageenans from the genus *Callophycus* 229
- Structure determination**
Cell-wall polysaccharides from Australian red algae of the family Solieriaceae (Gigartinales, Rhodophyta): novel, highly pyruvated carrageenans from the genus *Callophycus* 229
- Structure**
Structure of the capsular polysaccharide from *Alteromonas nigricans* IAM 13010T containing 2-acetamido-2,6-dideoxy-L-talose and 3-deoxy-D-manno-octulosonic acid 69
- Sugar hydrazone**
Heterocyclic derivatives of sugars: An NMR study of the formation of 1-glycosyl-3,5-dimethyl-1*H*-pyrazoles from hydrazones 129
- Sugar labelling**
Heterocyclic derivatives of sugars: An NMR study of the formation of 1-glycosyl-3,5-dimethyl-1*H*-pyrazoles from hydrazones 129
- 4-Sulfobutyl ether cyclomaltoheptaose (cyclodextrin)**
Fractionation and characterization of 4-sulfobutyl ether derivatives of cyclomaltoheptaose (β-cyclodextrin) 103
- 4-Sulfobutyl ether cyclomaltoheptaose (β-cyclodextrin)**
Isolation and characterization by NMR spectroscopy of three mono-substituted 4-sulfobutyl ether derivatives of cyclomaltoheptaose (β-cyclodextrin) 111
- Supercritical extraction**
Isolation and NMR studies of di-D-fructose anhydride III from *Lycoris radiata* Herbert by supercritical extraction with carbon dioxide 301
- Surfactants**
Synthesis and surface-active properties of amphiphilic 6-amino-carbonyl derivatives of D-glucose 49
- Syringalide B**
Total synthesis of the phenylpropanoid glycoside, grayanoside A 281
- Tamm-Horsfall glycoprotein**
Synthesis of the Sd^a determinant and two analogous tetrasaccharides 181
- Tamm-Horsfall glycoprotein**
Synthesis of two analogues of the Sd^a determinant. Replacement of the sialic acid residue by a sulfate or a carboxymethyl group 171
- Targeting**
Synthesis of *O*-methylsulfonyl derivatives of D-glucose as potential alkylating agents for targeted drug delivery to the brain. Evaluation of their interaction with the human erythrocyte GLUT1 hexose transporter 15
- 5-Thio-D-xylal derivatives**
Synthesis of 4-cyanophenyl 2-deoxy-1,5-dithio-β-D-threo-pentopyranoside 59
- Thioglycosides**
Synthesis of colitose-containing oligosaccharide structures found in polysaccharides from *Vibrio cholerae* O139 synonym Bengal using thioglycoside donors 159
Synthesis of 4-cyanophenyl 2-deoxy-1,5-dithio-β-D-threo-pentopyranoside 59
- Thomsen-Friedenreich antigen determinant**
Chemoenzymatic synthesis of the Thomsen-Friedenreich antigen determinant 85
- α-Tocopherol**
Synthesis of α-tocopheryl oligosaccharides 23
- TOCSY**
Structure of the capsular polysaccharide of *Clostridium perfringens* Hobbs 5 as determined by NMR spectroscopy 119
- Tosylate**
Synthesis of monosaccharide-fused azetidines 253
- Tosylation**
Synthesis of some new deoxy sugar lactone derivatives 295
- Transannular participation of the sulfur atom**
Synthesis of 4-cyanophenyl 2-deoxy-1,5-dithio-β-D-threo-pentopyranoside 59
- Transglycosylation**
Chemoenzymatic synthesis of the Thomsen-Friedenreich antigen determinant 85
- α,β-trehaloses**
Stereoselective syntheses of the *O,N*-protected subunits of the tunicamycins 245
- 1,5,6-Trideoxy-6,6-difluoro-1,5-imino-D-glucitol hydrochloride**
Synthesis and evaluation of 1,5,6-trideoxy-6,6-difluoro-1,5-imino-D-glucitol (1,6-dideoxy-6,6-difluoronojirimycin) as a glucosidase inhibitor 165
- 1,5,6-Trideoxy-6,6-difluoro-1,5-imino-D-glucitol**
Synthesis and evaluation of 1,5,6-trideoxy-6,6-difluoro-1,5-imino-D-glucitol (1,6-dideoxy-6,6-difluoronojirimycin) as a glucosidase inhibitor 165
- Tumor cells**
Synthesis of *O*-methylsulfonyl derivatives of D-glucose as potential alkylating agents for targeted drug delivery to the brain. Evaluation of their interaction with the human erythrocyte GLUT1 hexose transporter 15
- Tungsten**
NMR spectroscopy study of the complexation of L-mannonic acid with tungsten(VI) and molybdenum(VI) 209
- Tunicamine**
Stereoselective syntheses of the *O,N*-protected subunits of the tunicamycins 245
- Ultrasonics**
Effects of ultrasonic conditions and storage in acidic solutions on changes in molecular weight and polydispersity of treated chitosan 287
- Vibrio cholerae**
Synthesis of colitose-containing oligosaccharide structures found in polysaccharides from *Vibrio cholerae* O139 synonym Bengal using thioglycoside donors 159
- Wittig reaction**
Stereoselective syntheses of the *O,N*-protected subunits of the tunicamycins 245