

## Subject index

- $\alpha$ -Amylase  
New enzymatic synthesis of 6<sup>3</sup>-modified maltooligosaccharides and their inhibitory activities for human  $\alpha$ -amylases 69
- $\alpha$ -Cyclodextrin  
Crystal structure of  $\alpha$ -cyclodextrin-acetonitrile-hexahydrate 191
- $\alpha$ -Glucosidase inhibitors  
Synthesis of  $\alpha$ -glucosidase inhibitors: kojibiose-type pseudodisaccharides and a related pseudotrisaccharide 83
- Acetobacter aceti*  
Structural aspects of the interaction of mannan-based polysaccharides with bacterial cellulose 299
- Acetonitrile  
Crystal structure of  $\alpha$ -cyclodextrin-acetonitrile-hexahydrate 191
- Alditols  
Tin-mediated regioselective etherification and esterification of unprotected xylitol 355
- Alkylation  
Organotitanium-induced stereoselective alkylative *endo*-cleavage of benzyl pentopyranosides 13
- Allyl  $\beta$ -D-glycopyranosides  
A highly diastereoselective, practical synthesis of allyl, propargyl 2,3,4,6-tetra-*O*-acetyl- $\beta$ -D-glucosyl,  $\beta$ -D-galactopyranosides and allyl, propargyl heptaacetyl- $\beta$ -D-lactosides 351
- Allyl and propargyl  $\beta$ -D-lactosides  
A highly diastereoselective, practical synthesis of allyl, propargyl 2,3,4,6-tetra-*O*-acetyl- $\beta$ -D-glucosyl,  $\beta$ -D-galactopyranosides and allyl, propargyl heptaacetyl- $\beta$ -D-lactosides 351
- Amperometric biosensors  
The synthesis of 16-mercaptohexadecan-1-yl glycosides for biosensor applications 361
- Amylopectin  
The degree of starch phosphorylation is related to the chain length distribution of the neutral and the phosphorylated chains of amylopectin 45
- Amylose derivatives, water solubility of  
Modification of amylose and investigation of its inclusion behavior 19
- Anthracycline glycoside  
Synthesis and antitumor activity of the 7-*O*-(2,6-dideoxy-2-fluoro- $\alpha$ -L-talopyranosyl)daunomycinone derivatives modified at C-3' or C-4' 217
- Antibodies  
Glycosphingolipids of skeletal muscle: I. Subcellular distribution of neutral glycosphingolipids and gangliosides in rabbit skeletal muscle 135
- Antitumor activity  
Synthesis and antitumor activity of the 7-*O*-(2,6-dideoxy-2-fluoro- $\alpha$ -L-talopyranosyl)daunomycinone derivatives modified at C-3' or C-4' 217
- APTS  
Fluorophore-assisted carbohydrate electrophoresis (FACE) of oligosaccharides: efficiency of labelling and high-resolution separation 1
- Arabinogalactan–protein  
Structural study on arabinogalactan–proteins from *Picea abies* L. Karst 271
- Araliaceae  
Rhamnogalacturonan II dimers cross-linked by borate diesters from the leaves of *Panax ginseng* C.A. Meyer are responsible for expression of their IL-6 production enhancing activities 97
- Asialo GM<sub>1</sub>  
The synthesis of 16-mercaptohexadecan-1-yl glycosides for biosensor applications 361
- Asialo GM<sub>2</sub>  
The synthesis of 16-mercaptohexadecan-1-yl glycosides for biosensor applications 361
- $\beta$ -cyclodextrin  
Quantum chemical calculations on the weak polar host–guest interactions in crystalline cyclomaltoheptaose ( $\beta$ -cyclodextrin)-but-2-yn-1,4-diol heptahydrate 343
- $\beta$ -Lactams  
Formation of  $\beta$ -lactams fused to the pyranoid ring via the Mitsunobu reaction 33
- Bacterial polysaccharide  
Structural determination of the *O*-deacetylated *O*-chain of lipopolysaccharide from *Burkholderia (Pseudomonas) cepacia* strain PVFi-5A 333
- Bacterial sugars  
Five monophosphates of methyl L-glycero- $\alpha$ -D-manno-heptopyranoside: synthesis, hydrolysis and migrations 55
- Blue-green algae  
The structure of the exocellular polysaccharide from the cyanobacterium *Cyanospira capsulata* 113
- Brain tissues  
Naturally occurring ganglioside lactones in Minke whale brain 281
- Burkholderia (Pseudomonas) cepacia*  
Structural determination of the *O*-deacetylated *O*-chain of lipopolysaccharide from *Burkholderia (Pseudomonas) cepacia* strain PVFi-5A 333
- <sup>13</sup>C-labeled aldopentoses  
<sup>13</sup>C-labeled aldopentoses: detection and quantitation of cyclic and acyclic forms by heteronuclear 1D and 2D NMR spectroscopy 199
- [<sup>14</sup>C]-Labeling  
Enzymatic preparation of radiolabeled linear maltodextrins and cyclodextrins of high specific activity from [<sup>14</sup>C] maltose using amyloamylase, cyclodextrin glucosyltransferase and cyclodextrinase 375
- C-Nucleoside  
Synthesis of 3- $\beta$ -D-ribofuranosylpyrazole-1-carboxamide 211
- Ca<sup>2+</sup>-channel  
Glycosphingolipids of skeletal muscle: II. Modulation of Ca<sup>2+</sup>-flux in triad membranes by gangliosides 147
- Callus cultures  
Structural study on arabinogalactan–proteins from *Picea abies* L. Karst 271
- Capillary electrophoresis  
Fluorophore-assisted carbohydrate electrophoresis (FACE) of oligosaccharides: efficiency of labelling and high-resolution separation 1
- Carbaoligosaccharides  
Synthesis of  $\alpha$ -glucosidase inhibitors: kojibiose-type pseudodisaccharides and a related pseudotrisaccharide 83

## Carbohydrate mimics

Synthesis of  $\alpha$ -glucosidase inhibitors: kojibiose-type pseudodisaccharides and a related pseudotrisaccharide 83

## Carrageenan

Structural analysis of carrageenans from the tetrasporic stages of the red algae, *Gigartina lanceata* and *Gigartina chapmanii* (Gigartineae, Rhodophyta) 325

## Caryophyllan

Presence of  $\beta$ -glycosyl linkages in caryophyllan: the main polysaccharide from the *Pseudomonas caryophylli* LPS fraction 167

## Catalytic equilibration

New conditions for the synthesis of *scyllo*-inositol starting from *myo*-inositol 163

## Cellulose/mannan interactions

Structural aspects of the interaction of mannan-based polysaccharides with bacterial cellulose 299

## Chain length distribution

The degree of starch phosphorylation is related to the chain length distribution of the neutral and the phosphorylated chains of amylopectin 45

## Circular dichroism of amylose complexes

Modification of amylose and investigation of its inclusion behavior 19

## Combining site model

Synthesis of some amino and carboxy analogs of galabiose; evaluation as inhibitors of the pilus protein PapG<sub>96</sub> from *Escherichia coli* 233

## Crystal structure

Crystal structure of  $\alpha$ -cyclodextrin-acetonitrile-hexahydrate 191

## Cyanobacterium

The structure of the exocellular polysaccharide from the cyanobacterium *Cyanospira capsulata* 113

*Cyanospira capsulata*

The structure of the exocellular polysaccharide from the cyanobacterium *Cyanospira capsulata* 113

## Cyclodextrin glycosyltransferase

New enzymatic synthesis of 6<sup>3</sup>-modified maltooligosaccharides and their inhibitory activities for human  $\alpha$ -amylases 69

## Cyclodextrins

Enzymatic preparation of radiolabeled linear maltodextrins and cyclodextrins of high specific activity from [<sup>14</sup>C] maltose using amylomaltase, cyclodextrin glucosyltransferase and cyclodextrinase 375

## D-Lyxono-1,4-lactone

1,1,3,3-Tetraisopropylidisiloxane-1,3-diyl (TIPS) migration facilitates one-pot formation of enantiomerically pure methyl 2,3-epoxy-D-xyloate 159

## Deoxy sugars

Preparation of modified glycosyl glycerol derivatives by glycal rearrangement 263

## Deoxymaltooligosaccharide

New enzymatic synthesis of 6<sup>3</sup>-modified maltooligosaccharides and their inhibitory activities for human  $\alpha$ -amylases 69

## DHP-receptor

Glycosphingolipids of skeletal muscle: II. Modulation of Ca<sup>2+</sup>-flux in triad membranes by gangliosides 147

## Divalent galabiosides

Synthesis of some divalent *O*- and *S*-glycosides of galabiose and globotriose 243

## Divalent globotriosides, synthesis of

Synthesis of some divalent *O*- and *S*-glycosides of galabiose and globotriose 243

## Endo-cleavage

Organotitanium-induced stereoselective alkylative *endo*-cleavage of benzyl pentopyranosides 13

## Enol formation

Ulose formation by selenoxide elimination 371

## Enzymatic synthesis

Enzymatic preparation of radiolabeled linear maltodextrins and cyclodextrins of high specific activity from [<sup>14</sup>C] maltose using amylomaltase, cyclodextrin glucosyltransferase and cyclodextrinase 375

## Enzymatic synthesis

New enzymatic synthesis of 6<sup>3</sup>-modified maltooligosaccharides and their inhibitory activities for human  $\alpha$ -amylases 69

## Epoxide ring opening

Ulose formation by selenoxide elimination 371

## epoxyester

1,1,3,3-Tetraisopropylidisiloxane-1,3-diyl (TIPS) migration facilitates one-pot formation of enantiomerically pure methyl 2,3-epoxy-D-xyloate 159

*Escherichia coli* inhibitors

Synthesis of some amino and carboxy analogs of galabiose; evaluation as inhibitors of the pilus protein PapG<sub>96</sub> from *Escherichia coli* 233

## Esterification

Tin-mediated regioselective etherification and esterification of unprotected xylitol 355

## Etherification

Tin-mediated regioselective etherification and esterification of unprotected xylitol 355

## Exopolysaccharide

Structural analysis of the exopolysaccharides produced by *Lactobacillus* spp. G-77 125

## Exopolysaccharide, structure

The structure of the exocellular polysaccharide from the cyanobacterium *Cyanospira capsulata* 113

## Ferrier reaction

Preparation of modified glycosyl glycerol derivatives by glycal rearrangement 263

## Galabiose analogs

Synthesis of some amino and carboxy analogs of galabiose; evaluation as inhibitors of the pilus protein PapG<sub>96</sub> from *Escherichia coli* 233

## Galactomannan

Structural aspects of the interaction of mannan-based polysaccharides with bacterial cellulose 299

## Ganglioside subcellular distribution

Glycosphingolipids of skeletal muscle: II. Modulation of Ca<sup>2+</sup>-flux in triad membranes by gangliosides 147

## Gangliosides

Naturally occurring ganglioside lactones in Minke whale brain 281

## Gene transfer

The identification of glycerol-3-yl 6-deoxy-6-*C*-sulfo- $\alpha$ -D-glucopyranoside (glyceryl  $\alpha$ -sulfoquinovoside) as a metabolite in *Rhizobium*, a non-photosynthetic organism 347

*Gigartina chapmanii*

Structural analysis of carrageenans from the tetrasporic stages of the red algae, *Gigartina lanceata* and *Gigartina chapmanii* (Gigartineae, Rhodophyta) 325

*Gigartina lanceata*

Structural analysis of carrageenans from the tetrasporic stages of the red algae, *Gigartina lanceata* and *Gigartina chapmanii* (Gigartineae, Rhodophyta) 325

## Glucomannan

Structural aspects of the interaction of mannan-based polysaccharides with bacterial cellulose 299

## Glucuronoxylan

Isolation, <sup>1</sup>H and <sup>13</sup>C NMR studies of (4-*O*-methyl-D-glucurono)-D-xylans from luffa fruit fibres, jute bast fibres and mucilage of quince tree seeds 107

## Glycerol derivatives

Preparation of modified glycosyl glycerol derivatives by glycal rearrangement 263

Glycerol-3-yl 6-deoxy-6-C-sulfo- $\alpha$ -D-glucopyranoside

The identification of glycerol-3-yl 6-deoxy-6-C-sulfo- $\alpha$ -D-glucopyranoside (glyceryl  $\alpha$ -sulfoquinovoside) as a metabolite in *Rhizobium*, a non-photosynthetic organism 347

## Glyceryl sulfoquinovoside

The identification of glycerol-3-yl 6-deoxy-6-C-sulfo- $\alpha$ -D-glucopyranoside (glyceryl  $\alpha$ -sulfoquinovoside) as a metabolite in *Rhizobium*, a non-photosynthetic organism 347

## Glycoprotein-processing glucosidase I inhibitors

Synthesis of  $\alpha$ -glucosidase inhibitors: kojibiose-type pseudodisaccharides and a related pseudotrisaccharide 83

## glycosyl enaminone

Synthesis of 3- $\beta$ -D-ribofuranosylpyrazole-1-carboxamide 211

 $^1\text{H}$  and  $^{13}\text{C}$  NMR spectroscopy

Isolation,  $^1\text{H}$  and  $^{13}\text{C}$  NMR studies of (4-*O*-methyl-D-glucurono)-D-xylans from luffa fruit fibres, jute bast fibres and mucilage of quince tree seeds 107

*Hafnia alvei*

Reinvestigation of the O-specific polysaccharides of *Hafnia alvei* lipopolysaccharides isolated from strains ATCC 13337 and 1187 173

## HCCH–TOCSY

$^{13}\text{C}$ -labeled aldopentoses: detection and quantitation of cyclic and acyclic forms by heteronuclear 1D and 2D NMR spectroscopy 199

## Heptose synthesis

Five monophosphates of methyl L-*glycero*- $\alpha$ -D-*manno*-heptopyranoside: synthesis, hydrolysis and migrations 55

## HMQC–TOCSY

$^{13}\text{C}$ -labeled aldopentoses: detection and quantitation of cyclic and acyclic forms by heteronuclear 1D and 2D NMR spectroscopy 199

## HPAE

Structural analysis of the intact polysaccharide mannan from *Saccharomyces cerevisiae* yeast using  $^1\text{H}$  and  $^{13}\text{C}$  NMR spectroscopy at 750 MHz 177

## Hydrogen bonding

Crystal structure of  $\alpha$ -cyclodextrin-acetonitrile-hexahydrate 191

## Immunohistochemistry

Glycosphingolipids of skeletal muscle: I. Subcellular distribution of neutral glycosphingolipids and gangliosides in rabbit skeletal muscle 135

## Inhibitor

New enzymatic synthesis of 6<sup>3</sup>-modified maltooligosaccharides and their inhibitory activities for human  $\alpha$ -amylases 69

## Interleukin-6 (IL-6) production enhancing activity

Rhamnogalacturonan II dimers cross-linked by borate diesters from the leaves of *Panax ginseng* C.A. Meyer are responsible for expression of their IL-6 production enhancing activities 97

## Intramolecular Mitsunobu reaction

Formation of  $\beta$ -lactams fused to the pyranoid ring via the Mitsunobu reaction 33

## Ion flux

Glycosphingolipids of skeletal muscle: II. Modulation of  $\text{Ca}^{2+}$ -flux in triad membranes by gangliosides 147

## Jute xylan

Isolation,  $^1\text{H}$  and  $^{13}\text{C}$  NMR studies of (4-*O*-methyl-D-glucurono)-D-xylans from luffa fruit fibres, jute bast fibres and mucilage of quince tree seeds 107

## Kinetics and mechanism

Oxidation of threose-series pentoses and hexoses by sodium *N*-chloro-*p*-toluenesulfonamide 253

## L-Iduronic acid

Structure of a highly acidic O-specific polysaccharide of lipopolysaccharide of *Pseudoalteromonas haloplanktis* KMM 223 (44-1) containing L-iduronic acid and D-QuiNHb4NHb 291

## Labelling efficiency

Fluorophore-assisted carbohydrate electrophoresis (FACE) of oligosaccharides: efficiency of labelling and high-resolution separation 1

*Lactobacillus* spp. G-77

Structural analysis of the exopolysaccharides produced by *Lactobacillus* spp. G-77 125

## Lindlar catalyst

A highly diastereoselective, practical synthesis of allyl, propargyl 2,3,4,6-tetra-*O*-acetyl- $\beta$ -D-glucosyl,  $\beta$ -D-galactopyranosides and allyl, propargyl heptaacetyl- $\beta$ -D-lactosides 351

## Lipooligosaccharides

The lipooligosaccharide (LOS) of *Neisseria meningitidis* Serogroup B Strain NMB contains L2, L3, and novel oligosaccharides, and lacks the lipid-A 4'-phosphate substituent 311

## Lipopolysaccharide

Reinvestigation of the O-specific polysaccharides of *Hafnia alvei* lipopolysaccharides isolated from strains ATCC 13337 and 1187 173

## Lipopolysaccharide

Structural determination of the O-deacetylated O-chain of lipopolysaccharide from *Burkholderia* (*Pseudomonas*) *cepacia* strain PVFi-5A 333

## Luffa xylan

Isolation,  $^1\text{H}$  and  $^{13}\text{C}$  NMR studies of (4-*O*-methyl-D-glucurono)-D-xylans from luffa fruit fibres, jute bast fibres and mucilage of quince tree seeds 107

## MALDI

Structural analysis of the intact polysaccharide mannan from *Saccharomyces cerevisiae* yeast using  $^1\text{H}$  and  $^{13}\text{C}$  NMR spectroscopy at 750 MHz 177

## Maltodextrins

Enzymatic preparation of radiolabeled linear maltodextrins and cyclodextrins of high specific activity from [ $^{14}\text{C}$ ] maltose using amyloamylase, cyclodextrin glucosyltransferase and cyclodextrinase 375

## Mannan

Structural analysis of the intact polysaccharide mannan from *Saccharomyces cerevisiae* yeast using  $^1\text{H}$  and  $^{13}\text{C}$  NMR spectroscopy at 750 MHz 177

## Membrane fractionation

Glycosphingolipids of skeletal muscle: II. Modulation of  $\text{Ca}^{2+}$ -flux in triad membranes by gangliosides 147

## Membrane fractions

Glycosphingolipids of skeletal muscle: I. Subcellular distribution of neutral glycosphingolipids and gangliosides in rabbit skeletal muscle 135

Methyl 2,3-anhydro-(*R*)-4,6-*O*-benzylidene- $\alpha$ -D-mannopyranoside

Ulose formation by selenoxide elimination 371

## Methyl 2,3-epoxy-D-xylonate

1,1,3,3-Tetraisopropylidisiloxane-1,3-diyl (TIPS) migration facilitates one-pot formation of enantiomerically pure methyl 2,3-epoxy-D-xylonate 159

Methyl L-*glycero*- $\alpha$ -D-*manno*-heptopyranoside monophosphate

Five monophosphates of methyl L-*glycero*- $\alpha$ -D-*manno*-heptopyranoside: synthesis, hydrolysis and migrations 55

## Migration

1,1,3,3-Tetraisopropylidisiloxane-1,3-diyl (TIPS) migration facilitates one-pot formation of enantiomerically pure methyl 2,3-epoxy-D-xylonate 159

## Multidrug resistance

Synthesis and antitumor activity of the 7-*O*-(2,6-dideoxy-2-fluoro- $\alpha$ -L-talopyranosyl)daunomycinone derivatives modified at C-3' or C-4' 217

*Myo*-inositol

New conditions for the synthesis of *scyllo*-inositol starting from *myo*-inositol 163

*N*-Tosyl-2-*C*-carbamoyl glycosides

Formation of  $\beta$ -lactams fused to the pyranoid ring via the Mitsunobu reaction 33

- Naturally occurring ganglioside lactones  
Naturally occurring ganglioside lactones in Minke whale brain 281
- Neisseria meningitidis*  
The lipooligosaccharide (LOS) of *Neisseria meningitidis* Serogroup B Strain NMB contains L2, L3, and novel oligosaccharides, and lacks the lipid-A 4'-phosphate substituent 311
- Neoglycophospholipid  
The synthesis of neoglycophospholipid conjugates via reductive amination of  $\omega$ -oxoalkylglycosides and phosphatidylethanolamines 77
- NMR spectroscopy  
Structure of a highly acidic O-specific polysaccharide of lipopolysaccharide of *Pseudoalteromonas haloplanktis* KMM 223 (44-1) containing L-iduronic acid and D-QuiNHb4NHb 291
- O-chain  
Presence of  $\beta$ -glycosyl linkages in caryophyllan: the main polysaccharide from the *Pseudomonas caryophylli* LPS fraction 167
- O-chain  
Structural determination of the O-deacetylated O-chain of lipopolysaccharide from *Burkholderia (Pseudomonas) cepacia* strain PVFi-5A 333
- O-Specific polysaccharide  
Reinvestigation of the O-specific polysaccharides of *Hafnia alvei* lipopolysaccharides isolated from strains ATCC 13337 and 1187 173
- O-specific polysaccharide, structure  
Structure of a highly acidic O-specific polysaccharide of lipopolysaccharide of *Pseudoalteromonas haloplanktis* KMM 223 (44-1) containing L-iduronic acid and D-QuiNHb4NHb 291
- Oligosaccharide  
Fluorophore-assisted carbohydrate electrophoresis (FACE) of oligosaccharides: efficiency of labelling and high-resolution separation 1
- Organic compounds, inclusion of  
Modification of amylose and investigation of its inclusion behavior 19
- Organotitanium reagents  
Organotitanium-induced stereoselective alkylative *endo*-cleavage of benzyl pentopyranosides 13
- Oxidation with chloramine-T  
Oxidation of threose-series pentoses and hexoses by sodium *N*-chloro-*p*-toluenesulfonamide 253
- P<sup>k</sup> trisaccharide  
The synthesis of 16-mercaptohexadecan-1-yl glycosides for biosensor applications 361
- Panax ginseng*  
Rhamnogalacturonan II dimers cross-linked by borate diesters from the leaves of *Panax ginseng* C.A. Meyer are responsible for expression of their IL-6 production enhancing activities 97
- PapG<sub>96</sub> adhesin  
Synthesis of some amino and carboxy analogs of galabiose; evaluation as inhibitors of the pilus protein PapG<sub>96</sub> from *Escherichia coli* 233
- Pentopyranosides  
Organotitanium-induced stereoselective alkylative *endo*-cleavage of benzyl pentopyranosides 13
- phenyl selenide  
Ulose formation by selenoxide elimination 371
- Phospholipid  
The synthesis of neoglycophospholipid conjugates via reductive amination of  $\omega$ -oxoalkylglycosides and phosphatidylethanolamines 77
- Phytopathogen  
Presence of  $\beta$ -glycosyl linkages in caryophyllan: the main polysaccharide from the *Pseudomonas caryophylli* LPS fraction 167
- Picea abies* L. Karst  
Structural study on arabinogalactan–proteins from *Picea abies* L. Karst 271
- Plant cell wall assembly  
Structural aspects of the interaction of mannan-based polysaccharides with bacterial cellulose 299
- Propargyl  $\beta$ -D-glycopyranosides  
A highly diastereoselective, practical synthesis of allyl, propargyl 2,3,4,6-tetra-O-acetyl- $\beta$ -D-glucopyranosides,  $\beta$ -D-galactopyranosides and allyl, propargyl heptaacetyl- $\beta$ -D-lactosides 351
- Pseudoalteromonas haloplanktis*  
Structure of a highly acidic O-specific polysaccharide of lipopolysaccharide of *Pseudoalteromonas haloplanktis* KMM 223 (44-1) containing L-iduronic acid and D-QuiNHb4NHb 291
- Pseudomonas caryophylli*  
Presence of  $\beta$ -glycosyl linkages in caryophyllan: the main polysaccharide from the *Pseudomonas caryophylli* LPS fraction 167
- Pseudooligosaccharides  
Synthesis of  $\alpha$ -glucosidase inhibitors: kojibiose-type pseudodisaccharides and a related pseudotrisaccharide 83
- Pyrazole-1-carboxamide  
Synthesis of 3- $\beta$ -D-ribofuranosylpyrazole-1-carboxamide 211
- quantitative ID <sup>13</sup>C NMR  
<sup>13</sup>C-labeled aldopentoses: detection and quantitation of cyclic and acyclic forms by heteronuclear 1D and 2D NMR spectroscopy 199
- Quantum chemical calculations  
Quantum chemical calculations on the weak polar host–guest interactions in crystalline cyclomaltoheptaose ( $\beta$ -cyclodextrin)-but-2-yne-1,4-diol heptahydrate 343
- Quince mucilage  
Isolation, <sup>1</sup>H and <sup>13</sup>C NMR studies of (4-O-methyl-D-glucurono)-D-xylans from luffa fruit fibres, jute bast fibres and mucilage of quince tree seeds 107
- Quince xylan  
Isolation, <sup>1</sup>H and <sup>13</sup>C NMR studies of (4-O-methyl-D-glucurono)-D-xylans from luffa fruit fibres, jute bast fibres and mucilage of quince tree seeds 107
- Reductive amination  
Fluorophore-assisted carbohydrate electrophoresis (FACE) of oligosaccharides: efficiency of labelling and high-resolution separation 1
- Reductive amination  
The synthesis of neoglycophospholipid conjugates via reductive amination of  $\omega$ -oxoalkylglycosides and phosphatidylethanolamines 77
- Regioselective  
Tin-mediated regioselective etherification and esterification of unprotected xylitol 355
- Repeating unit  
Structural analysis of the exopolysaccharides produced by *Lactobacillus* spp. G-77 125
- RG-II dimer containing borate diester  
Rhamnogalacturonan II dimers cross-linked by borate diesters from the leaves of *Panax ginseng* C.A. Meyer are responsible for expression of their IL-6 production enhancing activities 97
- Rhamnogalacturonan II  
Rhamnogalacturonan II dimers cross-linked by borate diesters from the leaves of *Panax ginseng* C.A. Meyer are responsible for expression of their IL-6 production enhancing activities 97
- Rhizobium*  
The identification of glycerol-3-yl 6-deoxy-6-C-sulfo- $\alpha$ -D-glucopyranoside (glyceryl  $\alpha$ -sulfoquinovoside) as a metabolite in *Rhizobium*, a non-photosynthetic organism 347
- (S)-3-Hydroxybutyric acid  
Structure of a highly acidic O-specific polysaccharide of lipopolysaccharide of *Pseudoalteromonas haloplanktis* KMM 223 (44-1) containing L-iduronic acid and D-QuiNHb4NHb 291
- Scyllo*-inositol  
New conditions for the synthesis of *scyllo*-inositol starting from *myo*-inositol 163
- Selenoxide elimination  
Ulose formation by selenoxide elimination 371

## Serogroup B

The lipooligosaccharide (LOS) of *Neisseria meningitidis* Serogroup B Strain NMB contains L2, L3, and novel oligosaccharides, and lacks the lipid-A 4'-phosphate substituent 311

## Slab gel electrophoresis

Fluorophore-assisted carbohydrate electrophoresis (FACE) of oligosaccharides: efficiency of labelling and high-resolution separation 1

## solution composition

<sup>13</sup>C-labeled aldopentoses: detection and quantitation of cyclic and acyclic forms by heteronuclear 1D and 2D NMR spectroscopy 199

## Spectra of iodine complexes

Modification of amylose and investigation of its inclusion behavior 19

## Stannylene acetal

Tin-mediated regioselective etherification and esterification of unprotected xylitol 355

## Starch

Fluorophore-assisted carbohydrate electrophoresis (FACE) of oligosaccharides: efficiency of labelling and high-resolution separation 1

## Starch phosphorylation

The degree of starch phosphorylation is related to the chain length distribution of the neutral and the phosphorylated chains of amylopectin 45

## Starch structure

The degree of starch phosphorylation is related to the chain length distribution of the neutral and the phosphorylated chains of amylopectin 45

## Subcellular localization

Glycosphingolipids of skeletal muscle: I. Subcellular distribution of neutral glycosphingolipids and gangliosides in rabbit skeletal muscle 135

## Sulfated galactan

Structural analysis of carrageenans from the tetrasporic stages of the red algae, *Gigartina lanceata* and *Gigartina chapmanii* (Gigartinales, Rhodophyta) 325

## Sulfolipids

The identification of glycerol-3-yl 6-deoxy-6-C-sulfo- $\alpha$ -D-glucopyranoside (glyceryl  $\alpha$ -sulfoquinovoside) as a metabolite in *Rhizobium*, a non-photosynthetic organism 347

## Sulfoquinovosyl diacylglycerol

The identification of glycerol-3-yl 6-deoxy-6-C-sulfo- $\alpha$ -D-glucopyranoside (glyceryl  $\alpha$ -sulfoquinovoside) as a metabolite in *Rhizobium*, a non-photosynthetic organism 347

## Synthesis

Synthesis of 3- $\beta$ -D-ribofuranosylpyrazole-1-carboxamide 211

## Threose-series sugars

Oxidation of threose-series pentoses and hexoses by sodium *N*-chloro-*p*-toluenesulfonamide 253

## TIPS

1,1,3,3-Tetraisopropylidisiloxane-1,3-diyl (TIPS) migration facilitates one-pot formation of enantiomerically pure methyl 2,3-epoxy-D-xylo-nate 159

## TLC immunostaining

Glycosphingolipids of skeletal muscle: I. Subcellular distribution of neutral glycosphingolipids and gangliosides in rabbit skeletal muscle 135

## Transport

Enzymatic preparation of radiolabeled linear maltodextrins and cyclodextrins of high specific activity from [<sup>14</sup>C] maltose using amylomaltase, cyclodextrin glucosyltransferase and cyclodextrinase 375

## Weak hydrogen bond

Quantum chemical calculations on the weak polar host-guest interactions in crystalline cyclomaltoheptaose ( $\beta$ -cyclodextrin)-but-2-yn-1,4-diol heptahydrate 343

## Xylitol

Tin-mediated regioselective etherification and esterification of unprotected xylitol 355

## Yeast

Structural analysis of the intact polysaccharide mannan from *Saccharomyces cerevisiae* yeast using <sup>1</sup>H and <sup>13</sup>C NMR spectroscopy at 750 MHz 177

2-C:3-N-Carbonyl-2,3-dideoxy-3-N-tosylamino- $\alpha$ -L-lyxo- and  $\beta$ -D-ribofuranosides

Formation of  $\beta$ -lactams fused to the pyranoid ring via the Mitsunobu reaction 33

## 2,4-Diamino-2,4,6-trideoxy-D-glucose

Structure of a highly acidic O-specific polysaccharide of lipopolysaccharide of *Pseudoalteromonas haloplanktis* KMM 223 (44-1) containing L-iduronic acid and D-QuiNHb4NHb 291

## 4-O-(1-carboxyethyl)mannose

The structure of the exocellular polysaccharide from the cyanobacterium *Cyanospira capsulata* 113

7-O-(2,6-Dideoxy-2-fluoro- $\alpha$ -L-talopyranosyl)daunomycinone

Synthesis and antitumor activity of the 7-O-(2,6-dideoxy-2-fluoro- $\alpha$ -L-talopyranosyl)daunomycinone derivatives modified at C-3' or C-4' 217

## 16-mercaptohexadecanyl glycosides

The synthesis of 16-mercaptohexadecanyl glycosides for biosensor applications 361