

Subject Index of Volume 319

Acidic polysaccharide

Structure of an acidic O-specific polysaccharide of *Proteus mirabilis* O5 199

Acinetobacter baumannii

Structure of the O-specific polysaccharide for *Acinetobacter baumannii* serogroup O1 204

Allylic rearrangement

3,3'-Dideoxytrehaloses via dimerisation of 2-hydroxyglycol esters 47

Amino sugars

Cyclic sulfates in the regioselective synthesis of 5- and 6-amino and 5- and 6-fluorohexofuranoses 192

Analysis

New methods to determine the extent of reaction of epichlorohydrin with maltodextrins 17

Anticoagulant activity

Further data on the structure of brown seaweed fucans: relationships with anticoagulant activity 154

Arabinoxylo-oligosaccharides

Hydrolysis of wheat bran and straw by an endoxylanase: production and structural characterization of cinnamoyl-oligosaccharides 102

Archaeon

Structural studies on the acidic exopolysaccharide from *Haloferax denitrificans* ATCC 35960 133

Azido sugars

Cyclic sulfates in the regioselective synthesis of 5- and 6-amino and 5- and 6-fluorohexofuranoses 192

Biosurfactant, anionic

A novel trisaccharide glycolipid biosurfactant containing trehalose bears ester-linked hexanoate, succinate, and acyloxyacyl moieties: NMR and MS characterization of the underivatized structure 112

Branched-chain aldoses

Stereospecific molybdic acid-catalyzed isomerization of 2-hexuloses to branched-chain aldoses 38

Brown seaweed

Further data on the structure of brown seaweed fucans: relationships with anticoagulant activity 154

Campylobacter jejuni

Chemical structure of a polysaccharide from *Campylobacter jejuni* 176.83 (serotype O:41) containing only furanose sugars 124

Carbohydrates

Introduction of a carboxyl group through an acetal as a new route to carboxylic acid derivatives of sugars 63

Vibrational circular dichroism of monosaccharides 172

Carbon skeleton rearrangement

Stereospecific molybdic acid-catalyzed isomerization of 2-hexuloses to branched-chain aldoses 38

Carboxylic acid cyclic acetals

Introduction of a carboxyl group through an acetal as a new route to carboxylic acid derivatives of sugars 63

Chemoenzymatic

Synthesis of a disialylated hexasaccharide of Type VIII Group B *Streptococcus* capsular polysaccharide 1

Chromatography

The use of solid-phase extraction with graphitised carbon for the fractionation and purification of sugars 74

2-C-(Hydroxymethyl)aldoses

Stereospecific molybdic acid-catalyzed isomerization of 2-hexuloses to branched-chain aldoses 38

Circular dichroism

Vibrational circular dichroism of monosaccharides 172

Circularly polarized light

Vibrational circular dichroism of monosaccharides 172

Core

The structure of the core part of *Proteus mirabilis* O27 lipopolysaccharide with a new type of glycosidic linkage 92

Cross-linking

New methods to determine the extent of reaction of epichlorohydrin with maltodextrins 17

Cyclic sulfates

Cyclic sulfates in the regioselective synthesis of 5- and 6-amino and 5- and 6-fluorohexofuranoses 192

D-Allofuranose

Synthetic applications of glucose isomerase: isomerisation of C-5-modified (2*R*,3*R*,4*R*)-configured hexoses into the corresponding 2-ketoses 55

D-(3-¹³C)Fructose

Stereospecific molybdic acid-catalyzed isomerization of 2-hexuloses to branched-chain aldoses 38

6-Deoxy-D-*altro*-heptose

Chemical structure of a polysaccharide from *Campylobacter jejuni* 176.83 (serotype O:41) containing only furanose sugars 124

6-Deoxy-6-fluoro-D-galactose

UDP-6-deoxy-6-fluoro- α -D-galactose binds to two different galactosyltransferases, but neither can effectively catalyze transfer of the modified galactose to the appropriate acceptor 24

6-Deoxy-L-*altro*se

Chemical structure of a polysaccharide from *Campylobacter jejuni* 176.83 (serotype O:41) containing only furanose sugars 124

Depolymerization

Ozonolytic depolymerization of polysaccharides in aqueous solution 141

D-Fucose

Chemical structure of a polysaccharide from *Campylobacter jejuni* 176.83 (serotype O:41) containing only furanose sugars 124

2,5-Dideoxy-2,5-iminoalditol

Synthetic applications of glucose isomerase: isomerisation of C-5-modified (2*R*,3*R*,4*R*)-configured hexoses into the corresponding 2-ketoses 55

3,3'-Dideoxy- α,α -trehaloses

3,3'-Dideoxytrehaloses via dimerisation of 2-hydroxyglycolic esters 47

Dihydropyrans

3,3'-Dideoxytrehaloses via dimerisation of 2-hydroxyglycolic esters 47

D-Psicopyranose

Synthetic applications of glucose isomerase: isomerisation of C-5-modified (2*R*,3*R*,4*R*)-configured hexoses into the corresponding 2-ketoses 55

Endoxylanase

Hydrolysis of wheat bran and straw by an endoxylanase: production and structural characterization of cinnamoyl-oligosaccharides 102

Enzymatic synthesis

Enzymatic glycosylation of reducing oligosaccharides linked to a solid phase or a lipid via a cleavable squarate linker 80

Epichlorohydrin

New methods to determine the extent of reaction of epichlorohydrin with maltodextrins 17

Ferulic acid

Hydrolysis of wheat bran and straw by an endoxylanase: production and structural characterization of cinnamoyl-oligosaccharides 102

Fluoro sugars

Cyclic sulfates in the regioselective synthesis of 5- and 6-amino and 5- and 6-fluorohexofuranoses 192

Fucan NMR

Further data on the structure of brown seaweed fucans: relationships with anticoagulant activity 154

Fucan structure

Further data on the structure of brown seaweed fucans: relationships with anticoagulant activity 154

Galactosidase inhibitor

Synthetic applications of glucose isomerase: isomerisation of C-5-modified (2*R*,3*R*,4*R*)-configured hexoses into the corresponding 2-ketoses 55

Galactosyltransferase

UDP-6-deoxy-6-fluoro- α -D-galactose binds to two different galactosyltransferases, but neither can effectively catalyze transfer of the modified galactose to the appropriate acceptor 24

Glass transition

A calorimetric study of structural relaxation in a maltose glass 166

Glucose isomerase

Synthetic applications of glucose isomerase: isomerisation of C-5-modified (2*R*,3*R*,4*R*)-configured hexoses into the corresponding 2-ketoses 55

Glycolipid, succinylated trehalose

A novel trisaccharide glycolipid biosurfactant containing trehalose bears ester-linked hexanoate, succinate, and acyloxyacyl moieties: NMR and MS characterization of the underivatized structure 112

Glycoproteins

Enzymatic glycosylation of reducing oligosaccharides linked to a solid phase or a lipid via a cleavable squarate linker 80

Glycosylamines

Enzymatic glycosylation of reducing oligosaccharides linked to a solid phase or a lipid via a cleavable squarate linker 80

Graphitised carbon

The use of solid-phase extraction with graphitised carbon for the fractionation and purification of sugars 74

Group B *Streptococcus*

Ozonolytic depolymerization of polysaccharides in aqueous solution 141

Synthesis of a disialylated hexasaccharide of Type VIII Group B *Streptococcus* capsular polysaccharide 1

Haloferax denitrificans

Structural studies on the acidic exopolysaccharide from *Haloferax denitrificans* ATCC 35960 133

Heptose

The structure of the core part of *Proteus mirabilis* O27 lipopolysaccharide with a new type of glycosidic linkage 92

2-Hydroxyglycolic esters

3,3'-Dideoxytrehaloses via dimerisation of 2-hydroxyglycolic esters 47

Infrared spectra

Vibrational circular dichroism of monosaccharides 172

Kdo

The structure of the core part of *Proteus mirabilis* O27 lipopolysaccharide with a new type of glycosidic linkage 92

L-Arabinose

Chemical structure of a polysaccharide from *Campylobacter jejuni* 176.83 (serotype O:41) containing only furanose sugars 124

Lipid conjugates

Enzymatic glycosylation of reducing oligosaccharides linked to a solid phase or a lipid via a cleavable squarate linker 80

Lipooligosaccharide, acyltrehalose

A novel trisaccharide glycolipid biosurfactant containing trehalose bears ester-linked hexanoate, succinate, and acyloxyacyl moieties: NMR and MS characterization of the underivatized structure 112

Lipopolysaccharide

Structure of an acidic O-specific polysaccharide of *Proteus mirabilis* O5 199

Structure of the O-specific polysaccharide for *Acinetobacter baumannii* serogroup O1 204

The O-chain polysaccharide of the lipopolysaccharide of *Xanthomonas campestris* pv. *begoniae* GSPB 525 is a partially L-xylosylated L-rhamnan 148

The structure of the core part of *Proteus mirabilis* O27 lipopolysaccharide with a new type of glycosidic linkage 92

Lipopolysaccharide, lipid A

A novel trisaccharide glycolipid biosurfactant containing trehalose bears ester-linked hexanoate, succinate, and acyloxyacyl moieties: NMR and MS characterization of the underivatized structure 112

L-Tagatopyranose

Synthetic applications of glucose isomerase: isomerisation of C-5-modified (2*R*,3*R*,4*R*)-configured hexoses into the corresponding 2-ketoses 55

Maltodextrin

New methods to determine the extent of reaction of epichlorohydrin with maltodextrins 17

Maltose

A calorimetric study of structural relaxation in a maltose glass 166

(1 \rightarrow 4)- β -Mannosidic linkage

Chemoenzymatic synthesis of the *Salmonella* group E₁ core trisaccharide using a recombinant β -(1 \rightarrow 4)-mannosyltransferase 184

 β -(1 \rightarrow 4)-Mannosyltransferase

Chemoenzymatic synthesis of the *Salmonella* group E₁ core trisaccharide using a recombinant β -(1 \rightarrow 4)-mannosyltransferase 184

Mechanism study

Stereospecific molybdenic acid-catalyzed isomerization of 2-hexuloses to branched-chain aldoses 38

- Methyl 6-deoxy-6-fluoro- α -D-galactopyranoside
 UDP-6-deoxy-6-fluoro- α -D-galactose binds to two different galactosyltransferases, but neither can effectively catalyze transfer of the modified galactose to the appropriate acceptor 24
- Molybdcid acid-catalysis
 Stereospecific molybdcid acid-catalyzed isomerization of 2-hexuloses to branched-chain aldoses 38
- Monosaccharides
 Vibrational circular dichroism of monosaccharides 172
- NMR spectroscopy
 Chemical structure of a polysaccharide from *Campylobacter jejuni* 176.83 (serotype O:41) containing only furanose sugars 124
 Structural studies on the acidic exopolysaccharide from *Haloferax denitrificans* ATCC 35960 133
- O-antigen
 Chemoenzymatic synthesis of the *Salmonella* group E₁ core trisaccharide using a recombinant β -(1 \rightarrow 4)-mannosyltransferase 184
 Structure of an acidic O-specific polysaccharide of *Proteus mirabilis* O5 199
- O1 Antigen, structure
 Structure of the O-specific polysaccharide for *Acinetobacter baumannii* serogroup O1 204
- O-Chain polysaccharide
 The O-chain polysaccharide of the lipopolysaccharide of *Xanthomonas campestris* pv. *begoniae* GSPB 525 is a partially L-xylosylated L-rhamnan 148
- Oligosaccharide synthesis
 Synthesis of a disialylated hexasaccharide of Type VIII Group B *Streptococcus* capsular polysaccharide 1
 Transglycosylation of cellobiose by partially purified *Trichoderma viride* cellulase 29
- 3-O-(4-O- β -D-Mannopyranosyl- α -L-rhamnopyranosyl)- α -D-galactose
 Chemoenzymatic synthesis of the *Salmonella* group E₁ core trisaccharide using a recombinant β -(1 \rightarrow 4)-mannosyltransferase 184
- O:41 Polysaccharide, structure
 Chemical structure of a polysaccharide from *Campylobacter jejuni* 176.83 (serotype O:41) containing only furanose sugars 124
- Ozonolysis
 Ozonolytic depolymerization of polysaccharides in aqueous solution 141
- Pathogenicity to plants
 The O-chain polysaccharide of the lipopolysaccharide of *Xanthomonas campestris* pv. *begoniae* GSPB 525 is a partially L-xylosylated L-rhamnan 148
- p*-Coumaric acid
 Hydrolysis of wheat bran and straw by an endoxylanase: production and structural characterization of cinnamoyl-oligosaccharides 102
- Polysaccharide
 Ozonolytic depolymerization of polysaccharides in aqueous solution 141
 Structural studies on the acidic exopolysaccharide from *Haloferax denitrificans* ATCC 35960 133
- Proteus mirabilis*
 Structure of an acidic O-specific polysaccharide of *Proteus mirabilis* O5 199
- Proteus mirabilis*
 The structure of the core part of *Proteus mirabilis* O27 lipopolysaccharide with a new type of glycosidic linkage 92
- Salmonella* serogroup E₁
 Chemoenzymatic synthesis of the *Salmonella* group E₁ core trisaccharide using a recombinant β -(1 \rightarrow 4)-mannosyltransferase 184
- Sialyltransferase
 Synthesis of a disialylated hexasaccharide of Type VIII Group B *Streptococcus* capsular polysaccharide 1
- Solid-phase extraction
 The use of solid-phase extraction with graphitised carbon for the fractionation and purification of sugars 74
- Structural heterogeneity
 The O-chain polysaccharide of the lipopolysaccharide of *Xanthomonas campestris* pv. *begoniae* GSPB 525 is a partially L-xylosylated L-rhamnan 148
- Structural relaxation
 A calorimetric study of structural relaxation in a maltose glass 166
- Structure
 Structural studies on the acidic exopolysaccharide from *Haloferax denitrificans* ATCC 35960 133
 Structure of an acidic O-specific polysaccharide of *Proteus mirabilis* O5 199
- 1,2,3,4-Tetra-O-acetyl-6-deoxy-6-fluoro- β -D-galactopyranose
 UDP-6-deoxy-6-fluoro- α -D-galactose binds to two different galactosyltransferases, but neither can effectively catalyze transfer of the modified galactose to the appropriate acceptor 24
- Transglycosylation
 Transglycosylation of cellobiose by partially purified *Trichoderma viride* cellulase 29
- Trehalose oligosaccharide, laminaratrehalose
 A novel trisaccharide glycolipid biosurfactant containing trehalose bears ester-linked hexanoate, succinate, and acyloxyacyl moieties: NMR and MS characterization of the underivatized structure 112
- Trichoderma viride* cellulase
 Transglycosylation of cellobiose by partially purified *Trichoderma viride* cellulase 29
- Trisaccharide, glucose
 A novel trisaccharide glycolipid biosurfactant containing trehalose bears ester-linked hexanoate, succinate, and acyloxyacyl moieties: NMR and MS characterization of the underivatized structure 112
- UDP-6-deoxy-6-fluoro-D-galactose
 UDP-6-deoxy-6-fluoro- α -D-galactose binds to two different galactosyltransferases, but neither can effectively catalyze transfer of the modified galactose to the appropriate acceptor 24
- Vibrational circular dichroism
 Vibrational circular dichroism of monosaccharides 172
- Vibrational spectra
 Vibrational circular dichroism of monosaccharides 172
- Wheat bran
 Hydrolysis of wheat bran and straw by an endoxylanase: production and structural characterization of cinnamoyl-oligosaccharides 102
- Wheat straw
 Hydrolysis of wheat bran and straw by an endoxylanase: production and structural characterization of cinnamoyl-oligosaccharides 102
- Xanthomonas campestris* pv. *begoniae*
 The O-chain polysaccharide of the lipopolysaccharide of *Xanthomonas campestris* pv. *begoniae* GSPB 525 is a partially L-xylosylated L-rhamnan 148