

Subject Index of Volume 320

Acetonitrile inclusion complex

Crystal structure of hexakis(2,6-di-*O*-methyl)- α -cyclodextrin–acetonitrile dihydrate: a channel formed by methyl groups harbors a chain of five partially occupied water sites 120

Acyclic oxonium ion

Mechanism of the reductive cleavage reaction of permethylated methyl D-glycopyranosides 223

Affinity chromatography

Immobilized 4-aminophenyl 1-thio- β -D-galactofuranoside as a matrix for affinity purification of an exo- β -D-galactofuranosidase 176

5-Amino-3,5-dideoxynonulosonic acid

The structure of the specific capsular polysaccharide of *Rhodococcus equi* serotype 4 209

Amylopectin potato starch

Distribution of methyl substituents over crystalline and amorphous domains in methylated starches 100

Anadenanthera colubrina

The free reducing oligosaccharides of angico branco (*Anadenanthera colubrina*) gum exudate: an aid for structural assignments in the heteropolysaccharide 167

Angico branco

The free reducing oligosaccharides of angico branco (*Anadenanthera colubrina*) gum exudate: an aid for structural assignments in the heteropolysaccharide 167

1,5-Anhydro-D-fructose

1,5-Anhydro-D-fructose: regioselective acylation with fatty acids 250

Anomerization

Mechanism of the reductive cleavage reaction of permethylated methyl D-glycopyranosides 223

Synthesis and anomeric stability of (1 \rightarrow 6)-thiourea-linked pseudooligosaccharides 37

Anthracycline glycoside

Synthesis and antitumor activity of 5'-demethyl-5'-trifluoromethyl-daunorubicin and -doxorubicin 8

Antioxidant

1,5-Anhydro-D-fructose: regioselective acylation with fatty acids 250

Antitumor activity

Synthesis and antitumor activity of 5'-demethyl-5'-trifluoromethyl-daunorubicin and -doxorubicin 8

Arabinoxylan

Isolation and structural determination of two 5,5'-diferuloyl oligosaccharides indicate that maize heteroxylans are covalently cross-linked by oxidatively coupled ferulates 82

Asymmetric epoxidation

Stereoselective synthesis of 3'-*C*-methylene- and 2'-methyl-3'-*C*-methylene-3'-deoxythymidine 161

Benzoylated methyl α - and β -D-allopyranosides

From methyl D-glucopyranoside to methyl D-allopyranoside via the Mitsunobu reaction 244

Benzyl glycosides

Improved synthesis of 2,3:4,6-di-*O*-isopropylidene-D-glucopyranose and -D-galactopyranose 138

Blood group H substance

Enzymatic synthesis of α -L-fucosyl-*N*-acetylactosamines and 3'-*O*- α -L-fucosyllactose utilizing α -L-fucosidases 192

Branched oligosaccharide

Chemical synthesis of 6'''- α -maltotriosyl-maltohexaose as substrate for enzymes in starch biosynthesis and degradation 19

Carbasugars

Synthesis of polyhydroxylated cyclohexenyl sulfides and sulfoxides. Evaluation of their inhibitory activity on α - and β -D-glucosidases 49

Carbohydrate acetals

Improved synthesis of 2,3:4,6-di-*O*-isopropylidene-D-glucopyranose and -D-galactopyranose 138

Carbohydrate mimics

Synthesis and anomeric stability of (1 \rightarrow 6)-thiourea-linked pseudooligosaccharides 37

Carbohydrates

Chemical synthesis of 6'''- α -maltotriosyl-maltohexaose as substrate for enzymes in starch biosynthesis and degradation 19

Carbon-skeleton rearrangement

Synthesis of sedoheptulose from 2-*C*-(hydroxymethyl)-D-allose by molybdc acid-catalysed carbon-skeleton rearrangement 31

Cell wall

Isolation and structural determination of two 5,5'-diferuloyl oligosaccharides indicate that maize heteroxylans are covalently cross-linked by oxidatively coupled ferulates 82

C-glycoside

Regioselective acetyl transfer from the aglycon to the sugar in C-glycosylic compounds facilitated by silica gel 129

C-glycosylic compounds

Regioselective acetyl transfer from the aglycon to the sugar in C-glycosylic compounds facilitated by silica gel 129

Chitooligosaccharides

Preparation of chitooligosaccharides from chitosan by an enzyme mixture 257

Chitosan

Preparation of chitooligosaccharides from chitosan by an enzyme mixture 257

Chorda filum

A study of fucoidan from the brown seaweed *Chorda filum* 108

2-*C*-(Hydroxymethyl)-D-allose

Synthesis of sedoheptulose from 2-*C*-(hydroxymethyl)-D-allose by molybdc acid-catalysed carbon-skeleton rearrangement 31

- Cobra venom factor
Synthesis of a tetrasaccharide fragment of cobra venom factor oligosaccharide 1
- Core structure
The structure of the core part of *Proteus vulgaris* OX2 lipopolysaccharide 239
- Crown ethers
Synthesis of di- and trisaccharides incorporating a crown ether macrocycle 147
- Crystal
Crystal structures of cyclomaltohexaose (α -cyclodextrin) complexes with *p*-chlorophenol and *p*-cresol 261
- Cyclic oxonium ion
Mechanism of the reductive cleavage reaction of permethylated methyl D-glycopyranosides 223
- Cyclodextrin
Crystal structures of cyclomaltohexaose (α -cyclodextrin) complexes with *p*-chlorophenol and *p*-cresol 261
- α -Cyclodextrin
Crystal structure of hexakis(2,6-di-*O*-methyl)- α -cyclodextrin-ace-tonitrile dihydrate: a channel formed by methyl groups harbors a chain of five partially occupied water sites 120
- Cyclohexenyl sulfides and sulfoxides
Synthesis of polyhydroxylated cyclohexenyl sulfides and sulfoxides. Evaluation of their inhibitory activity on α - and β -D-glucosidases 49
- D-*altro*-heptulose
Synthesis of sedoheptulose from 2-*C*-(hydroxymethyl)-D-allose by molybdc acid-catalysed carbon-skeleton rearrangement 31
- Dehydridiferulic acid
Isolation and structural determination of two 5,5'-diferuloyl oligosaccharides indicate that maize heteroxylans are covalently cross-linked by oxidatively coupled ferulates 82
- 5'-demethyl-5'-trifluoromethyl-doxorubicin
Synthesis and antitumor activity of 5'-demethyl-5'-trifluoromethyl-daunorubicin and -doxorubicin 8
- Dextranucrase
Mechanism of the action of *Leuconostoc mesenteroides* B-512FMC dextranucrase: kinetics of the transfer of D-glucose to maltose and the effects of enzyme and substrate concentrations 183
- β -D-Galactofuranose
Immobilized 4-aminophenyl 1-thio- β -D-galactofuranoside as a matrix for affinity purification of an exo- β -D-galactofuranosidase 176
- Dideoxynucleoside
Stereoselective synthesis of 3'-*C*-methylene- and 2'-methyl-3'-*C*-methylene-3'-deoxythymidine 161
- 2,3:4,6-Di-*O*-isopropylidene-D-galactopyranose
Improved synthesis of 2,3:4,6-di-*O*-isopropylidene-D-glucopyranose and -D-galactopyranose 138
- 2,3:4,6-Di-*O*-isopropylidene-D-glucopyranose
Improved synthesis of 2,3:4,6-di-*O*-isopropylidene-D-glucopyranose and -D-galactopyranose 138
- Effects of enzyme concentration
Mechanism of the action of *Leuconostoc mesenteroides* B-512FMC dextranucrase: kinetics of the transfer of D-glucose to maltose and the effects of enzyme and substrate concentrations 183
- Effects of substrate concentrations
Mechanism of the action of *Leuconostoc mesenteroides* B-512FMC dextranucrase: kinetics of the transfer of D-glucose to maltose and the effects of enzyme and substrate concentrations 183
- Enzyme mixture
Preparation of chitooligosaccharides from chitosan by an enzyme mixture 257
- Escherichia coli*
Structural studies of the O-antigen polysaccharide from the enteroinvasive *Escherichia coli* O173 200
- Eucalyptus globulus* Labill
(2-*O*- α -D-Galactopyranosyl-4-*O*-methyl- α -D-glucurono)-D-xylan from *Eucalyptus globulus* Labill 93
- exo- β -D-Galactofuranosidase
Immobilized 4-aminophenyl 1-thio- β -D-galactofuranoside as a matrix for affinity purification of an exo- β -D-galactofuranosidase 176
- Ferulic acid
Isolation and structural determination of two 5,5'-diferuloyl oligosaccharides indicate that maize heteroxylans are covalently cross-linked by oxidatively coupled ferulates 82
- Free, reducing oligosaccharides
The free reducing oligosaccharides of angico branco (*Anadenanthera colubrina*) gum exudate: an aid for structural assignments in the heteropolysaccharide 167
- Fucoidans
A study of fucoidan from the brown seaweed *Chorda filum* 108
- Fucosyl oligosaccharide
Enzymatic synthesis of α -L-fucosyl-*N*-acetylactosamines and 3'-*O*- α -L-fucosyllactose utilizing α -L-fucosidases 192
- Glycosidase inhibitors
Synthesis of polyhydroxylated cyclohexenyl sulfides and sulfoxides. Evaluation of their inhibitory activity on α - and β -D-glucosidases 49
- Glycoside hydrolysis transition state
Synthesis of polyhydroxylated cyclohexenyl sulfides and sulfoxides. Evaluation of their inhibitory activity on α - and β -D-glucosidases 49
- Glycosylation
Synthesis of di- and trisaccharides incorporating a crown ether macrocycle 147
- α -Glycosylation
Glycosyl iodides are highly efficient donors under neutral conditions 61
- Glycosyl bromide
Glycosyl iodides are highly efficient donors under neutral conditions 61
- Glycosyl iodide
Glycosyl iodides are highly efficient donors under neutral conditions 61
- Gum
The free reducing oligosaccharides of angico branco (*Anadenanthera colubrina*) gum exudate: an aid for structural assignments in the heteropolysaccharide 167
- Halide-catalyzed anomerization
Glycosyl iodides are highly efficient donors under neutral conditions 61
- Hexakis(2,6-di-*O*-methyl)- α -cyclodextrin
Crystal structure of hexakis(2,6-di-*O*-methyl)- α -cyclodextrin-ace-tonitrile dihydrate: a channel formed by methyl groups harbors a chain of five partially occupied water sites 120
- Human milk
Structural analysis of three sulfated oligosaccharides isolated from human milk 230
- Hydration
Heteronuclear coupling constants of hydroxyl protons in a water solution of oligosaccharides: trehalose and sucrose 267
- Hydrogen bonding
Crystal structure of hexakis(2,6-di-*O*-methyl)- α -cyclodextrin-ace-tonitrile dihydrate: a channel formed by methyl groups harbors a chain of five partially occupied water sites 120

Hydrogenolysis

Improved synthesis of 2,3:4,6-di-*O*-isopropylidene-D-glucopyranose and -D-galactopyranose 138

Hydrolysis

Preparation of chitooligosaccharides from chitosan by an enzyme mixture 257

Hydrolytic reactions

Mechanism of the action of *Leuconostoc mesenteroides* B-512FMC dextranase: kinetics of the transfer of D-glucose to maltose and the effects of enzyme and substrate concentrations 183

Hydrophobic channel

Crystal structure of hexakis(2,6-di-*O*-methyl)- α -cyclodextrin-*acetonitrile* dihydrate: a channel formed by methyl groups harbors a chain of five partially occupied water sites 120

Inclusion compounds

Crystal structures of cyclomaltose (cyclodextrin) complexes with *p*-chlorophenol and *p*-cresol 261

In situ anomerization

Glycosyl iodides are highly efficient donors under neutral conditions 61

Kinetics

Mechanism of the action of *Leuconostoc mesenteroides* B-512FMC dextranase: kinetics of the transfer of D-glucose to maltose and the effects of enzyme and substrate concentrations 183

Lectin recognition

Synthesis of di- and trisaccharides incorporating a crown ether macrocycle 147

Leuconostoc mesenteroides B-512FMC

Mechanism of the action of *Leuconostoc mesenteroides* B-512FMC dextranase: kinetics of the transfer of D-glucose to maltose and the effects of enzyme and substrate concentrations 183

 α -L-Fucosidase

Enzymatic synthesis of α -L-fucosyl-*N*-acetylglucosamines and 3'-*O*- α -L-fucosyllactose utilizing α -L-fucosidases 192

Linnitisation

Distribution of methyl substituents over crystalline and amorphous domains in methylated starches 100

Lipases

1,5-Anhydro-D-fructose: regioselective acylation with fatty acids 250

Lipopolysaccharide

Structural studies of the O-antigen polysaccharide from the enteroinvasive *Escherichia coli* O173 200

The structure of the core part of *Proteus vulgaris* OX2 lipopolysaccharide 239

Maltose acceptor reactions

Mechanism of the action of *Leuconostoc mesenteroides* B-512FMC dextranase: kinetics of the transfer of D-glucose to maltose and the effects of enzyme and substrate concentrations 183

6'''- α -Maltotriosyl-maltohexaose

Chemical synthesis of 6'''- α -maltotriosyl-maltohexaose as substrate for enzymes in starch biosynthesis and degradation 19

Methyl α - and β -D-glucopyranosides

From methyl D-glucopyranoside to methyl D-allopyranoside via the Mitsunobu reaction 244

Methylated starches

Distribution of methyl substituents over crystalline and amorphous domains in methylated starches 100

Methylation

A study of fucoidan from the brown seaweed *Chorda filum* 108

Methylation analysis

A study of fucoidan from the brown seaweed *Chorda filum* 108

Mitsunobu reaction

From methyl D-glucopyranoside to methyl D-allopyranoside via the Mitsunobu reaction 244

Molybdc acid catalysis

Synthesis of sedoheptulose from 2-*C*-(hydroxymethyl)-D-allose by molybdc acid-catalysed carbon-skeleton rearrangement 31

NMR

A study of fucoidan from the brown seaweed *Chorda filum* 108

Structural studies of the O-antigen polysaccharide from the enteroinvasive *Escherichia coli* O173 200

The structure of the core part of *Proteus vulgaris* OX2 lipopolysaccharide 239

NMR coupling constants

Heteronuclear coupling constants of hydroxyl protons in a water solution of oligosaccharides: trehalose and sucrose 267

NMR spectroscopy

The structure of the specific capsular polysaccharide of *Rhodococcus equi* serotype 4 209

Nonasaccharide

Chemical synthesis of 6'''- α -maltotriosyl-maltohexaose as substrate for enzymes in starch biosynthesis and degradation 19

2'-*O*-Acetyl *C*-glycoside

Regioselective acetyl transfer from the aglycon to the sugar in *C*-glycosylic compounds facilitated by silica gel 129

O-Antigen, structure

Structural studies of the O-antigen polysaccharide from the enteroinvasive *Escherichia coli* O173 200

(2-*O*- α -D-Galactopyranosyl-4-*O*-methyl- α -D-glucurono)-D-xylan

(2-*O*- α -D-Galactopyranosyl-4-*O*-methyl- α -D-glucurono)-D-xylan from *Eucalyptus globulus* Labill 93

Oligosaccharide mimics

Synthesis and anomeric stability of (1 \rightarrow 6)-thiourea-linked pseudooligosaccharides 37

Open-chain structure

The structure of the core part of *Proteus vulgaris* OX2 lipopolysaccharide 239

Penicillium fellutanum

Immobilized 4-aminophenyl 1-thio- β -D-galactofuranoside as a matrix for affinity purification of an exo- β -D-galactofuranosidase 176

Polysaccharide

The free reducing oligosaccharides of angico branco (*Anadenanthera colubrina*) gum exudate: an aid for structural assignments in the heteropolysaccharide 167

Proteus vulgaris OX2

The structure of the core part of *Proteus vulgaris* OX2 lipopolysaccharide 239

Quillaic acid

Separation and structural analysis of saponins in a bark extract from *Quillaja saponaria* Molina 70

Quillaja saponaria Molina

Separation and structural analysis of saponins in a bark extract from *Quillaja saponaria* Molina 70

Reductive cleavage of glycoside linkages

Mechanism of the reductive cleavage reaction of permethylated methyl D-glucopyranosides 223

Regioselective acetyl transfer

Regioselective acetyl transfer from the aglycon to the sugar in *C*-glycosylic compounds facilitated by silica gel 129

Regioselective acylation

1,5-Anhydro-D-fructose: regioselective acylation with fatty acids 250

Rhodaminic acid

The structure of the specific capsular polysaccharide of *Rhodococcus equi* serotype 4 209

Rhodococcus equi

The structure of the specific capsular polysaccharide of *Rhodococcus equi* serotype 4 209

Saponins

Separation and structural analysis of saponins in a bark extract from *Quillaja saponaria* Molina 70

Sedoheptulosan

Synthesis of sedoheptulose from 2-*C*-(hydroxymethyl)-*D*-allose by molybdc acid-catalysed carbon-skeleton rearrangement 31

Sedoheptulose

Synthesis of sedoheptulose from 2-*C*-(hydroxymethyl)-*D*-allose by molybdc acid-catalysed carbon-skeleton rearrangement 31

Silica gel

Regioselective acetyl transfer from the aglycon to the sugar in *C*-glycosylic compounds facilitated by silica gel 129

Structural analysis

(2-*O*- α -*D*-Galactopyranosyl-4-*O*-methyl- α -*D*-glucurono)-*D*-xylan from *Eucalyptus globulus* Labill 93

Structural similarity

The free reducing oligosaccharides of angico branco (*Anadenanthera colubrina*) gum exudate: an aid for structural assignments in the heteropolysaccharide 167

Structure

The structure of the specific capsular polysaccharide of *Rhodococcus equi* serotype 4 209

Substituent distribution

Distribution of methyl substituents over crystalline and amorphous domains in methylated starches 100

3'-Substituted thymidine

Stereoselective synthesis of 3'-*C*-methylene- and 2'-methyl-3'-*C*-methylene-3'-deoxythymidine 161

Sucrose

Heteronuclear coupling constants of hydroxyl protons in a water solution of oligosaccharides: trehalose and sucrose 267

Sugar isothiocyanates

Synthesis and anomeric stability of (1 \rightarrow 6)-thiourea-linked pseudooligosaccharides 37

Sugar thioureas

Synthesis and anomeric stability of (1 \rightarrow 6)-thiourea-linked pseudooligosaccharides 37

Sulfated oligosaccharides

Structural analysis of three sulfated oligosaccharides isolated from human milk 230

Sulfated polysaccharides

A study of fucoidan from the brown seaweed *Chorda filum* 108

Synthesis

Synthesis of a tetrasaccharide fragment of cobra venom factor oligosaccharide 1

Tetrasaccharide

Synthesis of a tetrasaccharide fragment of cobra venom factor oligosaccharide 1

1-thio- β -*D*-Galactofuranoside

Immobilized 4-aminophenyl 1-thio- β -*D*-galactofuranoside as a matrix for affinity purification of an exo- β -*D*-galactofuranosidase 176

Transfer reactions

Mechanism of the action of *Leuconostoc mesenteroides* B-512FMC dextranucrase: kinetics of the transfer of *D*-glucose to maltose and the effects of enzyme and substrate concentrations 183

Transglycosylation

Enzymatic synthesis of α -*L*-fucosyl-*N*-acetylactosamines and 3'-*O*- α -*L*-fucosyllactose utilizing α -*L*-fucosidases 192

Trehalose

Heteronuclear coupling constants of hydroxyl protons in a water solution of oligosaccharides: trehalose and sucrose 267

Trehalose analogs

Glycosyl iodides are highly efficient donors under neutral conditions 61

Trichloroacetimidates

Synthesis of di- and trisaccharides incorporating a crown ether macrocycle 147

Trifluoromethyl

Synthesis and antitumor activity of 5'-demethyl-5'-trifluoromethyl-daunorubicin and -doxorubicin 8

Water chain

Crystal structure of hexakis(2,6-di-*O*-methyl)- α -cyclodextrin-acetonitrile dihydrate: a channel formed by methyl groups harbors a chain of five partially occupied water sites 120

X-ray structure

Crystal structures of cyclomaltohexaose (α -cyclodextrin) complexes with *p*-chlorophenol and *p*-cresol 261